



NEW PRODUCTS 2023

CONTENTS

- 1 Tool backpack Modular X18**
Carry up to 15 kg of tools comfortably on your back
Page 4 – 7
- 2 Tool case "Robust26 Move"**
Practical tool case for the toughest jobs
Page 8 – 11
- 3 Tool case "Basic" Electric Vehicles**
Perfectly equipped for maintenance and inspection of EV
Page 12
- 4 Needle-Nose Combination Pliers – 185 mm**
Powerful combination pliers with pointed jaws
Page 13
- 5 Forged Wire Stripper for metric cable**
Versatile 5-in-1 combination pliers for electrical installation
Page 14



You can find more information, pictures and videos about the new 2023 products on the internet at www.knipex.com or on our social media channels.



▶ Tool backpack Modular X18



▶ Tool case "Robust26 Move"



▶ Tool case "Basic" Electric Vehicles



▶ KNIPEX App

 @knipex_official  Knipex  KNIPEXWerk

THE NEW
KNIPEX APP
see page 15



4



5



Everything you need – for everything you need

Your reliable partner for every job: transport up to 15 kg of tools and accessories in the backpack

KNIPEX Modular X18

Light, flexible and unique: The modular tool backpack for all those who make no compromises in their work

- ▶ Fits you and your tools: practical and comfortable due to fully hinged front and back, removable tool board and padding for your back
- ▶ As individual as you are: optimal flexibility due to innovative FIDLOCK® connectors and MOLLE webbing
- ▶ Fit for any challenge: with two separate inner compartments for tools, measuring instruments, notebook or tablet

- > Durable fabric made of sustainable recycled synthetic fibers, splash-proof and easy to clean
- > Waterproof molded bottom made of impact-resistant plastic for a secure upright position when opened and closed, 6 cm high
- > One MOLLE strap on the inside and four MOLLE straps on the outside for attaching any adapters, carabiners and accessories
- > FIDLOCK® connections are fastened or unfastened in no time at all
- > A total of 21 retaining loops and 37 pockets, some with zips
- > Luggage strap for fixing to telescopic handles of tool cases
- > 53 x 34 x 21 cm (H x W x D), empty weight 2.9 kg, tested load capacity up to 15 kg

Over 50 tool holders, you can store up to 15 kg of tools neatly, reliably and always within easy reach.



FIDLOCK® adapter with fabric loop



Carabiners or FIDLOCK® adapters can be attached to the MOLLE straps and combined in almost any way



FIDLOCK® connector to reinforce the support system



The luggage strap allows convenient attachment to telescopic handles of tool cases



15" Separate laptop compartment




Removable, half-height tool panel



Small parts tray



Lockable zips



Adjustable opening width



Further information on the tool backpack

Further technical information can be found on page 16

Art no. 00 21 50 E

KNIPEX Modular X18 Electric

Convenient transport of the most important tools for the electrical trade

- ▶ Equipped with 16 KNIPEX tools, a total of 22 brand tools, partly VDE-tested according to DIN EN 60900
- ▶ Max. payload: 15 kg
- ▶ Volume: 18 litres



Art no. 00 21 50 S

KNIPEX Modular X18 Plumbing

Optimally equipped for the plumbing trade

- ▶ Equipped with 12 KNIPEX tools, a total of 17 brand tools, partly VDE-tested according to DIN EN 60900
- ▶ Max. payload: 15 kg
- ▶ Volume: 18 litres



Further information on the contents



Contents

00 11 01 KNIPEX TwinKey®		70 06 160 KNIPEX		98 25 01 SLS KNIPEX		Wera 9 pieces	
08 26 185 KNIPEX		78 06 125 KNIPEX		98 20 35 SL KNIPEX		Stabila	
12 52 195 KNIPEX PreciStrip 16		90 22 10 KNIPEX Bix®		98 20 55 SL KNIPEX		Stabila	
13 86 200 KNIPEX		97 53 14 KNIPEX		98 52 KNIPEX		Lyra	
16 95 01 KNIPEX ErgoStrip®		98 25 01 SL KNIPEX		KNIPEX			
26 26 200 KNIPEX		98 25 02 SL KNIPEX		Picard			

Contents

74 06 180 KNIPEX		00 11 01 KNIPEX TwinKey®		KNIPEX	
86 03 300 KNIPEX		90 22 10 KNIPEX Bix®		Picard	
87 01 180 KNIPEX Cobra®		98 24 01 SL KNIPEX		Wera 9 pieces	
87 01 300 KNIPEX Cobra®		98 24 02 SL KNIPEX		Stabila	
90 31 02 SB KNIPEX TubiX®		98 20 35 SL KNIPEX		Lyra	
90 10 165 KNIPEX CutiX®		98 20 55 SL KNIPEX			

I like to move it, move it

The new "Robust26 Move": transports your tools safely and easily to the workplace



Further information on the "Robust26 Move" tool case



Art no. 00 21 33 LE

Tool case "Robust26 Move"

For demanding jobs: lots of tools, easily transported

- ▶ Ready when you are: for the toughest conditions – impact-resistant polypropylene, dustproof, waterproof and temperature-resistant
- ▶ Hard work becomes smart work: maximum flexibility due to 19 tool pockets and 61 retaining loops as well as adaptable aluminium divider system
- ▶ Convenient when you are on the move: fit-to-fly, with extendable handle and easy-running wheels for more comfort

- > Fit-to-fly case, made from impact-resistant polypropylene
- > Dustproof and watertight
- > Air pressure compensation valve
- > Temperature-resistant from - 30°C to +80° C
- > Padlock eyelets
- > Document compartment; tool boards made from dirt-repelling twin-wall PP sheet with tool pockets and tool straps
- > Lockable base tray can be individually divided using aluminium separator system
- > Ergonomic dual-component handle
- > 19 tool pockets and 61 retaining loops



The telescopic handle turns the case into a trolley: simply pull the heaviest tools!



Pressure valve for ventilation and nameplate for individual identification.



Bottom tray with aluminium dividers for custom layout and magnetic recesses to secure small parts.





Secure fixing of the tool board prevents tools from falling out of the base.



Perfect for teams too: several tool cases stack together.

A comparison of the "Robust26 Move" cases:

	Number of tools it can hold	Capacity litres	Max. load kg	Dimensions bottom tray mm	Trolley function
"Robust26 Move" 00 21 33 LE 	80	26.4	25	550 x 350 x 225	✓
"Robust45 Move" 00 21 37 LE 	147	45	35	609 x 428 x 236	✓

Further technical information can be found on page 17

Tool case "Robust26 Move" Electric

Handy tool case for the toughest applications, fully equipped for the electrical trade

- ▶ Equipped with 16 KNIPEX tools, a total of 22 brand tools, partly VDE-tested according to DIN EN 60900
- ▶ Max. payload: 25 kg
- ▶ Volume: 26.4 litres



Contents

00 11 01 KNIPEX TwinKey®		70 06 160 KNIPEX		98 25 01 SLS KNIPEX		Wera 9 pieces	
08 26 185 KNIPEX		78 06 125 KNIPEX		98 20 35 SL KNIPEX		Stabila	
12 52 195 KNIPEX PreciStrip 16		90 22 10 KNIPEX BiX®		98 20 55 SL KNIPEX		Stabila	
13 86 200 KNIPEX		97 53 14 KNIPEX		98 52 KNIPEX		Lyra	
16 95 01 KNIPEX ErgoStrip®		98 25 01 SL KNIPEX		KNIPEX			
26 26 200 KNIPEX		98 25 02 SL KNIPEX		Picard			

Tool case "Robust26 Move" Plumbing

Complete equipment for the plumbing industry, safe and convenient transport

- ▶ Equipped with 12 KNIPEX tools, a total of 17 brand tools, partly VDE-tested according to DIN EN 60900
- ▶ Max. payload: 25 kg
- ▶ Volume: 26.4 litres



Contents

74 06 180 KNIPEX		00 11 01 KNIPEX TwinKey®		KNIPEX	
88 03 300 KNIPEX		90 22 10 KNIPEX BiX®		Picard	
87 01 180 KNIPEX Cobra®		98 24 01 SL KNIPEX		Wera 9 pieces	
87 01 300 KNIPEX Cobra®		98 24 02 SL KNIPEX		Stabila	
90 31 02 SB KNIPEX TubiX®		98 20 35 SL KNIPEX		Lyra	
90 10 165 KNIPEX Cutix®		98 20 55 SL KNIPEX			

Further information on the contents



Art no. 00 21 05 EV

Tool case "Basic" Electric Vehicles Insulated EV set for mechanics



Perfectly equipped for the maintenance and inspection of EVs:
1 case and 29 insulated tools

- ▶ Fit for EVs: most important VDE-tested tools and accessories neatly organised in a tool case
- ▶ Insulated tools and accessories for all work on EVs
- ▶ Complete basic EV equipment with pliers, open-ended spanner and ratchet set

- > 29 insulated tools, 1 pair of insulating gloves
- > Tool case "Basic" 00 21 05 with foam insert for 3/8" reversible ratchet set
- > Colour coding in foam insert indicates places for removed sockets
- > For garages and companies that service EVs / their own vehicle fleets
- > 20x46,5x41 cm (H x W x D), empty weight 4.5 kg

Contents

26 16 200 KNIPEX		3 piece 98 24 0X KNIPEX		6 piece 98 29 XX KNIPEX		98 62 01 KNIPEX	
70 06 160 KNIPEX		98 31 KNIPEX		6 piece 98 00 XX KNIPEX		98 62 02 KNIPEX	
86 06 250 KNIPEX		2 piece 98 35 XXX KNIPEX		3 piece 98 66 X0 KNIPEX			
2 piece 98 20 XX SL KNIPEX		4 piece 98 37 1X KNIPEX		98 65 41 KNIPEX			

Further technical information can be found on page 18

Art no. 08 2X 185

From June 2023

Needle-Nose Combination Pliers – 185 mm

Needle-Nose Combination Pliers now in a longer length: 185 millimetres long for powerful gripping in hard-to-reach work areas

- ▶ Powerful combination pliers with pointed jaws
- ▶ The gripping jaws are slim, yet extremely twist-proof and stable
- ▶ Handy use when working in confined areas thanks to slim head design and pointed jaws (anti-twist)
 - > Milled groove in the gripping area permits small parts such as nails, pins and bolts to be held and pulled
 - > The reliable and diverse combination pliers when out and about
 - > Easy cutting thanks to the high leverage joint
 - > With cutting edges for soft, medium-hard and hard wire
 - > High-grade special tool steel, forged, multi stage oil-hardened
 - > Cutting edges additionally induction-hardened, cutting edge hardness approx. 59–62 HRC
 - > Long service life and stable tips



08 21 185



08 22 185



08 26 185



The gripping jaws are slim, yet twist-proof and stable.



Gripping surfaces with special convex contour on one side for secure gripping of flat parts.



08 25 185

Further technical information can be found on page 18

Art no. 13 7X 200 ME

Forged Wire Stripper for metric cable

Versatile 5-in-1 combination pliers for electrical installation: cut cables, strip conductors, twist, deburr and grip

- ▶ Clever stripping: large capacity range, sharply ground stripping profiles and intuitive positioning
- ▶ Innovative cutting geometry: easier cutting, especially of flat cables
- ▶ Hybrid design: as flat as needle-nose pliers, as wide as combination pliers for high stability with good accessibility
- > Precisely ground stripping profiles for solid conductors from 0.75–6 mm² and fine-stranded conductors from 0.5–4 mm²
- > Precise positioning of the wire thanks to location ridges
- > Easy cutting of copper and aluminium cables up to Ø 15 mm (1/2")
- > Wide, cross-hatched gripping surfaces for twisting wires
- > Milled groove for secure holding and pulling of small work pieces such as nails
- > Convex gripping surface on one side for secure gripping of flat material and gripping area for round material
- > Outer edges for deburring pipes
- > The cross-hatched gripping surfaces are ideal for twisting wires




13 71 200 ME



13 72 200 ME



13 76 200 ME



The cross-hatched gripping surfaces are ideal for twisting wires

Further technical information can be found on page 18

THE WHOLE KNIPEX WORLD IN YOUR HANDS!

From May 2023



Find the right tool for the job



KNIPEXPLORER



Experience products in a new way



AR



Search thousands of KNIPEX products



TOOLFINDER



Save your favourites to the wishlist



WISHLIST



Google Play and the Google Play logo are registered trademarks of Google LLC. App Store and Apple are trademarks of Apple Inc. registered in the U.S. and other countries. IOS is a trademark or service mark of Cisco Systems, Inc. and/or its affiliates registered in the U.S. and other countries.

App available in German and English at launch and soon in other languages

Now you can explore the entire KNIPEX world with just a few clicks: Over 2,000 products are available in an intelligent search function as well as a product finder for crimping pliers and pipe cutters. Add products to a wishlist and use the AR function to get to know selected KNIPEX products in detail.

Scan and download!



Google Play



App Store

Tool backpack Modular X18 Page 4-5

Article No.	EAN	↔	⚖
00 21 50 LE	4003773-089056	mm	kg
		530 x 340 x 210 mm	2900

Tool backpack Modular X18 Electric Page 6

Article No.	EAN				Quantity	Nominal size	⚖	
00 21 50 E	4003773-089063						g	
		Tool backpack Modular X18 Electric, 22 pieces						6600
			00 11 01	KNIPEX TwinKey®, Control cabinet key	1			
			08 26 185	Needle-Nose Combination Pliers	1	185 mm		
			12 52 195	KNIPEX PreciStrip16, Automatic Insulation Stripper	1	195 mm		
			13 86 200	Pliers for Electrical Installation	1	200 mm		
			16 95 01	KNIPEX ErgoStrip®, Universal Stripping Tool	1	135 mm		
			26 26 200	Long-reach snipe nose pliers, angled	1	200 mm		
			78 06 125	Electronic Super Knips®	1	125 mm		
			70 06 160	Diagonal Cutter	1	160 mm		
			90 22 10	KNIPEX BiX®, Cutter for plastic pipes and sealing sleeves	1	72 mm		
			97 53 14	Self-Adjusting Crimping Pliers for wire ferrules	1	180 mm		
			98 52	Cable Knife	1	185 mm		
			98 25 01 SL	Screwdriver (Slim) for cross-recessed screws	1	PH1 x 80 mm		
			98 25 02 SL	Screwdriver (Slim) for cross-recessed screws	1	SL/PH1 x 187 mm		
			98 25 01 SLS	Screwdriver (Slim) for cross-recessed screws	1	187 mm		
			98 20 35 SL	Screwdriver (Slim) for slotted screws	1	0.6 x 3.5 x 100 mm		
			98 20 55 SL	Screwdriver (Slim) for slotted screws	1	1.0 x 5.5 x 125 mm		
				Wooden folding rule type 1607, white, 2 m	1	2 m		
				Deep hole marker	1			
				Locksmith's hammer	1	300 g		
				Spirit level type 70	1	30 cm		
				Stabila Pocket	1			
				Angle wrench set, 9 pcs.	1	1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm		

Tool backpack Modular X18 Plumbing Page 7

Article No.	EAN				Quantity	Nominal size	⚖	
00 21 50 S	4003773-089070						g	
		Tool backpack Modular X18 Plumbing, 17 pieces						6550
			00 11 01	KNIPEX TwinKey®, Control cabinet key	1			
			74 06 180	High Leverage Diagonal Cutter	1	180 mm		
			86 03 300	Pliers Wrench	1	300 mm		
			87 01 180	KNIPEX Cobra®, High-Tech Water Pump Pliers	1	180 mm		
			87 01 300	KNIPEX Cobra®, High-Tech Water Pump Pliers	1	300 mm		
			90 31 02 SB	KNIPEX TubiX®, Pipe cutter	1	180 mm		
			90 10 165	KNIPEX CutiX®, Universal knife	1	165 mm		
			90 22 10	KNIPEX BiX®, Cutter for plastic pipes and sealing sleeves	1	72 mm		
			98 24 01 SL	Screwdrivers for cross recessed Phillips® screws	1	PH1 x 80 mm		
			98 24 02 SL	Screwdrivers for cross recessed Phillips® screws	1	PH2 x 80 mm		
			98 20 35 SL	Screwdriver (Slim) for slotted screws	1	0.6 x 3.5 x 100 mm		
			98 20 55 SL	Screwdriver (Slim) for slotted screws	1	1.0 x 5.5 x 125 mm		
				Wooden folding rule type 1607, white, 2 m	1	2 m		
				Deep hole marker	1			
				Locksmith's hammer	1	300 g		
				Spirit level type 70	1	30 cm		
				Angle wrench set, 9 pcs.	1	1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm		

Tool case "Robust26 Move" Page 9




































































Article No.	EAN	↔	⚖
00 21 33 LE	4003773-057543	mm	g
		550 x 350 x 225 mm	7000










Tool case "Robust26 Move" Electric Page 10





Article No.	EAN				Quantity	Nominal size	⚖	
00 21 33 E	4003773-089094						g	
		Tool case "Robust26 Move" Electric, 22 pieces						10100
			00 11 01	KNIPEX TwinKey®, Control cabinet key	1			
			08 26 185	Needle-Nose Combination Pliers	1	185 mm		
			12 52 195	KNIPEX PreciStrip16, Automatic Insulation Stripper	1	195 mm		
			13 86 200	Pliers for Electrical Installation	1	200 mm		
			16 95 01	KNIPEX ErgoStrip®, Universal Stripping Tool	1	135 mm		
			26 26 200	Long-reach snipe nose pliers, angled	1	200 mm		
			78 06 125	Electronic Super Knips®	1	125 mm		
			70 06 160	Diagonal Cutter	1	160 mm		
			90 22 10	KNIPEX BiX®, Cutter for plastic pipes and sealing sleeves	1	72 mm		
			97 53 14	Self-Adjusting Crimping Pliers for wire ferrules	1	180 mm		
			98 52	Cable Knife	1	185 mm		
			98 25 01 SL	Screwdriver (Slim) for cross-recessed screws	1	PH1 x 80 mm		
			98 25 02 SL	Screwdriver (Slim) for cross-recessed screws	1	SL/PH1 x 187 mm		
			98 25 01 SLS	Screwdriver (Slim) for cross-recessed screws	1	187 mm		
			98 20 35 SL	Screwdriver (Slim) for slotted screws	1	0.6 x 3.5 x 100 mm		
			98 20 55 SL	Screwdriver (Slim) for slotted screws	1	1.0 x 5.5 x 125 mm		
				Wooden folding rule type 1607, white, 2 m	1	2 m		
				Deep hole marker	1			
				Locksmith's hammer	1	300 g		
				Spirit level type 70	1	30 cm		
				Stabila Pocket	1			
				Angle wrench set, 9 pcs.	1	1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm		

Tool case "Robust26 Move" Plumbing Page 11
































































Article No.	EAN				Quantity	Nominal size	⚖	
00 21 33 S	4003773-089100						g	
		Tool case "Robust26 Move" Plumbing, 17 pieces						9700
			00 11 01	KNIPEX TwinKey®, Control cabinet key	1			
			74 06 180	High Leverage Diagonal Cutter	1	180 mm		
			86 03 300	Pliers Wrench	1	300 mm		
			87 01 180	KNIPEX Cobra®, High-Tech Water Pump Pliers	1	180 mm		
			87 01 300	KNIPEX Cobra®, High-Tech Water Pump Pliers	1	300 mm		
			90 31 02 SB	KNIPEX TubiX®, Pipe cutter	1	180 mm		
			90 10 165	KNIPEX CutiX®, Universal knife	1	165 mm		
			90 22 10	KNIPEX BiX®, Cutter for plastic pipes and sealing sleeves	1	72 mm		
			98 24 01 SL	Screwdrivers for cross recessed Phillips® screws	1	PH1 x 80 mm		
			98 24 02 SL	Screwdrivers for cross recessed Phillips® screws	1	PH2 x 80 mm		
			98 20 35 SL	Screwdriver (Slim) for slotted screws	1	0.6 x 3.5 x 100 mm		
			98 20 55 SL	Screwdriver (Slim) for slotted screws	1	1.0 x 5.5 x 125 mm		
				Wooden folding rule type 1607, white, 2 m	1	2 m		
				Deep hole marker	1			
				Locksmith's hammer	1	300 g		
				Spirit level type 70	1	30 cm		
				Angle wrench set, 9 pcs.	1	1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm		

Article No.	EAN 4003773-089025			Quantity	Nominal size	g	
08 21 05 EV	089025	Tool case "Basic" Electric Vehicles, 33 pieces					7500
		  	26 16 200	1	200 mm		
		 	70 06 160	1	160 mm		
		 	86 06 250	1	250 mm		
		 	98 20 35	1	0.6 x 3.5 x 100 mm		
		 	98 20 65	1	1.2 x 6.5 x 150 mm		
		 	98 24 01	1	PH1 x 80 mm		
		 	98 24 02	1	PH2 x 100 mm		
		 	98 24 03	1	PH3 x 150 mm		
		 	98 31	1	3/8"		
		 	98 35 125	1	3/8"		
		 	98 35 250	1			
		 	98 37 10	1	3/8"		
		 	98 37 11	1			
		 	98 37 12	1			
		 	98 37 13	1			
		 	98 29 25	1	3/8" / TX25		
		 	98 29 27	1	3/8" / TX27		
		 	98 29 30	1	3/8" / TX30		
		 	98 29 40	1	3/8" / TX40		
		 	98 29 45	1	3/8" / TX45		
		 	98 29 50	1	3/8" / TX50		
		 	98 00 08	1	8 mm		
		 	98 00 09	1	9 mm		
		 	98 00 10	1	10 mm		
		 	98 00 11	1	11 mm		
		 	98 00 12	1	12 mm		
		 	98 00 13	1	13 mm		
		 	98 66 30	1	30 mm		
		 	98 66 40	1	40 mm		
		 	98 66 50	1	50 mm		
		 	98 65 41	1	410 mm		
		 	98 62 01	1	180 mm		
		 	98 62 02	1	220 mm		

Article No.	EAN 4003773-	mm		Pliers	Head	Handles	Cutting capacities				g
							Ø mm	Ø mm	Ø mm	mm ²	
08 21 185	088325	185		black atramentized	polished	plastic coated	3.8	3.0	13.0	25.0	213
08 21 185 SB	088837	185		black atramentized	polished	plastic coated	3.8	3.0	13.0	25.0	234
08 22 185	088332	185		black atramentized	polished	with multi-component grips	3.8	3.0	13.0	25.0	251
08 22 185 SB	088844	185		black atramentized	polished	with multi-component grips	3.8	3.0	13.0	25.0	276
08 25 185	088349	185		chrome-plated	polished	with multi-component grips	3.8	3.0	13.0	25.0	251
08 25 185 SB	088851	185		chrome-plated	polished	with multi-component grips	3.8	3.0	13.0	25.0	276
08 26 185	088356	185		chrome-plated	polished	insulated with multi-component grips, VDE-tested	3.8	3.0	13.0	25.0	258
08 26 185 SB	088868	185		chrome-plated	polished	insulated with multi-component grips, VDE-tested	3.8	3.0	13.0	25.0	279

Article No.	EAN 4003773-	mm		Pliers	Head	Handles	Cutting capacities		Stripping capacity for cross-sections mm ²	g
							Ø mm	mm ²		
13 71 200 ME	088929	200		black atramentized	polished	plastic coated	15	50	0.75–4 / 6	260
13 72 200 ME	088936	200		black atramentized	polished	with multi-component grips	15	50	0.75–4 / 6	280
13 76 200 ME	088943	200		chrome-plated	chrome-plated	insulated with multi-component grips, VDE-tested	15	50	0.75–4 / 6	290

Index

	Packing unit		Hexagonal crimp		Retaining ring, diagonal
SB / BK	Carded pliers with euro holes		Square crimp		Grip ring
ESD	Electrostatic discharging, dissipative		Tyco crimp		Flat jaws
1000 V	Insulated according to IEC 60900, usable up to 1000 V AC/1500 V DC		Western crimp		Flat and pointed jaws
	VDE tested, also in compliance with GPSG (Equipment and Product Safety Act)		Trapezoidal crimp front		Half-round jaws
	Cu- + Al-multi-conductor cable, solid and multi-stranded		Hexagon		Round jaws
	Wire rope		Hexagonal screw		Angle
	Ribbon cable		Slotted screw		Smooth gripping surfaces
	Steel wire armoured cable (SWA)		Cross recessed screw		Smooth-serrated gripping surfaces
	ACSR cable		PlusMinus cross recessed screw		Knurled gripping surfaces
	Soft wire		Pozidriv cross recessed screw		Cross-hatched, knurled gripping surfaces
	Medium hard wire		Torx		Centre cutter
	Hard wire		With driving square 3/8"		Cutting edges with bevel
	Piano wire		With driving square 1/2"		Cutting edges with small bevel
	Square crimp automatic		Internal square 3/8"		Cutting edges with very small bevel
	Hexagonal crimp automatic		Internal square 1/2"		Cutting edges without bevel
	Four mandrel crimp		Hexagonal socket		For flush cut of soft materials
	Mandrel crimp		12-point		Mechanically tested in accordance with the Equipment and Product Safety Act
	Trapezoid crimp		With opening spring		Conforms to a European directive
	Oval crimp		With lead catcher		WEEE marking (Waste Electrical and Electronic Equipment Directive)
	F-crimp		Internal circlip		
	Trapezoid indent crimp		External circlip		
	W-crimp		Retaining ring, straight		

Copyright 2023

KNIPEX-Werk C. Gustav Putsch KG, Wuppertal (Germany)

All rights reserved. Reprinting, duplication and translation are permitted only with our express, written consent.

The KNIPEX-Werk C. Gustav Putsch KG works continuously to further develop all its tools. These tools are subject to technical modifications at any time. Consequently published details, illustrations, descriptions and dimensions are not binding.

All rights are reserved for misprints and errors.
Printed in Germany.

All product names, logos and brands are the property of their respective owners.



KNIPEX-Werk
C. Gustav Putsch KG

42337 Wuppertal
Germany

Tel.: +49 202 – 47 94-0
Fax: +49 202 – 47 74 94

info@knipex.com
www.knipex.com