

SPRINT[®]



CAR REFINISH







A big company at a human dimension

Expert knowledge in the chemical field, attention to customer needs, maximum efficiency and quality: all of this is ICR - Industria Chimica Reggiana, which has been a benchmark for varnishing in the auto-body, industrial, composite and natural stone sectors since 1961.



The wide range of solutions that it offers is designed by a team of specialized technicians who aim to get the maximum in terms of technological innovation, performance and cost/benefit ratio. Present in more than 100 countries around the world, solid, stable and continuously growing, ICR is an international company that does not intend to give up its calling for customization, evident not only in its attention dedicated to the development and creation of each product, but the readiness with which it serves every single customer, assisting them throughout every phase of the purchase.

MADE IN ITALY EXCELLENCE



ICR is founded and immediately dedicates itself to the production of chemical articles for bodywork and natural stones.

1961

The subsidiary ICR Ibérica is founded in Spain.

1969

ICR grows in the markets of Eastern and Western Europe.

1980

The R&D laboratories develop the early products specific for the Industry market.

1998

Debut on the market of the Sprint brand, which immediately distinguishes itself in the car refinish sector.

1962

The process of internationalisation begins: the first sale in Kuwait dates back to this year.

1973

ICR opens new markets in Africa, Asia and Latin America, where it operates with a solid network of subsidiaries, licensees and qualified distributors.

1985 - 1995

ICR enters the world of colour with the purchase of Brenen Italiana with its Offices in Perugia, the historic brand of industrial paints.

2001





ICR has acquired ProWorx, leader in car refinish fillers in the United Kingdom. The transaction allows this important country to be better served and to expand the offer of car repair products dedicated to the Anglo-Saxon market. The international expansion is continuing in the same fashion after being undertaken in the perspective of having a direct presence in the markets. It earlier led to the opening of ICR Sprint Inc., headquartered in Fall River, MA (USA), in 2017.

ICR launches Sprint Coatings and the Sprint Mix tinting machine, solutions suitable for the general industry and for industrial bodywork.

2008

ICR acquires 30,000 mq of factory space in Lodi meant specifically for the production of paints.

2011

Innovation continues: creation of the air-dried UHS transparent paints which, thanks to the evolved ICR technology, satisfy the new needs of the car refinish market.

2015

ICR acquires the technologies to satisfy the needs of special coatings like silk screen printing of automobile logos and lacquering of design and plastic objects.

2010

ICR starts the production of E-coating, solutions addressing the market of electrodeposition techniques.

2013

The Company enters the world of car colour: introduction of Sprint Evolution color system, high performance tinting machine comprising over 85,000 formulae and 15,000 cards.

2016

ICR launches the tintometric system WATER BASED SYSTEM designed for the industrial sectors that require an ultra-low environmental impact.

ICR launches GLADIATOR, 2K acrylic enamel with a high quality orange peel/textured effect.

2019



A person is using a spray gun to apply paint to a car part. The spray gun is green and black, and the person is wearing a white shirt. The background is a light green color. The text "ICR: YOUR CAR REFINISH PARTNER" is overlaid in white, bold, sans-serif font.

ICR: YOUR CAR REFINISH PARTNER

INDEX

8	UV LINE
14	EXPRESS AIR SYSTEM
22	PUTTIES
34	PRIMERS & SURFACERS
46	CLEARCOATS
56	THINNERS
62	ANCILLARIES
70	HAND CLEANERS
74	PROTECTORS & SEALERS
78	PLASTIC
82	ADV ITEMS



UV LINE

**UV products for the spot repair.
Fast repair is no longer a problem,
but a business opportunity with the new
UV System - High Productivity.
The complete process is drastically reduced
in terms of time with safe and best results.**

UV FLASH

S01 FLASH-1

1K Putty ready to use, very fast drying with UV Rays. The surface is ready to sand after application, in 3-4 minutes.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
S015200001				
Transparent	Cartridge	410 ml	0.718 kg	6

F01 FLASH-2

1K Filler with very high thickness, easy to apply and fast drying with UV Rays. Neutral color can be over coated with any top coat. Ready to sand after 3-5 minutes.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
F010400001*				
Ivory	Tin	500 ml	0.680 kg	6
F010600101				
Ivory	Tin	1.00 L	1.360 kg	6

* until stocks last

UV FLASH

SPRAY UV FLASH PRIMER

1K spray filler with very high thickness, easy to apply thanks to the "spray can" format and fast drying with UV rays. Neutral color can be over coated with any top coat. It is ready and easy to use: surfaces with minor damage do not require preparation and cleaning, and the product can be applied immediately. Ready to sand after 3-5 minutes.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
F01FCM401				
Ivory	Spray can	400 ml	0.372 kg	6

D01 FLASH-T2

Specific thinner for F01 to be used also to remove filler application fumes before sanding.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
D017800001				
Colorless	Bottle	1.00 L	0.790 kg	6

UV FLASH

H01 FLASH-3

1K acrylic clear which polymerizes by irradiation of UV Rays. Ready to use, very easy to apply without drop run. Ready for polishing after 10 minutes.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H018700001				
Colorless	Tin	500 ml	0.480 kg	6

SPRAY UV FLASH CLEAR

1K acrylic clearcoat which polymerizes by irradiation of UV rays. Ready to use, very easy to apply without drop thanks to its "spray can" formula. It guarantees a simple and effective application and a brilliant finish. This clearcoat cures through exposure to UVA rays from both traditional UVA and LED lighting run.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H001FCM4001				
Colorless	Spray can	400 ml	0.330 kg	6

UV FLASH



D03 FLASH-T3

Specific Thinner for acrylic UV clear.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
D037800001				
Colorless	Bottle	1.00 L	0.900 kg	6

UV EQUIPMENTS

Very easy to be installed, safe and handy. Weight and size are limited, conform to EU regulation. Studied for Spot Repair with a concentrated beam of light.

CODE	FEATURES
VUV405W	Portable equipment UV 400W
VUVSUPP	Vertical support for UV equipment
VUVSUP4	Vertical support for 4 UV equipment
VUVOCC5	Protective glasses
VUVLAMP	Ultra violet lamp H400/PE (spare part)
VUV4VET	Glass for UV lamp (spare part)
VMACCA1	Dispenser for cartridges





EXPRESS AIR SYSTEM

Fast system at reduced energy consumption. The SPRINT EXPRESS System is developed to satisfy the new requirements of the car-refinish field. It allows higher quality repairs in less time, decreasing energy costs and significantly increasing productivity.

EXPRESS AIR SYSTEM



SC4 ROYAL SOFT PUTTY

Polyester creamy bodyfiller ideal for car repair. Excellent spreadability and extreme softness that allows to immediately obtain a very perfect surface. Universal excellent adhesion on all surfaces and very high bending resistance also with high thicknesses. Its excellent sanding allows the product layer to be zeroed in just a few passes. Voc less than 250 g/l according 2004/42/CE.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
SC41265001						
Yellow	Flat tin	1.00 L	1.800 kg	6	Tube	40 ml
SC41360001						
Yellow	Cartridge	820 ml	1.509 kg	12	Cartridge	40 g

EXPRESS AIR SYSTEM



 **ENERGY SAVER**

F76/F77/F78/F79 SPRINT-AIR PRIMER

High solid two-component product at low content of solvent, very suitable for new jobs and repairs. It hardens very rapidly, sands very easily, non absorbing. It gives the finish an even and high gloss. It can be overpainted with any type of finish. According to the 2004/42/CE rules. Mix 5:1 with C15/C16.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
F760600101				
White	Tin	1.00 L	1.590 kg	12
F767700101				
White	Tin	2.5 L	3.975 kg	4
F770600101				
Grey	Tin	1.00 L	1.590 kg	12
F777700101				
Grey	Tin	2.5 L	3.975 kg	4
F780600101				
Dark grey	Tin	1.00 L	1.594 kg	12
F787700101				
Dark grey	Tin	2.5 L	3.985 kg	4
F790600101				
Black	Tin	1.00 L	1.620 kg	12
F797700101				
Black	Tin	2.5 L	4.050 kg	4



HARDENER

C15/C16/C17 UNIHARDENER HS

Universal hardener compatible with all clearcoats and coloured finishing enamels, both acrylic and polyurethanic. High dry residual and excellent resistance to yellowing. C15 Normal, C16 Fast.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C151600001				
Colorless	Bottle	200 ml	0.191 kg	12
C157100001				
Colorless	Bottle	500 ml	0.492 kg	6
C161600001				
Colorless	Bottle	200 ml	0.191 kg	12
C167100001				
Colorless	Bottle	500 ml	0.493 kg	6

EXPRESS AIR SYSTEM



 **ENERGY SAVER**

H79 SPRINT-AIR WIDE

2K Acrylic clearcoat UHS (Ultra High Solid), excellent for fine finishing in double coating cycles. Ideal for all kind of reparations (spot or whole car repair), where very fast drying times are required. Suitable for application on waterborne and on solventborne basecoats. High gloss and very good depth are at higher level compared to the clearcoats of the same category. In compliance with the 2004/42/CE directive. Mixing ratio 2:1 with the hardener line C67/C68/C69.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H796900001				
Colorless	Bottle	1.00 L	0.993 kg	6
H797400001				
Colorless	Tin	5.00 L	4.965 kg	4



HARDENER

C67/C68/C69 UNIHARDENER UHS

Specific hardeners for the clearcoat H79 Sprint-Air Wide. C67 slow, C68 normal, C69 fast.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C671600001				
Colorless	Bottle	500 ml	0.509 kg	6
C677100001				
Colorless	Tin	2.50 L	2.545 kg	4
C681600001				
Colorless	Bottle	500 ml	0.475 kg	6
C687100001				
Colorless	Tin	2.50 L	2.375 kg	4
C691600001				
Colorless	Bottle	500 ml	0.475 kg	6
C697100001				
Colorless	Tin	2.50 L	2.375 kg	4

EXPRESS AIR SYSTEM



 **ENERGY SAVER**

H59 SPRINT-AIR GT CLEAR HS

2K HS acrylic clearcoat "Air" type with long pot life. "Air" finish since it hardens at room temperature in extremely short times. The pot life of the A + B mixture, over 90 minutes, allows complete car painting. Easy and smooth in the equipment, it allows to realize full finishes, with high gloss and particularly hard and scratch resistant. Equipped with excellent resistance to atmospheric agents, yellowing and scratching. In compliance with the 2004/42/CE directive. Mixing ratio:2:1 by volume with hardeners C15/C16/C17.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H596900001				
Colorless	Bottle	1.00 L	0.990 kg	6
H597400001				
Colorless	Tin	5.00 L	4.950 kg	4



HARDENER

C15/C16/C17 UNIHARDENER HS

Universal hardener compatible with all clearcoats and coloured finishing enamels, both acrylic and polyurethanic. High dry residual and excellent resistance to yellowing. C15 Normal, C16 Fast, C17 Express.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C151600001				
Colorless	Bottle	500 ml	0.492 kg	6
C157100001				
Colorless	Tin	2.50 L	2.460 kg	4
C161600001				
Colorless	Bottle	500 ml	0.493 kg	6
C167100001				
Colorless	Tin	2.50 L	2.465 kg	4
C171600001				
Colorless	Bottle	500 ml	0.478 kg	6
C177100001				
Colorless	Tin	2.50 L	2.390 kg	4



 **ENERGY SAVER**

H72 SPRINT-AIR CLEAR

Ultra Fast two-component clearcoat. Ideal for high quality finishes, in double layer cycles where water or solvent based mat basecoats are used. Ideal for small repairs when the product must harden within a very short time. This high-performance product is easy to use, features excellent spreading capacity and dries so fast that it can be polished after 50-60 min. In compliance with the 2004/42/CE directive. Mixing ratio 1:1 with the hardener line C72. The product is sold in kit form (A: 500ml of H72 clearcoat + B: 500ml of C72 hardener).

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H7204C7201				
Colorless	Tin (Kit A+B)	1 L (A+B)	(A: 0.500 kg + B:0.525 kg)	6





PUTTIES

In compliance with the 2004/42/CE directive. Looking at the different market needs, as renowned putty producers, we decided to produce a new range of products. Giving always the correct answer in terms of standard quality, flexibility and fast drying, we keep producing complete and innovative products.

PUTTIES

S99 UNISOFT PUTTY WHITE

Universal putty of last technology generation for any kind of support. Excellent stopping knife usage and easy to sand. Drastically reduce the porosity defects. Very good adhesion and finishing aspect. Mixing ratio with 1-3% of paste hardener C10.



PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
S9911640G1						
White	Flat tin	750 ml	0.975 kg	12	Tube	30 ml
S9912651G1						
White	Flat tin	1.04 L	1.350 kg	6	Tube	40 ml
S9913600G1						
White	Cartridge	820 ml	1.066 kg	12	Cartridge	40 g
S9914000G1						
White	Cartridge	1.10 L	1.430 kg	12	Tube	60 ml*

S68 EXPORT PUTTY GREY

Polyester putty especially studied for hot temperature and flexible metals. Keeps all of the characteristics of flexible putties, but its special resin assures a shelf life of more than 2 years even by temperature with peaks over 40°C. Mixing ratio with 1-3% of paste hardener C10.



PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
S680217001						
Grey	Tin	125 ml	0.229 kg	18	Tube	5 ml
S687563001						
Grey	Tin	500 ml	0.915 kg	12	Tube	20 ml
S6811651G1						
Grey	Flat tin	820 ml	1.500 kg	12	Tube	40 ml
S6812651G1						
Grey	Flat tin	1.07 L	1.960 kg	6	Tube	40 ml
S68A668101						
Grey	Flat tin	1.88 L	3.455 kg	4	Tube	80 g

* not included

PUTTIES



S61/S62 ONELIGHT PUTTY

Universal putty with an ultra-light specific weight to treat every kind of surface, it characterizes for a very easy application by knife and an excellent compactness. Its specific formulation allows a particularly easy sanding, a very low permeability to humidity, a strong adhesion and an excellent finishing. Mixing ratio with 1-3% of paste hardener C10.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
S611264001						
Yellow	Flat tin	1.00 L	1.000 kg	6	Tube	30 ml
S617968001						
Yellow	Tin	3.00 L	3.000 kg	4	Cartridge	80 g
S621264001						
Grey	Flat tin	1.00 L	1.000 kg	6	Tube	30 ml
S627968001						
Grey	Tin	3.00 L	3.000 kg	4	Cartridge	80 g



S22/S71 EASYTOP PUTTY

Flexible polyester putty, soft in application and very easy to sand. Suitable for all support in car refinishing, including fiberglass. Mixing ratio with 1-3% of paste hardener C10.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
S2211190G1						
White	Flat tin	750 ml	1.373 kg	12	Tube	30 ml
S2213260G1						
White	Cartridge	820 ml	1.500 kg	12	Cartridge	40 g
S7112654G1						
Grey	Flat tin	984 ml	1.800 kg	6	Tube	40 ml
S7113600G1						
Grey	Cartridge	820 ml	1.500 kg	12	Cartridge	40 g

PUTTIES



SC9 CREAMY PUTTY YELLOW

Universal Putty specially designed for application on different supports, endowed with good spreadability, softness and compactness. The special resins employed allow for excellent adhesion on galvanized sheet and an very good flexibility. Mixing ratio with 1-3% of paste hardener C10.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
SC91265101						
Yellow	Flat tin	1.059 L	1.960 kg	6	Tube	40 ml
SC91265201						
Yellow	Flat tin	973 ml	1.800 kg	6	Tube	40 ml
SC91360001						
Yellow	Cartridge	820 ml	1.517 kg	12	Cartridge	40 g



SC2 PRESTIGE YELLOW PUTTY

Multifunctional putty with very good adhesive property to all the surfaces, including aluminums and galvanized sheet. Thanks to its density has a very easy pore free sandability. Yellow Color Mix with 1-3% C10 paste hardener.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
SC21164001						
Yellow	Flat tin	750 ml	1.380 kg	6	Tube	30 ml
SC21265101						
Yellow	Flat tin	978 ml	1.800 kg	6	Tube	40 ml
SC21360001						
Yellow	Cartridge	820 ml	1.509 kg	12	Cartridge	40 g

PUTTIES



SC1 CAMALEONTE

All purpose putty with medium specific weight for application on every kind of surface, has excellent knife application and compactness. Its main feature is that after setting it indicates readiness for sanding by an overall colour change, and will also highlight any mistakes due to incorrect mixing with the hardener. Its specific formulation allows a particularly easy sanding, a very low permeability to humidity, a strong adhesion and an excellent finishing. Mixing ratio with 1-3% of paste hardener C10.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
SC112650G1						
Green	Flat tin	1.00 L	1.350 kg	6	Tube	40 ml
SC111651G1						
Green	Cartridge	820 ml	1.107 kg	12	Cartridge	40 g



S40 STANDARD PUTTY GREY

Putty for general use. Excellent adhesion to supports and fast to dry. Good sandability. Mixing ratio with 1-3% of paste hardener C10.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
S400217001						
Grey	Tin	125 ml	0.229 kg	18	Tube	5 ml
S4011640G1						
Grey	Flat tin	750 ml	0.915 kg	12	Tube	30 ml
S402200701						
Grey	Drum	13.66 L	1.500 kg	1	Tin	433 ml*
S407518001						
Grey	Tin	500 ml	1.960 kg	12	Tube	20 ml
S4076661G1						
Grey	Tin	3.28 L	3.455 kg	4	Tube	180 ml

* not included

SPECIAL PUTTIES

S20 ALU PUTTY

Universal putty with contents of aluminum powder. Very soft application, good to sand. Mixing ratio with 1-3% of paste hardener C10.



PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
S2011640G1						
Aluminium	Flat tin	750 ml	1.350 kg	12	Tube	30 ml

S21 METAL PUTTY

Polyester putty with high contents of flake alu parts in different size. Adhesion, hardness and resistance are the main topics together with anticorrosion. The final aspect is similar to bear metal and it is possible to be screwed and threaded. Used in supports where structure is needed. Mixing ratio with 1-3% of paste hardener C10.



PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
S2111640G1						
Aluminium	Flat tin	750 ml	1.140 kg	12	Tube	30 ml

SPECIAL PUTTIES

S35 PLASTIC PUTTY

Flexible putty, recommended for plastic materials, except for polyethylene. Thanks to its composition, it reaches perfect adherence and easy sanding. In compliance with the 2004/42/CE directive. Mixing ratio with 1-3% of paste hardener C10.



PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
S3575630G1						
Dark grey	Flat tin	500 ml	0.665 kg	12	Tube	20 ml

SC8 GLAZE PUTTY

Polyester putty self leveling specific for top finishing glaze. It is ideal for repairing scratches and pinholes. Mix with 1-3% C10 paste hardener.



PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
SC8P263001						
Yellow	Pouch	600 ml	0.720 kg	10	Tube	20 ml

SPECIAL PUTTIES



P50 TEX FIBERGLASS PUTTY

Polyester putty reinforced with fiberglass medium size and low shrinkage. Suitable for big imperfection of surfaces. Especially indicated for fiberglass supports. Mixing ratio with 1-3% of paste hardener C10.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
P500217001						
Grey	Tin	125 ml	0.185 kg	18	Tube	5 ml
P5011190G1						
Grey	Flat tin	750 ml	1.110 kg	12	Tube	30 ml
P507518001						
Grey	Tin	500 ml	0.740 kg	12	Tube	20 ml



A34/A37 NITRO PUTTY

1K creamy putty, suitable for spot repair. Very fast drying and easy to sand. Not cracking and shrinking. The product is not conform to 2004/42/CE directive.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
A340400001				
Grey	Tin	500 ml	0.725 kg	12
A371100101				
Green	Flat tin	1.00 L	1.500 kg	12

SPECIAL PUTTIES



S30/S32/S33 PUTTY FOR WOOD

Polyester putty microfibers in wood, specific to repair and glue any wooden handiwork. Mixing ratio with 1-3% of paste hardener C10.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
S300217001						
Light	Tin	125 ml	0.187 kg	18	Tube	5 ml
S300519001						
Light	Tin	750 ml	1.120 kg	12	Tube	30 ml
S301326001*						
Light	Cartridge	820 ml	1.224 kg	12	Cartridge	40 g
S302200901*						
Light	Tin	16.74 L	25.000 kg	1	-	-
S320217001						
Dark	Tin	125 ml	0.187 kg	18	Tube	5 ml
S320519001						
Dark	Tin	750 ml	1.120 kg	12	Tube	30 ml
S330519001						
Walnut	Tin	750 ml	1.120 kg	12	Tube	30 ml

* until stocks last

HARDENERS

HARDENER

C10 CREAM HARDENER

Especially designed for the polymerization of fillers and products based on unsaturated polyester resins. ITR (hardener red tube), ITV (hardener white tube), ICR (hardener cartridge red), ICB (hardener cartridge white), IVR (hardener tin red), IVB (hardener tin white). Mix 1-3% at weight.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
I14PVBM020				
White	Pot	20 ml	0.023 kg	1
I15PVBM030				
White	Pot	30 ml	0.035 kg	1
I17PTBM005				
White	Tube	5 ml	0.005 kg	1
I18PTBM020				
White	Tube	20 ml	0.023 kg	1
I19PTBM030				
White	Tube	30 ml	0.035 kg	1
I20PTBM040				
White	Tube	40 ml	0.046 kg	1
I21PTBM180				
White	Tube	180 ml	0.210 kg	1
I22PVBM180				
White	Pot	180 ml	0.210 kg	1
I23PVBM300				
White	Pot	300 ml	0.345 kg	1
I24PVBG500				
White	Pot	433 ml	0.500 kg	1
I26PCBG040				
White	Cartridge	35 ml	0.040 kg	1
I27PCBG060				
White	Cartridge	52 ml	0.060 kg	1
I27PCBG060C				
White	Cartridge	52 ml	0.060 kg	12
I28PTRG013				
Red	Tube	11 ml	0.013 kg	1
I60PCRG040				
Red	Cartridge	35 ml	0.040 kg	1
I61PCRG060				
Red	Cartridge	52 ml	0.060 kg	1

HARDENERS

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
I61PCRG060C				
Red	Cartridge	52 ml	0.060 kg	12
I63PTRM020				
Red	Tube	20 ml	0.023 kg	1
I64PTRM030				
Red	Tube	30 ml	0.035 kg	1
I65PTRM040				
Red	Tube	40 ml	0.046 kg	1
I66PTRM180				
Red	Tube	180 ml	0.210 kg	1
I68PTRG080				
Red	Tube	80 ml	0.080 kg	1
I73PVRG500				
Red	Pot	433 ml	0.500 kg	1



PRIMERS & SURFACERS

In compliance with the 2004/42/CE directive.
A range of products low VOC with specific
items for priming or high filling all metal
supports. Studied for the car refinish field.

PRIMERS & SURFACERS



MULTICATALYST
5:1 - 4:1 - 3:1

F56/F57/F58/F59 GT ACRYFILLER HS

High solid two-component product at low content of solvent, very suitable for new jobs and repairs. Hardens very rapidly, sands very easily, not absorbing. Gives the finish an even and high gloss. Can be overpainted with any type of finish. In compliance with the 2004/42/CE directive. Mix 5:1 with C16/C17 hardener. Mix 4:1 with C01/C02 hardener. Mix 3:1 with C04 hardener.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
F5608000G1				
White	Tin	1.00 L	1.602 kg	12
F5622009G1				
White	Drum	16.03 L	25.000 kg	1
F5677001G1				
White	Tin	2.50 L	4.005 kg	4
F5708000G1				
Grey	Tin	1.00 L	1.600 kg	12
F5777001G1				
Grey	Tin	2.50 L	4.000 kg	4
F5808000G1				
Dark grey	Tin	1.00 L	1.560 kg	12
F5877001G1				
Dark grey	Tin	2.50 L	3.900 kg	4
F5908000G1				
Black	Tin	1.00 L	1.560 kg	12
F5977001G1				
Black	Tin	2.50 L	3.900 kg	4

PRIMERS & SURFACERS



HARDENER

C01/C02 UNIHARDENER - C04 HARDENER HS - C16/C17 UNIHARDENER HS

Catalysis: 5:1 with C16/C17. 4:1 with C01/C02. 3:1 with C04.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C011600001				
Colorless	Bottle	500 ml	0.471 kg	6
C017100001				
Colorless	Tin	2.50 L	2.353 kg	4
C021600001				
Colorless	Bottle	500 ml	0.477 kg	6
C027100001				
Colorless	Tin	2.50 L	2.385 kg	4
C047800001				
Colorless	Bottle	1.00 L	0.980 kg	4
C161500101				
Colorless	Bottle	200 ml	0.191 kg	12
C161600001				
Colorless	Bottle	500 ml	0.493 kg	6
C171500101				
Colorless	Bottle	200 ml	0.191 kg	12
C171600001				
Colorless	Bottle	500 ml	0.478 kg	6

PRIMERS & SURFACERS



MULTICATALYST
5:1 - 3:1

F30/F31/F32/F33 PLUS FILLER HS

2K acrylic polyurethane filler with low content of solvent. Fast drying even in humid places, good sanding quality. Excellent filling properties together with good verticality. Final appearance typically like orange peel. In compliance with the 2004/42/CE directive. Mix 5:1 with C35/C36 hardener. Mix 3:1 with C05 hardener.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
F3008000G1				
Light grey	Tin	1.00 L	1.630 kg	12
F3077001G1				
Light grey	Tin	2.50 L	4.080 kg	4
F3022009G1				
Light grey	Drum	15.58 L	25.000 kg	1
F3108000G1				
Dark grey	Tin	1.00 L	1.605 kg	12
F3177001G1				
Dark grey	Tin	2.50 L	4.013 kg	4
F3208000G1				
Black	Tin	1.00 L	1.605 kg	12
F3322009G1				
White	Drum	15.20 L	25.000 kg	1

PRIMERS & SURFACERS



HARDENER

C05/C35/C36 HARDENER HS

C05 normal, C35 normal, C36 fast.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C051600001				
Colorless	Bottle	335 ml	0.330 kg	12
C057800101				
Colorless	Bottle	833 ml	0.815 kg	4
C351500101				
Colorless	Bottle	200 ml	0.208 kg	12
C351600001				
Colorless	Bottle	500 ml	0.520 kg	4
C357400001				
Colorless	Tin	5.00 L	5.175 kg	4
C361500101				
Colorless	Bottle	200 ml	0.216 kg	12
C361600001				
Colorless	Bottle	500 ml	0.540 kg	4

PRIMERS & SURFACERS



F34/F35/F36 VARIOFILLER HS

2K Variofiller is a flexible, high thickness, two-component acrylic filler, which is suitable for use as a sanding filler in tick coat and in every surface. The product is very easy to work. It is over paintable with any kind of paints. The Variofiller builds up an optimum surface, very smooth and brilliant. It is a compliant product according to European VOC 2004/42/CE. To be catalyzed 5:1 with hardener C35/C36. To be catalyzed 4:1 with hardener C35/C36.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
F3406001G1				
White	Tin	1.00 L	1.651 kg	12
F3477001G1				
White	Tin	2.50 L	4.035 kg	4
F3506001G1				
Grey	Tin	1.00 L	1.651 kg	4
F3577001G1				
Grey	Tin	2.50 L	4.035 kg	4
F3606001G1				
Dark grey	Tin	1.00 L	1.651 kg	12
F3677001G1				
Dark grey	Tin	2.50 L	4.035 kg	4



F12/F13 WOW PRIMER GREY

2K acrylic primer specific for wet on wet use. Easy spread and fast drying. No absorption of the finishing. Ideal for extra rapid working times and exceptionally adheres to both support and finishing. According to the 2004/42/CE rules. Mix 5:1 with C16/C17.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
F1208000G1				
Light grey	Tin	1.00 L	1.560 kg	6
F1308000G1				
Dark grey	Tin	1.00 L	1.590 kg	6

PRIMERS & SURFACERS

C16/C17 UNIHARDENER

C16 Fast for normal drying, C17 Express for fast drying.



HARDENER

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C161500101				
Colorless	Bottle	200 ml	0.191 kg	12
C171500101				
Colorless	Bottle	200 ml	0.191 kg	12

F99 WASH PRIMER GREY

2K Primer, ideal for anchoring primer on surfaces in steel, zinc sheets, aluminum, with high anticorrosive power and quick drying. In compliance with the 2004/42/CE directive. Mix 1:1 with C99.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
F9906001G1				
Colorless	Tin	1.00 L	1.130 kg	6

PRIMERS & SURFACERS

C99 HARDENER WASH PRIMER

Mix 1:1 with F99 by volume.



HARDENER

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C993000001				
Colorless	Bottle	1.00 L	0.836 kg	6

F70 EPOS PRIMER GREY

Adhesion primer for any kind of support, having high anticorrosive power. Good insulation properties on old not consolidated paintings. Can be used also in 'wet on wet' cycles. In compliance with the 2004/42/CE directive. Mix 2:1 with C70 for wet-on-wet cycle.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
F7006001G1				
Grey	Tin	1.00 L	1.576 kg	12

PRIMERS & SURFACERS



HARDENER

C70 HARDENER EPOS PRIMER

C70 High quality, not yellowing; suitable for overcoating by basecoats.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C701600001				
Colorless	Bottle	500 ml	0.475 kg	12



F18 SPRAY PE FILLER GREY

Polyester putty for spray application. It allows application on several layers and fast drying. It completely covers the signs of the abrasive, grain 40 and big imperfections. Easy to apply on vertical surfaces. In compliance with the 2004/42/CE directive. Mix with 5% C12.

PACKAGE				PCS. PACK.	C12 FLUID HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
F1806300G1						
Grey	Tin	750 ml	1.202 kg	12	Bottle	60 g
F1806331G1						
Grey	Tin	1.00 L	1.602 kg	12	Bottle	81 g
F1877520G1						
Grey	Tin	3.00 L	4.806 kg	4	Bottle	240 g
F1822007G1						
Grey	Drum	15.61 L	25.000 kg	1	Bottle	(2x700g)*

* not included

PRIMERS & SURFACERS



HARDENER

C12 FLUID HARDENER FOR F18

For F18 it, allows to obtain long pot-life and fast hardening timing. IFL hardener bottle liquid.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
I29SBIG700				
Colorless	Bottle	743 ml	0.700 kg	1
I30SBIG060				
Colorless	Bottle	60 ml	0.060 kg	1
I33SBIG081				
Colorless	Bottle	80 ml	0.081 kg	1
I52SBIG240				
Colorless	Bottle	255 ml	0.240 kg	1



A12/A11 SPOT PRIMER 1K

1K acrylic primer used as a sealer for spot repair. Fast drying, high anticorrosive power and very good adhesion on zinc plate and aluminum supports. EU compliant.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
A11GSM401				
Dark grey	Spray can	400 ml	0.358 kg	6
A12GCM401				
Light grey	Spray can	400 ml	0.358 kg	6

PRIMERS & SURFACERS



A14 NITRO PRIMER GREY

1K Nitrosynthetic universal primer for general use, high filling power and fast drying. In compliance with the 2004/42/CE directive.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
A1406001G1				
Grey	Tin	1.00 L	1.205 kg	12
A1477000G1				
Grey	Tin	3.00 L	3.615 kg	4



FAF03 HP018 FONDO 2K

Transparent acrylic primer with high filler power ideal for paint cycles. Excellent to fill the imperfections that characterize carbon fibre surfaces. Fast drying. Catalysis: CP003 30% weight. Thinning with D10 10/20% weight or vol.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
FAF030000106106				
Colorless	Tin	1.00 L	1.000 kg	3
FAF030000135106				
Colorless	Drum	5.00 L	5.000 kg	2
FAF030000135106				
Colorless	Drum	20.00 L	20.000 kg	1



CLEARCOATS

**In compliance with the 2004/42/CE directive.
In accordance with the EU norms, this line
has been completely renewed, drastically
decreasing the solvent contents.**

**Clears has been introduced with very good
performances, answering to the needs of the
modern body shop.**

CLEARCOATS



H69 VANTIX CLEAR UHS

2K UHS brand new clear-coat. Thanks to its avant-garde characteristics matching no leaking and optimal spreading. Particularly easy to apply, smooth results, fast drying and good shine. In accordance with the 2004/42/CE regulation. Mix 2:1 with C67/C68/C69.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H6969000G1				
Colorless	Bottle	1.00 L	0.975 kg	6
H6974000G1				
Colorless	Tin	5.00 L	4.875 kg	4

CLEARCOATS



HARDENER

C63/C67/C68/C69 UNIHARDENER UHS

Hardener for clearcoat H69/H79. C63 Extra slow, C67 slow, C68 normal, C69 fast. Mix 2:1 by volume.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C631600001				
Colorless	Bottle	500 ml	0.520 kg	6
C637100001				
Colorless	Tin	2.50 L	2.600 kg	4
C671600001				
Colorless	Bottle	500 ml	0.509 kg	6
C677100001				
Colorless	Tin	2.50 L	2.545 kg	4
C681600001				
Colorless	Bottle	500 ml	0.475 kg	6
C687100001				
Colorless	Tin	2.50 L	2.375 kg	4
C691600001				
Colorless	Bottle	500 ml	0.475 kg	6
C697100001				
Colorless	Tin	2.50 L	2.375 kg	4



H67 GT CLEAR UHS

New generation of clearcoat UHS 2k acrylic, low solvent emission (Voc 420 g/l). High gloss appearance and optimal spreading qualities are the top points. In compliance with the 2004/42/CE directive. Mixing ratio 2:1 with the hardener line C15-C16-C17-C22.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H6769000G1				
Colorless	Bottle	1.00 L	0.995 kg	6
H6774000G1				
Colorless	Tin	5.00 L	4.975 kg	4

CLEARCOATS



H55 GT CLEAR HS

New generation of clearcoat HS 2K. Very easy to apply. High level spreading and fullness. Classified as "Special Finishing" in compliance with the 2004/42/CE directive.
 Premium finishing: Mixing ratio 2:1 with hardeners C15/C16/C17/C22.
 Standard finishing: Mixing ratio 2:1 with hardeners C01/C02/C03/C30.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H552000901				
Colorless	Drum	19.68 L	20.000 kg	1
H5569000G1				
Colorless	Bottle	1.00 L	0.984 kg	6
H5574000G1				
Colorless	Tin	5.00 L	4.920 kg	4



H62 CLEAR FAST

2K acrylic finishing clearcoat. Fast drying and fading time. High gloss, weathering resistance, resistance to yellowing and scratches. Classified as "Special Finishing" in compliance with the 2004/42/CE directive.
 Mix: 2:1 with C01/C02/C03/C30/C15/C16/C17/C22.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H6220009G1				
Colorless	Drum	20.83 L	20.000 kg	1
H626900MG1				
Colorless	Bottle	1.00 L	0.967 kg	6
H627400MG1				
Colorless	Tin	5.00 L	4.836 kg	4

CLEARCOATS



HARDENER

C15/C16/C17/C22 UNIHARDENER HS

Universal hardener compatible with all clearcoats and coloured finishing enamels, both acrylic and polyurethanic. High dry residual and excellent resistance to yellowing. C22 Slow, C15 Normal, C16 Fast, C17 Express.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C151600001				
Colorless	Bottle	500 ml	0.492 kg	6
C157100001				
Colorless	Tin	2.50 L	2.460 kg	4
C157400001				
Colorless	Tin	5.00 L	4.920 kg	4
C161600001				
Colorless	Bottle	500 ml	0.493 kg	6
C167100001				
Colorless	Tin	2.50 L	2.465 kg	4
C167400001				
Colorless	Tin	5.00 L	4.930 kg	4
C171600001				
Colorless	Bottle	500 ml	0.478 kg	6
C177100001				
Colorless	Tin	2.50 L	2.390 kg	4
C221600001				
Colorless	Bottle	500 ml	0.488 kg	6
C227100001				
Colorless	Tin	2.50 L	2.438 kg	4

CLEARCOATS



HARDENER

C01/C02/C03/C30 UNIHARDENER

Suitable for all top coat with or without pigments acrylic and polyurethane. Medium solid contents. Very high yellowing resistance. C01 extrafast, C02 fast, C03 normal, C30 slow.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C011600001				
Colorless	Bottle	500 ml	0.471 kg	6
C017100001				
Colorless	Tin	2.50 L	2.353 kg	4
C021600001				
Colorless	Bottle	500 ml	0.477 kg	6
C027100001				
Colorless	Tin	2.50 L	2.385 kg	4
C031600001				
Colorless	Bottle	500 ml	0.474 kg	6
C037100001				
Colorless	Tin	2.50 L	2.370 kg	4
C301600001				
Colorless	Bottle	500 ml	0.471 kg	6
C307100001				
Colorless	Tin	2.50 L	2.353 kg	4

CLEARCOATS



H43 ACRYTEK CLEAR ANTISCRATCH

Two-component multi purpose scratch resistant MS clearcoat. Universal use for complete or partial paintings. Easy application, good stability, not yellowing and high gloss finishing. Classified as "Special Finishing" in compliance with the 2004/42/CE directive. To be catalyzed 2:1 with C01/C02/C03/C43.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H4369000G1				
Colorless	Bottle	1.00 L	0.954 kg	6
H4374000G1				
Colorless	Tin	5.00 L	4.770 kg	4



HARDENER

C43 HARDENER STANDARD

Specific hardener for H43 Acrytek Clear Antiscratch. C41 Express, C42 Fast, C43 standard.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C431600001				
Colorless	Bottle	500 ml	0.472 kg	6
C436900001				
Colorless	Bottle	1.00 L	0.954 kg	6
C437100001				
Colorless	Tin	5.00 L	2.360 kg	4

CLEARCOATS

H89 VANITY MATT CLEAR 1G

2K matt gloss acrylic clearcoat. Easy to apply, excellent covering, superficial hardness and aesthetic aspect. Classified as "Special Finishing" in compliance with the 2004/42/CE directive. Mix: 5:1 with C89.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
H8906001G1				
Colorless	Tin	1.00 L	0.970 kg	6

C89 HARDENER VANITY

Special hardener for H89 Vanity Matt clear 1G.



HARDENER

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
C891500101				
Colorless	Bottle	200 ml	0.211 kg	6





A close-up photograph of a red car's front end, focusing on the headlight and grille. The red paint is highly reflective, showing a distorted reflection of the sky and clouds. The chrome grille has a vertical slat design. The headlight is a large, round, chrome-finished unit. The overall image is used as a background for a text overlay.

THINNERS

In order to help you in your daily work we formulated a professional range. Strong viscosity reduction, quick drying and easy application are guaranteed.

THINNERS



D09/D10/D11 UNIVERSAL THINNER

Universal thinner for acrylic, polyurethane primers and topcoats and for basecoats. Easy to apply, it minimizes the creation of overspray. D09 Fast - D10 Normal - D11 Slow.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
D092000901				
Colorless	Drum	20.00 L	17.200 kg	1
D097400001				
Colorless	Tin	5.00 L	4.385 kg	4
D097800001				
Colorless	Bottle	1.00 L	0.877 kg	6
D102000901				
Colorless	Drum	20.00 L	17.440 kg	1
D107400001				
Colorless	Tin	5.00 L	4.360 kg	4
D107800001				
Colorless	Bottle	1.00 L	0.850 kg	6
D112000901				
Colorless	Drum	500 ml	18.000 kg	1
D117400001				
Colorless	Tin	20.00 L	4.500 kg	4
D117800001				
Colorless	Bottle	1.00 L	0.900 kg	6

THINNERS



D12 PE THINNER

For polyester spray filler and F18. Suggested for his peculiarity not to remain in the dried film, helping a quick drying and easy sanding.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
D126900001				
Colorless	Bottle	1.00 L	0.900 kg	6
D127400001				
Colorless	Tin	5.00 L	4.500 kg	4



D70 EPOS THINNER

Specific for filler and top coat epoxy.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
D707800001				
Colorless	Bottle	1.00 L	0.830 kg	6

THINNERS



V04 SPOT BLENDER

Specific for bodyshop re-touch up work where it may be necessary to dissolve the shades of overlap between old and new paintwork.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V0478000G1				
Colorless	Bottle	1.00 L	0.910 kg	6
V04SBM401				
Colorless	Spray can	400 ml	0.358 kg	6



V09 ANTISIL CLEANER

Anti-silicone liquid detergent. Specific for the removal of every type of dirt, smokes and silicone, before painting. Its balanced evaporation allows its use in whichever season.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V097400001				
Colorless	Tin	5.00 L	4.000 kg	4
V097800001				
Colorless	Bottle	1.00 L	0.800 kg	6

THINNERS



V10 WB ANTISIL CLEANER

Water-based anti-silicone degreaser, suitable to remove any dirt before painting. Due to its antistatic performance, it is especially indicated for plastic supports.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V1030000A1				
Colorless	Bottle	1.00 L	1.000 kg	6
V1048000A1				
Colorless	Drum	5.00 L	5.000 kg	2



V11 GT ANTISIL CLEANER

Anti-silicone liquid detergent, Gt Line. Specific for the removal of every type of dirt, smokes and silicone, before painting.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V112000901				
Colorless	Drum	20.00 L	15.400 kg	1
V117400001				
Colorless	Tin	5.00 L	3.850 kg	2
V116900001				
Colorless	Bottle	1.00 L	0.770 kg	6





ANCILLARIES

The attention to the details is a must in professional works/ in body shop world. Therefore Sprint Line is proposing specific solutions for the supports needed in the daily work.

ANCILLARIES

V31 MATTING AGENT

Matting agent for 2K enamels and clearcoats, indicated for matt checked finishing effect. Wide range of degrees of opacity from 5 to 65 gloss. High scratch-resistance. Trimatic bottle to be used with the mixing machine.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V310600001				
Opalescent	Bottle	1.00 L	1.030 kg	3

V03 SPRINTER

Accelerating additive for 2K acrylic and PU.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V030A00001				
Colorless	Bottle	500 ml	0.430 kg	6

ANCILLARIES

V01 ANTISIL ADDITIVE

Anti-silicone additive, very easy to spread, to be used max 5 ml/Lt. of finishing product.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V017800001				
Colorless	Bottle	1.00 L	0.885 kg	6

V08 NEOCOL

Universal neoprene glue, suitable for gluing rubber or plastic to metal, even if painted.



PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V084200001				
Colorless	Tin	500 ml	0.423 kg	12

ANCILLARIES



LPN RUBBING COMPOUND

A compound of selected waxes and abrasives especially meant for the polishing of oven drying finishes, nitrocellulose and polyurethane paints and very old and oxidized finishes. Produces a long-lasting protection. LPN1 stain – LPN2 polish.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
LPN1200				
White	Tin	500 ml	0.825 kg	12
LPN1300				
White	Tin	2.00 L	3.300 kg	2
LPN2200				
White	Tin	500 ml	0.825 kg	12
LPN2300				
White	Tin	2.00 L	3.300 kg	2



LPA RUBBING COMPOUND

Wax emulsion stabilized, combined with special abrasives with monitored granulometry suitable for quick and easy work.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
LPA0100				
White	Tin	150 ml	0.238 kg	18

ANCILLARIES



L34 POLISH

Wax emulsion stabilized, softened with special resins, very fine abrasives and selected silicone oils suitable for the body shop. The final effect is detergent, antioxidant, polish at very high specular finish. Very good results on new and old paint and chromatic surfaces. Long lasting gloss, it is easy to apply not leaving remarks. L34 contains silicone for a better hydrophobic protection.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
L341500001				
White	Bottle	250 ml	0.250 kg	12



R00/R01 KIT TEX

Fiberglass repair Kit and other application on metal support. R00 with paste hardener C10 for quick drying R01 with liquid hardener C08 if longer working time is needed.

PACKAGE				PCS. PACK.	C08/C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
R001701001						
Colorless	Box	750 ml	0.837 kg	3	Pot	20 ml
R001702001						
Colorless	Box R	750 ml	0.837 kg	3	Pot	20 ml
R006303001						
Colorless	Blister	150 ml	0.170 kg	20	Pot	5 ml
R011737001						
Colorless	Box	750 ml	0.818 kg	3	Bottle	20 g
R011738001						
Colorless	Box R	750 ml	0.818 kg	3	Bottle	20 g

ANCILLARIES



R42/R44 POLI-TEX

R42 Poli-Tex L Slow / R44 Poli-Tex P Fast. Resin to be used for the impregnation of glass material for the reparation of corroded sheets metal as well as for the reconstruction of structures in fiberglass in the vans R42 Slow with liquid hardener C08 if longer working time is needed. R44 Fast with paste hardener C10 for quick drying.

PACKAGE				PCS. PACK.	C08/C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
R421712001						
Colorless	Bottle	750 ml	0.818 kg	12	Bottle	20 g
R421900101						
Colorless	Tin	9.17 L	10.000 kg	1	Bottle	(2x100 g)*
R422000901						
Colorless	Drum	18.35 L	20.000 kg	1	Bottle	(4x100 g)*
R427400101						
Colorless	Tin	4.59 L	5.000 kg	4	Bottle	100 g*
R441714001						
Colorless	Bottle	750 ml	0.837 kg	12	Pot	20 ml
R441900101						
Colorless	Tin	8.96 L	10.000 kg	1	Pot	(2x154 ml)*
R442000901						
Colorless	Drum	17.92 L	20.000 kg	1	Pot	433 ml*
R447400101						
Colorless	Tin	4.48 L	5.000 kg	4	Pot	154 ml*

* not included







HAND CLEANERS

Microplastics free and traditional cleaners for fast and deep hand cleaning, quickly and efficaciously removing persistent dirt. They leave the skin soft and perfumed, thanks to their moisturizing and emollient ingredients. Certified for cosmetic use.

MICROPLASTICS FREE HAND CLEANERS



**MICROPLASTICS
FREE**

V53 SPRINT MICROPLASTICS FREE HAND CLEANER

Lavender-scented hand cleaners paste that does not contain plastic materials. For general use with exceptional detergent and degreasing power. It allows a fast and deep cleaning of the hands without drying up the skin thanks to its anti-cracking action. It does not contain mineral abrasives and does not block the drains. 90% biodegradable.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V536000101				
White	Tin	1.00 L	1.000 kg	12
V533100101				
White	Pot	4.00 L	4.000 kg	4



**MICROPLASTICS
FREE**

V64 SPRINT MICROPLASTICS FREE HAND CLEANERS

Lavender-scented hand cleaners fluid paste. It does not contain plastic abrasives. For general use with exceptional detergent and degreasing power. It allows a fast and deep cleaning of the hands without drying up the skin thanks to its antiskid action. It does not contain mineral abrasives and does not block the drains. The pressure dispenser allows a regular and controlled dispensing of the product obtaining over 600 dosages per bucket. 90% biodegradable.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V643100101				
White	Pot	4.00 L	4.000 kg	4

TRADITIONAL HAND CLEANERS



V52 HAND CLEANER

Hand-cleaner paste with lavender fragrance for general use with excellent cleaning and degreasing properties. It allows a fast and thorough cleaning of hands without drying the skin due to its anti-cracking action. It contains no mineral abrasives and is does not clog drains. 90% biodegradable.

AVAILABLE UNTIL 31 DECEMBER 2019

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
V526000101				
White	Tin	900 ml	0.900 kg	12
V523100101				
White	Pot	4.00 L	4.000 kg	4
V529200905				
White	Drum	25.00 L	25.000 kg	1



A close-up photograph of a red sports car, focusing on the front wheel and the fender area. The car's body is a vibrant red, and the wheel is black with a multi-spoke design. The background is dark, making the car stand out.

PROTECTORS & SEALERS

A complete line developed for underbody
welding joint and frame to prevent
anticorrosion, weather conditions, anti-stone.

PROTECTORS & SEALERS



B320 EXTRA BODY

Protective paint for anti abrasive action for car body, side band, spoiler, inside car support, trunk. Can be over coated after 20-30 minutes, with any kind of finish.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
B3200K011				
Black	Bottle	715 ml	1.000 kg	12
B3200L011				
Black	Bottle	1.00 L	1.400 kg	12
B3201K011				
Grey	Bottle	715 ml	1.000 kg	12
B3201L011				
Grey	Bottle	1.00 L	1.400 kg	12
B3203K011				
White	Bottle	715 ml	1.000 kg	12
B3203L011				
White	Bottle	1.00 L	1.400 kg	12



BS96 SIGILPOL 1K

1K polyurethane sealer very quick drying and extremely high solid contents solvent free. Suitable for high quality bead sealing and jointing of parts subject to stress. Can be used on different supports like bear metal, aluminum, concrete, glass, synthetic materials. Can be repainted with any refinish top coat.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
BS960M311				
Black	Cartridge	310 ml	0.372 kg	12
BS962M311				
Grey	Cartridge	310 ml	0.372 kg	12
BS963M311				
White	Cartridge	310 ml	0.372 kg	12

PROTECTORS & SEALERS



BS30 SIGILPOL BRUSH

1K quick sealer, suitable for bear metal, aluminum, concrete, glass, synthetic materials. For brush sealing in body shop of parts subjected to remarkable stress. Can be repainted with any refinish top coat.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
BS303M301*				
White	Cartridge	300 ml	0.330 kg	12
BS303K011				
White	Tin	910 ml	1.000 kg	12

* until stocks last





PLASTIC

Plastic supports are becoming very relevant into the refinish world. ICR has available easy and quick solutions to solve the repair problems created by the different kind of plastics.

PLASTIC



TWINPLAST SYSTEM

Complete set for repair and rebuild of plastic materials. Very fast drying time, it can be sanded later on. Suitable for bumpers. To be used with special spouts (VBMTWIN). Easy to extrude with his special gun (VPCTWIN).

PACKAGE				PCS. PACK.	DESCRIPTION
COLOR	TYPE	VOLUME	WEIGHT		
VP501M050					
Grey	Cartridge	50 ml	0.050 kg	1	Bi-component cartridge
VBMTWIN					
	Envelope		0.013 kg	6	Mixer spouts
VPCTWIN					
	Envelope		0.421 kg	1	Gun for cartridge



S35 PLASTIC PUTTY

Flexible putty, recommended for plastic materials, except for polyethylene. Thanks to its composition, it reaches perfect adherence and easy sanding. In compliance with the 2004/42/CE directive. Mixing ratio with 1-3% of paste hardener C10.

PACKAGE				PCS. PACK.	C10 CREAM HARDENER	
COLOR	TYPE	VOLUME	WEIGHT		TYPE	QUANTITY
P500217001						
Dark grey	Tin	500 ml	0.665 kg	12	Tube	20 ml

PLASTIC



A05 PLASTIC PRIMER

Adhesion primer 1K for all plastic car supports. It is suitable for all kind of paints to repair plastic materials.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
A053700001				
Colorless	Spray can	200 ml	0.102 kg	24
A051700001				
Colorless	Bottle	750 ml	0.649 kg	6



VPP PLASTIC PAINT TEXTURE

1K embossed paint for bumpers and side bands.

PACKAGE				PCS. PACK.
COLOR	TYPE	VOLUME	WEIGHT	
VPPNOM401				
Black	Spray can	400 ml	0.410 kg	12
VPPNOL011				
Black	Tin	1.00 L	1.280 kg	12
VPPG1M401				
Grey	Spray can	400 ml	0.410 kg	12
VPPG1L011				
Dark grey	Tin	1.00 L	1.280 kg	12
VPPB3L011				
White	Tin	1.00 L	1.280 kg	12





ADV ITEMS

ADV ITEMS

CODE	DESCRIPTION
APASTE1-N	Navy graduated stick n.1- 2:1+5:1
APASTE2	Red graduated stick n.2 4:1+3:1
APASTE4-N	Graduated rod n.4
APAPRIO-N	Can Openers
APSPAPL-N	Plastic Spreader Sprint
OPMAGLO	T-Shirt Sprint
OPBERF1-N	Cap F1 Sprint
OPTUTA1-54	Nylon racing suit size 54
OPTUTA1-56	Nylon racing suit size 56
OPTUTA1-58	Nylon racing suit size 58
OPTUTA2-54	Rally racing suit size 54
OPTUTA2-56	Rally racing suit size 56
OPTUTA2-58	Rally racing suit size 58
OPBLOBA	Block notes ICR
OPPENNE-N	ICR pen
OPSCHE0-N	Repairs form
OPBORSO	Cotton shopper ICR
OPBBANS-N	Flag ICR-Sprint 100x150
APLAVSP1-N	ICR spatula cleaner

ACCESSORIES

CODE	DESCRIPTION
NAMA19X50	Tape "masking 8030" 19x50 ivory "new" - 96 pcs
NAMA25X50	Tape "masking 8030" 25x50 ivory "new" - 72 pcs
NAMA38X50	Tape "masking 8030" 38x50 ivory "new" - 48 pcs
NAMA50X50	Tape "masking 8030" 50x50 ivory "new" - 36 pcs
NAMA100X50	Tape "masking 8030" 100x50 ivory "new" - 18 pcs
ACSPUGN	Foam masking tape
VTW8R00	W8 pink pad
VTW8RVO	W8 pink velcro pad
VMACCA0	Normal dispenser for cartridges
VDOSUN0	Universal dispenser for cartridges
VPISB00	Dispenser gun for overcoatable underbody
V000000105C	Fiberglass in 1 sqm pcs
V000000205C	Fiberglass in 1/2 sqm pcs



I.C.R. S.p.A. 
ITALIA - Reggio Emilia
Tel. + 39/0522.517803 – Fax + 39/0522.514384
E-mail: info@icrsprint.it – www.icrsprint.com

ICR SPRINT COATING UK LTD 
UK - London - T: 01278802011
E-mail: enquiries@icrsprint.co.uk
www.icrsprint.com

ICR SPRINT INC 
USA - Fall River - MA - T: 800 980 4071
E-mail: icrsprintusa@gmail.com
www.icrsprint.com

ICR Ibérica, S.A. 
SPAIN - Tel. +34/901 101 408
E-mail: info@icriberica.com
www.icriberica.com