



TARIFA

2025/26





CONTENT

New Products	4–19
Overview: New and reworked products	20–23
Combination Pliers	24–26
Wire Strippers and Stripping Tools	27–34
Gripping Pliers	35–44
Grip Pliers	45
Circlip Pliers	46–49
Carpenters' Pincers	50
Cutting Pliers	51–65
Pipe Wrenches and Water Pump Pliers	66–71
Pipe Cutters	72–73
Special Pliers and Accessories	74–75
Precision Tweezers	76–80
Cable and Wire Rope Shears	81–86
Crimping Pliers	87–97
Crimp Assortments	98–100
Cable Connectors	101–102
Concreters' Nippers	103
Insulated Tools	104–115
KNIPExTend – Accessories	116
Tools with Tethering	117–122
Control Cabinet Keys	123–124
Tool Kits	125–139
Tool Bags and Tool Cases	140–147
Sales Aids	148–157
Index Article Number	158–163
Index	164–165
General terms & conditions of delivery	166–169
Pliers ABC	170–174
<ul style="list-style-type: none"> • Knowledge of Pliers • Cutting Values and Wire Classes • Structure of Article Number • Symbols 	
Imprint / Copyright	175

**FROM JUNE
2025**

20
%







LESS EFFORT
compared to the
previous model



74 200 High Leverage Diagonal Cutter

NOW EVEN BETTER: MAXIMUM PERFORMANCE FOR THE TOUGHEST APPLICATIONS


- ▶ **All-round performance:** Optimum combination of cutting power, durability and ergonomics
- ▶ Cuts noticeably easier than conventional diagonal cutters of the same size due to the **high-leverage joint**
- ✔ **Optimised:** approximately 20% less effort compared to the previous model





For very tough, continuous use

Precision cutting edges also induction-hardened (hardness approx. 62 HRC), for all wire types including piano wire



NOTICEABLY EASIER CUTTING DUE TO HIGH-LEVERAGE JOINT


Redesigned handle shape for better hold



COMFORT HANDLES

74 05 200: With comfort handles consisting of three ergonomic components for optimized handling and equipped with two KNIPEXtend interfaces for extensions

KNIPEXTEND



Extreme proximity to the pivot point means that even hard materials can be cut with ease

Article No.	EAN 4003773-	↔ mm	Pliers	Head	Handles		◐ mm	◑ mm	● mm	⚖ g
➤ 74 01 200	034056	200	black atramentized	polished	plastic coated	◀▶	4.2	3.0	2.5	277
➤ 74 01 200 SB	011927		polished	plastic coated	◀▶	277				
➤ 74 02 200	040309	200	black atramentized	polished	with comfort handles	◀▶				321
➤ 74 02 200 SB	011934		polished	with comfort handles	◀▶	321				
➤ 74 05 200	035367	200	chrome plated	chrome plated	with comfort handles	◀▶				321
➤ 74 05 200 SB	012313		chrome plated	chrome plated	with comfort handles	◀▶				321
➤ 74 06 200	033820	200	chrome plated	chrome plated	insulated with multi-component grips, VDE-tested	◀▶				326
➤ 74 06 200 SB	014379		chrome plated	chrome plated	insulated with multi-component grips, VDE-tested	◀▶				326
➤ 74 06 200 T	081494	200	chrome plated	chrome plated	insulated with multi-component grips with integrated insulated tether attachment point, VDE tested	⚠ 1000V				326
➤ 74 06 200 T BK	081845		chrome plated	chrome plated	insulated with multi-component grips with integrated insulated tether attachment point, VDE tested	⚠ 1000V				326
➤ 74 07 200	018414	200	chrome plated	chrome plated	with dipped insulation, VDE-tested		375			

The new KNIPEX Cobra® ES with all the advantages of the KNIPEX Cobra® – now with even better accessibility, greater capacity and more functions

NEW AND IMPROVED

KNIPEX Cobra® ES

**SPECIAL GRIPPING PLIERS
FOR CONFINED SPACES:
WITH MORE FUNCTIONS
AND A NEW 180 MM SIZE**


- Particularly good access to the workpiece due to very slim construction of head and joint area
- Long, narrow jaws with front gripping serration: longitudinal gripping profile for round parts such as screws and bolts
- ▶ Ideal for service, maintenance and equipment repair, in automotive and general industry




Fine adjustment for optimum adaptation of the gripping capacity and ergonomic grip position

Cobra® ES ●

Cobra® ●







Greater gripping capacity and better frontal gripping of flat and round workpieces due to optimised jaw design




Self-clamping on pipes and nuts
no slipping on the workpiece, effortless working



Front gripping serration
for round parts such as screws, bolts or wire rope



Cross groove for
holding slender round
materials such as nails



Firm grip also on
flat material due to
three-point rest



Push the button
for adjustment on the
workpiece



Reliable catching of the
hinge bolt
no unintentional shifting



Box-joint design
for high stability due to
double guide

87 51 180

Article No.	EAN 4003773-	↔ mm	Pliers	Head	Handles	∅ mm	∅ inch	mm	inch	max. parallel opening width mm	max. gripping depth mm	Adjustment positions	g	
87 51 180	088981	180		black atramentized	polished	with non-slip plastic coating	32	1 1/4	32	1 1/4	30	37	18	176
87 51 180 SB	089773	180					32	1 1/4	32	1 1/4	30	37	18	176
87 51 250	061267	250					40	1 1/2	36	1 3/8	37	45	25	342
87 51 250 SB	061328	250					40	1 1/2	36	1 3/8	37	45	25	342

FROM JUNE 2025

KNIPEX EvoStrip

NOW EVEN BETTER: FASTER, MORE PRECISE AND MORE CONVENIENT AUTOMATIC STRIPPING

For solid, multi-stranded and finely stranded conductors with plastic or rubber insulation, also for ribbon cables up to 10 mm² wide



- Particularly easy stripping in the large capacity range from 0.03 to 10 mm² cuts cables up to 10 mm²
- No damage to the conductors due to automatic adaptation to different conductor cross-sections
- ▶ With its **two-component** handle and comfortable handle width, it sits comfortably in the hand and the ingenious handle design minimizes the risk of hand injuries

**MODERN
DESIGN –
OPTIMISED
APPLICATION
TECHNOLOGY**



High-quality, wear-resistant stripping blades and glass fibre reinforced plastic ensure long-lasting performance. Blades can be replaced quickly and cost-effectively when worn




Top-mounted cable cutter for copper and aluminium conductors offers maximum visibility: Embossed, visible and tangible arrow always shows the exact cutting position, clean cuts due to optimised cutting edge geometry for finely stranded conductors up to 10 mm², solid conductors up to 6 mm²




Versatile application due to generous stripping range of 5–22 mm and up to 25 mm without length stop



Raised, **non-slip handle collar** in front of the cable cutter provides reliable grip



Adjustable setting wheel in fine increments: The adjustable cutting depth allows the pliers to master even the most demanding insulation jobs – even under extreme temperature conditions






12 40 200

Smooth-running mechanism guarantees long-term performance, comfortable working due to low noise levels



With integrated tether attachment point in the handle: For reliable tool protection when working at height, ANSI-compliant and compatible with KNIPEX Tethered Tools tethering system

Article No.	EAN 4003773-	↔ mm	Stripping capacities mm ²	AWG	g
 12 40 200	026662	200	 0.03–10.0	32–8	150
 12 49 01	026679	1 pair of spare blades for 12 40 200			
12 49 23	057604	Spare length stop for 12 40 200			
12 49 04	053071	Torsion spring for 12 40 200			
12 49 05	053088	Coil spring in the head for 12 40 200			

KNIPEX ComStrip

THE COMPACT WIRE STRIPPER FOR BEGINNERS AND PROFESSIONALS



► **Perfect entry-level model:** Strips solid, multi-stranded and finely stranded conductors from 0.2 to 6 mm² with standard insulation without any need for manual adjustment

► **Fine adjustment enables precise setting of the cutting depth** for special materials or temperature conditions

➤ **With cable cutter** for solid conductors up to 2.5 mm², extended cutting capacity for finely stranded conductors up to 6 mm²

THE SIMPLE ENTRY-LEVEL MODEL – NOW IN A MODERN DESIGN

Durable blades, can be replaced when worn

Compact and handy tool with slim head for use in hard-to-reach work areas

With adjustable length stop from 6 to 18 mm for consistently accurate stripping lengths

Low-effort work and maximum transmission of force due to ergonomic two-component handle with soft grip zone


Robust and lightweight thanks to tool body made of glass fibre reinforced plastic

12 62 180

Article No.	EAN 4003773-	↔ mm	Stripping capacities mm ²	AWG	⚖ g
➤ 12 62 180	054573	180	0.2–6.0	24–10	160
12 69 21	060093	1 pair of spare blades for 12 62 180			
12 69 23	067115	Spare length stop for 12 62 180			

KNIPEX ErgoStrip® PV

FAST AND PRECISE CABLE SKINNING AND STRIPPING FOR PHOTOVOLTAIC PROFESSIONALS



- ▶ For fast and precise **stripping of solar cables with 4 and 6 mm²** (e. g. H1Z2Z2-K) and all common round and damp-proof installation cables (e.g. NYM cable 3 x 1.5 mm² up to 5 x 2.5 mm²)
- ▶ Length stop for PV cables: **adjustable from 6–18 mm** for repetitive stripping lengths, suitable for all standard solar connectors
- ▶ **Innovative, ergonomic pistol grip design** for easy cutting, stripping and longitudinal cut of the sheath

Wire stripping mechanism for PVC single conductors (e. g. H07V-K) with cross sections 0.2/0.3/0.8/1.5/2.5/4 mm²

**NEW:
STRIPPING OF EVEN
TOUGH PV CABLES**



Multi-component design with a soft plastic zone for comfortable use and a secure grip


Conical, slimmed down tool ends for better access in confined areas

With opening spring and locking device

16 95 03 SB

Convenient insertion of PV cables thanks to **opening aid**

Article No.	EAN	↔ mm		Stripping capacity round cable mm	Stripping capacity solar cable mm ²	Stripping capacity conductors and strands mm ²	△ g
N 16 95 03 SB	092605	135		Ø 8.0–13.0	4/6	0.2–4.0	65



**ALSO AVAILABLE
IN THE NEW PV
INSTALLATION SET**

00 31 31 V01

Contents: KNIPEX ErgoStrip® PV stripping tool (16 95 03 SB) and KNIPEX PreciForce crimping pliers (97 52 42) for MC4® and MC4® Evo 2



KNIPEX MultiCrimp PV

THE CUSTOMIZABLE CRIMPING PLIERS FOR MC4®, MC4® EVO 2 AND MANY OTHER CONNECTORS

- ▶ Universal, high-performance crimping pliers of professional quality for photovoltaic systems
- ▶ Just one tool with three crimping dies for MC4®/MC4® Evo 2, uninsulated cable connectors and wire ferrules
- ▶ Quick and easy change of crimping dies without additional tools

For PV cables, earthing conductors and cabling to the meter cabinet

Crimping die 97 39 13: Crimps connections of e.g. earthing cables* – with crimping die 97 39 13 for uninsulated cable connectors in 0.5–10 mm²

Crimping die 97 39 08: Crimps conductors from the inverter to the meter cabinet – with crimping die 97 39 08 for insulated and uninsulated wire ferrules in 0.25–6 mm²


N Crimping die 97 39 42: Crimps connectors for PV conductors – with crimping die 97 39 42 for MC4® and MC4® Evo 2 connectors in 4 and 6 mm²

Consistently high crimping quality due to precision dies and ratchet mechanism (unlockable)

With practical belt clip



Customizable with optional crimping dies 97 39 05/06/09






97 39 42

NEW: NOW FOR MC4® AND MC4® EVO 2 CONNECTORS



97 33 03

Article No.	EAN 4003773-	↔ mm	Head	Handles	Application	Capacity mm ²	AWG	g
N 97 33 03	092599	250	burnished	with multi-component-handles	 MC4®/MC4® Evo 2  wire ferrules  non-insulated terminals	4/6 0.25–6 0.5–10	12/10 24–10 20–8	790
N 97 33 LE	092643	250	burnished	with multi-component handles	KNIPEX MultiCrimp including empty magazine			660
N 97 39 42	092582	Crimping die for MC4® and MC4® Evo 2 connectors in 4 and 6 mm ²						
97 39 08	070092	Crimping die for insulated + uninsulated wire end ferrules from 0.25 to 6 mm ²						
97 39 13	070108	Crimping die for uninsulated cable connectors from 0.5 to 10 mm ²						

The crimping dies 97 49 XX of crimping system pliers 97 43 200 are not compatible with the KNIPEX MultiCrimp 97 33 01/02/03

12 * Multi-stranded lightning protection conductors in 16 mm² can only be crimped using the crimping pliers for two-hand operation 97 52 23 due to the hand force required.

KNIPEX PreciForce PV

THE CRIMPING PLIERS FOR SIMPLE PV INSTALLATIONS WITH MC4® AND MC4® EVO 2 CONNECTORS


- ▶ For the installation of PV systems with MC4® and MC4® Evo 2 connectors
- ▶ With improved crimp geometry for very good conductivity
- ▶ For installations on residential and industrial buildings or on isolated systems such as mobile homes
- ▶ Precise, factory calibrated crimping pressure




FOR CONSISTENT CRIMPING OF WIRE STRANDS




The crimping dies for 4 and 6 mm² crimp the standard MC4® and the even more robust MC4® Evo 2 connectors



Consistently high crimping quality due to **precision dies** and **ratchet mechanism** (unlockable)




High crimping force due to **efficient lever action**




97 52 42

Good handling due to favourable handle position, low weight, short design and ergonomically shaped handles



MC4®
Evo 2 MC4®



The elaborately designed joint **noticeably increases the hand force** – for fatigue-reduced operation

Article No.	EAN 4003773-		↔ mm	Pliers	Handles	Capacity mm ²	AWG	⚖️ g
97 52 42	092117		220	burnished	with multi-component handles	4/6	12/10	488
97 52 42 SB	092162							

Crimping die is not exchangeable

KNIPEX TwinGrip

THE UNIQUE SLIP JOINT PLIERS THAT ARE INDISPENSABLE FOR ANY KIND OF MAINTENANCE WORK – NOW AVAILABLE IN THREE SIZES

- ▶ **Unique combination:** Front grip and side grip function, box joint, push button adjustment
- ▶ **Gripping, tightening and loosening** screws with worn heads and threads
- ▶ **High-grip front jaw** with robust teeth and high gear ratio at the tip of the mouth

FOR UNIVERSAL USE – TAILORED TO EVERY NEED



Grips seized components with A/F 3–16 mm even in hard-to-reach positions



Grips stuck components in the standard sizes A/F 4–22 mm



Powerfully grips even large, very tight components with A/F 5–27 mm



Work in confined spaces,
with narrow turning zone for
fast screwing

Powerful gripping
of worn bolts and screws
from the front

**Large front and side gripping
capacities:** for widths across flats
3–16, 4–22 or 5–27 mm

Reliable front gripping
of flat workpieces due to
the three-point system

**ALSO AVAILABLE IN A
PRACTICAL SET**

00 19 61 V01: Tool roll with
KNIPEX TwinGrip 150, 200 and 250

00 19 61 V02: Tool roll with
KNIPEX TwinGrip 150 and 250

**THE KNIPEX TwinGrip
COUNTER DISPLAY**

Perfect secondary display for
up to 18 KNIPEX TwinGrip
in all three sizes

Article No. 00 18 01 V53 LE

82 02 250

Article No.	EAN 4003773-	↔ mm	Pliers	Head	Handles	Adjustment positions	⊘ inch	⊘ mm	⊘ inch	⊘ mm	⚖ g		
82 01 150	089353	150	black atramentized	polished	with non-slip plastic coating	3	1/8–5/8	3–16	1/8–5/8	3–16	130		
82 01 150 SB	091004	150				3	1/8–5/8	3–16	1/8–5/8	3–16	130		
82 01 200	087243	200				5	5/32–7/8	4–22	5/32–7/8	4–22	270		
82 01 200 SB	087571	200				5	5/32–7/8	4–22	5/32–7/8	4–22	270		
82 01 250	089377	250				7	3/16–1 1/16	5–27	3/16–1 1/16	5–27	360		
82 01 250 SB	091011	250				7	3/16–1 1/16	5–27	3/16–1 1/16	5–27	360		
N 82 02 150	089360	150				with comfort handles	3	1/8–5/8	3–16	1/8–5/8	3–16	130	
N 82 02 150 SB	091028	150			3		1/8–5/8	3–16	1/8–5/8	3–16	130		
82 02 200	087250	200			5		5/32–7/8	4–22	5/32–7/8	4–22	280		
82 02 200 SB	087588	200			5		5/32–7/8	4–22	5/32–7/8	4–22	280		
82 02 250	089384	250			7		3/16–1 1/16	5–27	3/16–1 1/16	5–27	390		
82 02 250 SB	090991	250			7		3/16–1 1/16	5–27	3/16–1 1/16	5–27	390		
00 19 61 V01	092063	330			KNIPEX TwinGrip-Set 1 x 82 01 150, 1 x 82 01 200, 1 x 82 01 250								
00 19 61 V02	092094	330			KNIPEX TwinGrip-Set 1 x 82 01 150, 1 x 82 01 250								
00 19 61 LE	092056	330	Tool roll for KNIPEX TwinGrip, empty, 4 compartments										

FROM MAY 2025

KNIPEX DPT50

IN A SINGLE OPERATIONAL STEP: CUT, CHAMFER, DONE – NEW MODEL FOR THICK-WALLED PLASTIC PIPES

- ▶ **Perfect helper for plumbing and industry** conveniently cut and directly chamfer plastic pipes of 32/40/50 mm in a single step
- ▶ **Smooth cutting:** no readjustment, no deburring, no breaking of brittle pipes, reduced risk of leaky joints
- ▶ **Optimum pipe guidance and easy cutting** due to self-adjusting rollers with plain bearings

N Multi-piece blade particularly sharp and with high cutting performance

Spring-loaded cutting blade no unnecessary adjustment needed during cutting

Trimming or fine cutting is possible from a section length of around 10 mm

2.5–3.5 mm

Durable and robust tool body made of glass-fibre reinforced plastic

Precise positioning thanks to a clear view of the cutting point

Cuts PVC, PP and PE pipes with wall thicknesses of 2.5–3.5 mm



The interchangeable blade can be used on both sides



N Spare blade for thick-walled pipes
90 23 02 E01

90 23 02 BK

Suitable e.g. for waste water pipes according to DIN 1453-1, 1329-1, 1519-1

Article No.	EAN 4003773-	↔ mm	Pipe materials	Cutting capacity Ø mm	Wall thickness mm	△ g
90 23 01 BK	087809	202	PVC, PP, PE	32, 40 and 50	1.8–2.4	295
N 90 23 02 BK	092186	202	PVC, PP, PE	32, 40 and 50	2.5–3.5	295
90 23 01 E01	088103	Spare blade for 90 23 01, can be used on both sides for thin-walled pipes				
N 90 23 02 E01	092193	Spare blade for 90 23 02, can be used on both sides for thick-walled pipes				



**THE AUTOMATICALLY
APPLIED CHAMFER
ENSURES EVEN
DISTRIBUTION OF
THE ADHESIVE**

SUCCESS, BUT NOT AT ANY COST



KNIPEX is once again among the top one per cent of 130,000 companies assessed this year, as confirmed by the rating agency EcoVadis




We also obtained the highest recognition for sustainability in Europe in 2025



**100 %
green steel**
Another effective
contribution to climate
and resource
protection

ACHIEVING GOALS – SUSTAINABLY

The performance and quality of our pliers impress customers in over 140 countries worldwide. We want to continue to build on our success and are guided by values and the goal of ecologically sustainable development. Through systematically implemented measures, we aim to be climate-neutral by 2045 at the latest and substantially reduce our use of resources. Thanks in part to the complete switch to renewable energies, we have almost halved our greenhouse gas (GHG) emissions since 2021. We already report the carbon footprint (PCF) for most of our pliers in order to give our customers maximum transparency regarding the climate impact of our products.



Steel – the foundation for the highest quality and for effective environmental protection

The KNIPEX brand stands for precision tools with a long service life. To guarantee this, we only use steels of the highest quality. According to the laws of thermodynamics, steel can be recycled indefinitely and without any loss of quality. This requires good sorting, processing and scrap logistics, i.e. intelligent waste stream management. We are using this to achieve our sustainability goals. When we make the complete switch to green steel in 2025, we will reduce our current GHG emissions by another 50 percent and use 100 percent recycled steel for our pliers.

Open to closed loops

In our production, unmixed steel production residues accumulate as steel scrap. These are melted down again in a nearby electric arc furnace using green electricity and then reintroduced into the production cycle as green steel. The advantages are obvious: transport and production-related greenhouse gas emissions are significantly reduced and material resources are conserved to the maximum extent.

In 2021, CO₂ emissions were reduced by 157 million tonnes in Germany alone by recycling 94 million tonnes of steel scrap. This corresponds to the CO₂ emissions of the vehicle fleets of France, the United Kingdom and

































Belgium. Steel recycling therefore makes an important contribution to climate and resource protection and is an important step towards climate neutrality.

Of course, even with this low-emission green steel, KNIPEX remains a reliable manufacturer of premium-quality pliers.

WE TAKE RESPONSIBILITY FOR EMPLOYEES, NATURE, SOCIETY AND ECONOMY












































NEW PRODUCTS

	Article No.	Designation	Page		Article No.	Designation	Page	
	00 19 50 LE	N Module bag, empty	140		03 03 110	N Mini Combination Pliers	25	
	00 19 55 S11	N Set of Pliers Wrenches, in tool roll, 3 parts	125		12 74 180	N Automatic Stripping Pliers	29	
	00 19 61 LE	N Tool roll for KNIPEX TwinGrip, 4 compartments, empty	141		12 74 180 E01	N Set of spare blades, for 12 74 180 (models from 2025)	29	
	00 19 61 V01	N KNIPEX TwinGrip-Set in tool roll, 3 parts	127		16 50 145 SB	N Stripping Knife, with guide shoe and ratchet function	33	
	00 19 61 V02	N KNIPEX TwinGrip-Set in tool roll, 2 parts	127		16 50 145 E01	N Spare blade with guide shoe, for 16 50 145	33	
	00 21 50 V01	N Set with module adapters, 4 parts	146		16 50 145 E02	N Replacement latch, for 16 50 145	33	
	00 31 31 V01	N Photovoltaic Installations Set	137		16 95 03 SB	N ErgoStrip® PV, Stripping Tool	34	
	00 61 10 CR	N ColorCode Clips red (10 pieces)	116		82 01 150	N KNIPEX TwinGrip, Slip Joint Pliers	66	
	00 61 10 CB	N ColorCode Clips blue (10 pieces)				82 01 250		N KNIPEX TwinGrip, Slip Joint Pliers
	00 61 10 CY	N ColorCode Clips yellow (10 pieces)				82 01 150 SB	N KNIPEX TwinGrip, Slip Joint Pliers	66
	00 61 10 CS	N ColorCode Clips grey (10 pieces)				82 02 150	N KNIPEX TwinGrip, Slip Joint Pliers	
	00 61 10 CM	N ColorCode Clips magenta (10 pieces)				82 02 150 SB	N KNIPEX TwinGrip, Slip Joint Pliers	66
	00 61 10 CG	N ColorCode Clips green (10 pieces)				82 02 250	N KNIPEX TwinGrip, Slip Joint Pliers	
	00 61 10 CA	N ColorCode Clips anthracite (10 pieces)				82 02 250 SB	N KNIPEX TwinGrip, Slip Joint Pliers	66
	00 61 10 CO	N ColorCode Clips orange (10 pieces)						
	00 61 10 CW	N ColorCode Clips white (10 pieces)						66
	00 61 10 CV	N ColorCode Clips violet (10 pieces)						
	00 61 10 C V01	N ColorCode Clips Color mix 1 (10 pieces)	116		82 150 E01	N Assortment of spare parts, for adjustment for 82 150	66	
	00 61 10 C V02	N ColorCode Clips Color mix 2 (10 pieces)	116		82 250 E01	N Assortment of spare parts, for adjustment for 82 250	66	
	00 62 10 TR	N TetheredTool Clips (10 pieces)	116					
	00 63 06 TCR	N TetheredTool & ColorCode Clips, red (3 pieces each)	116					

	Article No.	Designation	Page		Article No.	Designation	Page
	87 51 180 87 51 180 SB	N KNIPEX Cobra® ES, N Water Pump Pliers extra-slim	70		97 52 42 97 52 42 SB	N PreciForce, N Crimping pliers for MC4®/MC4® EVO 2 connectors	94
	90 23 02 BK	N KNIPEX DPT50, Pipe cutter for thick-walled plastic pipes, also foam-core	73		97 90 27	N Crimp Assortments for cable connectors, with KNIPEX NexStrip® 12 72 190	98
	90 23 02 E01	N Spare blade for 90 23 02, for thick-walled pipes	73		98 65 00 LE	N Protective bag, for insulating gloves	146
	90 31 01	N KNIPEX TubiX® S, Pipe cutter	73		98 67 01 LE	N Protective bag, for electrically insulating cloth or mat	146
	91 91 180	N Upholstery Pliers	74		00 18 01 V47	N Counter display KNIPEXtend 1	148
	95 11 225 95 11 225 SB	N KNIPEX StepCut® XL, N Cable shears with step cut	82		00 18 01 V47 LE	N Counter display KNIPEXtend, empty	148
	95 12 225 95 12 225 SB	N KNIPEX StepCut® XL, N Cable shears with step cut	82		00 18 01 V48	N Counter display KNIPEXtend 2	148
	95 18 225 95 18 225 SB	N KNIPEX StepCut® XL, N Cable shears with step cut	82		00 18 01 V50 LE	N Counter display Stripping Knife, empty	148
	97 33 03	N KNIPEX MultiCrimp, with crimping dies for photovoltaic applications	87		00 18 01 V51 LE	N Mixed counter display for pipe cutters TubiX® and TubiX® S, empty	148
	97 33 LE	N KNIPEX MultiCrimp, Crimping Pliers with changer magazine, empty	87		00 18 01 V53 LE	N Counter display TwinGrip, empty	148
	97 39 42	N Crimping die, for MC4®/MC4® EVO 2 connectors with 4/6 mm ²	88				
	97 43 66 EVO	N Crimp System Pliers, for MC4®- and MC4® EVO 2 connectors, with mounted crimping dies	88				
	97 49 91	N Locator, for 97 49 61	92				

REWORKED PRODUCTS

	Article No.	Designation	Details	Page		Article No.	Designation	Details	Page
	00 20 09 V01 	Bestseller Set	New comfort handles	128		12 64 180 	Automatic Insulation Stripper for flat cable	Optimised grip ergonomics with two-component grip zone and easier and faster blade changes	29
	00 20 11 	Assembly Set	New comfort handles	128		12 64 180 E01 	Set of spare blades, for 12 64 180 (models from 2025)		29
	00 20 72 V06 	Mini pliers set	New comfort handles	131		74 01 200  74 01 200 SB 	High Leverage Diagonal Cutter	20% less effort compared to the previous model and improved ergonomics	58
	00 21 06 	Tool Case "BIG Basic Move" ElectricPlus	Chisel set with SDS-plus added	132		74 02 200  74 02 200 SB 	High Leverage Diagonal Cutter	20% less effort compared to the previous model and improved ergonomics	58
	00 21 37 	Tool Case "Robust45 Move" Electric	Chisel set with SDS-plus added	135		74 05 200  74 05 200 SB 	High Leverage Diagonal Cutter	20% less effort compared to the previous model and improved ergonomics	58
	00 21 41 	Tool Case "BIG Twin Move" Electric	Chisel set with SDS-plus added	136		74 06 200  74 06 200 SB 	High Leverage Diagonal Cutter	20% less effort compared to the previous model and improved ergonomics	58
	00 21 42 	Tool Case "BIG Twin" Electric	Chisel set with SDS-plus added	136		74 06 200 T  74 06 200 T BK 	High Leverage Diagonal Cutter	20% less effort compared to the previous model and improved ergonomics	58
	12 40 200  12 40 200 EAN 	KNIPEX EvoStrip, Self-Adjusting Insulation Strippers	New design, improved ergonomics thanks to multi-component handle, increased stripping length, optimised gripping jaws, TT eyelet	28		74 07 200 	High Leverage Diagonal Cutter	20% less effort compared to the previous model and improved ergonomics	58
	12 49 01 	Pair of spare blades, for 12 40 200		28		87 51 250  87 51 250 SB 	KNIPEX Cobra® ES, Water Pump Pliers extra-slim	Greater gripping capacity and better frontal gripping of flat and round workpieces thanks to optimised jaw design	70
	12 62 180 	KNIPEX ComStrip, Automatic Insulation Stripper	New design, cable cutter with increased capacity	29		95 31 250 	Cable Cutter (ratchet action)	Design optimisation, optimisation of the emergency release	84
	12 62 180 	KNIPEX ComStrip, Automatic Insulation Stripper	New design, cable cutter with increased capacity	29		95 36 250 	Cable Cutter (ratchet action)	Design optimisation, optimisation of the emergency release	84

	Article No.	Designation	Details	Page		Article No.	Designation	Details	Page
	95 250 E01	 Movable spare blade for 95 31 250/ 95 36 250 (Models from 2025)		84		95 3X E01	 Repair kit ratchet drive, 95 250/280/315A/320 (Models from 2025)		84
	95 31 280	 Cable Cutter (ratchet action)	Design optimisation, optimisation of the emergency release	84		95 3X E02	 Screw connection repair kit, 95 250/280/315A/320 (Models from 2025)		84
	95 36 280	 Cable Cutter (ratchet action)	Design optimisation, optimisation of the emergency release	84		95 315 E01	 Pivot cutter repair kit for 95 32 315 A and 95 36 315 A (Models from 2025)		85
	95 280 E01	 Movable spare blade for 95 31 280/ 95 36 280 (Models from 2025)		84		95 320 E01	 Pivot cutter repair kit for 95 32 320 and 95 36 320 (Models from 2025)		84

Comfort handles Evolution of ergonomics

This is where good things get better: A third component optimises the haptic properties and handling of our tools. KNIPEXtend for helpful extensions: ColorCode Clips (CCCs) for customisation and TetheredTool Clips (TTCs) for attaching a Tethered Tools fall-arrest device.



ColorCode Clip



TetheredTool Clip

KNIPEX is gradually updating pliers with the red-blue two-component handles to comfort handles made of three components and with KNIPEXtend interfaces.

Items that have already been updated are labelled “improved” on the content pages. You can obtain updated information on the availability of updated tools by scanning the adjacent QR code.




Soft component for a secure and comfortable grip

High strength for maximum durability

Inscription area for customisation is well protected against abrasion

Two KNIPEXtend interfaces for extensions



Soft component with special surface structure for more grip and control

KNIPEXTEND

Two KNIPEXtend interfaces for extensions

COMBINATION PLIERS


01

Combination Pliers, Chrome Vanadium

DIN ISO 5746, DIN EN 60900, IEC 60900

for heavy duty; with gripping zones for flat and round material

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V

Article No.	↔ mm	EAN 4003773-	€	📦	⊙ mm	⊙ mm	⊙ mm	⊙ mm	⊙ mm
01 06 160	160	040729	41,65	1		2.0	1.5	10.0	16.0
01 06 190	190	040415	46,25	1		2.5	2.0	13.0	25.0

02

High Leverage Combination Pliers

DIN ISO 5746


35% less effort required than with conventional combination pliers due to improved lever action

pliers black atramentized, head polished, handles plastic-coated



⚡ 1000 V

pliers black atramentized, head polished, with comfort handles




⚡ 1000 V

pliers black atramentized, head polished, handles with multi-component grips




⚡ 1000 V

pliers chrome-plated, with comfort handles



⚡ 1000 V

pliers chrome-plated, handles with multi-component grips



⚡ 1000 V

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested
DIN EN 60900, IEC 60900



⚡ 1000 V

02 01 180	180	033134	23,20	6		2.5	2.0	11.5	16.0
02 01 180 SB	180	010500	25,30	6		2.5	2.0	11.5	16.0
02 01 200	200	039679	24,15	6		2.8	2.2	13.0	25.0
02 01 200 SB	200	010524	26,25	6		2.8	2.2	13.0	25.0
02 01 225	225	013198	27,70	6		3.0	2.5	14.0	25.0
02 01 225 SB	225	010548	29,80	6		3.0	2.5	14.0	25.0
02 02 180	180	034896	26,25	6		2.5	2.0	11.5	16.0
02 02 180 SB	180	010517	28,35	6		2.5	2.0	11.5	16.0
02 02 225	225	043379	33,85	6		3.0	2.5	14.0	25.0
02 02 225 SB	225	010555	35,95	6		3.0	2.5	14.0	25.0
02 02 200	200	034902	28,50	6		2.8	2.2	13.0	25.0
02 02 200 SB	200	010531	30,60	6		2.8	2.2	13.0	25.0
02 05 180	184	043072	33,35	6		2.5	2.0	11.5	16.0
02 05 225	225	010005	40,70	6		3.0	2.5	14.0	25.0
02 05 200	200	043089	35,75	6		2.8	2.2	13.0	25.0
02 06 180	180	010012	37,25	1		2.5	2.0	11.5	16.0
02 06 180 SB	180	040804	39,35	6		2.5	2.0	11.5	16.0
02 06 200	200	010029	39,25	1		2.8	2.2	13.0	25.0
02 06 200 SB	200	029496	41,35	6		2.8	2.2	13.0	25.0
02 06 225	225	010036	44,50	1		3.0	2.5	14.0	25.0


03

Combination Pliers

DIN ISO 5746

with gripping zones for flat and round material

pliers black atramentized, head polished, handles plastic-coated



⚡ 1000 V

pliers black atramentized, head polished, with comfort handles



⚡ 1000 V

pliers chrome-plated, with comfort handles



⚡ 1000 V

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested
DIN EN 60900, IEC 60900



⚡ 1000 V

03 01 140	140	015192	17,85	6	2.8	1.8		9.0	10.0
03 01 140 EAN	140	039723	17,85	6	2.8	1.8		9.0	10.0
03 01 160	160	013235	16,05	6	3.1	2.0		10.0	16.0
03 01 160 SB	160	010586	18,15	6	3.1	2.0		10.0	16.0
03 01 160 EAN	160	022787	16,05	6	3.1	2.0		10.0	16.0
03 01 180	180	013242	17,05	6	3.4	2.2		12.0	16.0
03 01 180 SB	180	010630	19,15	6	3.4	2.2		12.0	16.0
03 01 180 EAN	180	021919	17,05	6	3.4	2.2		12.0	16.0
03 01 200	200	013259	19,60	6	3.8	2.5		13.0	16.0
03 01 200 SB	200	010678	21,70	6	3.8	2.5		13.0	16.0
03 01 200 EAN	200	033851	19,60	6	3.8	2.5		13.0	16.0
03 01 250	250	015222	31,00	6	3.8	2.5		15.0	25.0
03 01 250 EAN	250	041153	31,00	6	3.8	2.5		15.0	25.0
03 02 160	160	023203	20,90	6	3.1	2.0		10.0	16.0
03 02 160 SB	160	010593	23,00	6	3.1	2.0		10.0	16.0
03 02 180	180	023197	21,50	6	3.4	2.2		12.0	16.0
03 02 180 SB	180	010647	23,60	6	3.4	2.2		12.0	16.0
03 02 200	200	034940	24,45	6	3.8	2.5		13.0	16.0
03 02 200 SB	200	010685	26,55	6	3.8	2.5		13.0	16.0
03 05 140	140	039730	25,85	6	2.8	1.8		9.0	10.0
03 05 160	160	039518	24,85	6	3.1	2.0		10.0	16.0
03 05 160 SB	160	010609	26,95	6	3.1	2.0		10.0	16.0
03 05 180	180	034933	26,75	6	3.4	2.2		12.0	16.0
03 05 180 SB	238	010654	28,85	6	3.4	2.2		12.0	16.0
03 05 200	200	041146	30,45	6	3.8	2.5		13.0	16.0
03 05 200 SB	200	010692	32,55	6	3.8	2.5		13.0	16.0
03 06 160	160	021902	28,95	1	3.1	2.0		10.0	16.0
03 06 160 SB	160	010616	31,05	6	3.1	2.0		10.0	16.0
03 06 180	180	021926	31,30	1	3.4	2.2		12.0	16.0
03 06 180 SB	180	010661	33,40	6	3.4	2.2		12.0	16.0
03 06 200	200	033776	34,90	1	3.8	2.5		13.0	16.0
03 06 200 SB	200	012238	37,00	6	3.8	2.5		13.0	16.0

		Article No.	↔ mm	EAN 4003773-	€		∅ mm	∅ mm	∅ mm	∅ mm	mm ²
Combination Pliers DIN ISO 5746 with gripping zones for flat and round material	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether DIN EN 60900, IEC 60900		180	081395	40,60	1	3.4	2.2		12.0	16.0
			180	081746	42,70	1	3.4	2.2		12.0	16.0
	pliers chrome-plated, handles with dipped insulation, VDE-tested DIN EN 60900, IEC 60900		180	015314	38,85	1	3.4	2.2		12.0	16.0
			200	015321	41,35	1	3.8	2.5		13.0	16.0
Mini Combination Pliers compact combination pliers for professionals and hobbyists	pliers chrome-plated, handles plastic-coated		110	092636	29,70	6	2.5	1.6		9.0	10.0
			110	034957	30,55	6	2.5	1.6		9.0	10.0
Needle-Nose Combination Pliers DIN ISO 5746 universal pliers for all common repair jobs; narrow head style for use in confined areas (PATENTED)	pliers black atramentized, head polished, handles plastic-coated		145	078951	25,75	6	3.0	2.0		8.0	16.0
			145	080244	27,85	6	3.0	2.0		8.0	16.0
	pliers black atramentized, head polished, with comfort handles		185	088325	31,45	6	3.8	3.0		13.0	25.0
			185	088837	33,55	6	3.8	3.0		13.0	25.0
	pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System		145	078968	28,80	6	3.0	2.0		8.0	16.0
			145	080251	30,90	6	3.0	2.0		8.0	16.0
	pliers black atramentized, head polished, with comfort handles		185	088332	34,75	6	3.8	3.0		13.0	25.0
			185	088844	36,85	6	3.8	3.0		13.0	25.0
	pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System		145	080640	38,10	1	3.0	2.0		8.0	16.0
			145	080657	40,20	1	3.0	2.0		8.0	16.0
	pliers chrome-plated, with comfort handles		145	078975	32,50	6	3.0	2.0		8.0	16.0
			145	080268	34,60	6	3.0	2.0		8.0	16.0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900		192	088349	38,95	6	3.8	3.0		13.0	25.0
			185	088851	41,05	6	3.8	3.0		13.0	25.0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900		145	079361	34,35	1	3.0	2.0		8.0	16.0
			145	080275	36,45	6	3.0	2.0		8.0	16.0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether DIN EN 60900, IEC 60900		185	088356	41,90	1	3.8	3.0		13.0	25.0
			185	088868	44,00	6	3.8	3.0		13.0	25.0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether DIN EN 60900, IEC 60900		145	081401	43,65	1	3.0	2.0		8.0	16.0
			145	081753	45,75	1	3.0	2.0		8.0	16.0

03

08

08

COMBINATION PLIERS

09

Lineman's Pliers

DIN ISO 5746, ASME B107.20
50% less effort compared with conventional combination pliers; additional gripping zone below the joint for powerful leverage and pressing performance

pliers black atramentized, head polished, handles with non-slip plastic coating



Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm	mm ²
09 01 240	240	064992	47,60	6	4.6	3.0			
09 01 240 SB	240	066323	49,70	6	4.6	3.0			
09 02 240	240	065005	51,35	6	4.6	3.0			
09 02 240 SB	240	066330	53,45	6	4.6	3.0			
09 05 240	240	087380	59,65	6	4.6	3.0			
09 11 240	240	071952	53,95	6	4.6	3.0			
09 11 240 SB	240	071860	56,05	6	4.6	3.0			
09 12 240	240	071969	58,50	6	4.6	3.0			
09 12 240 SB	240	071877	60,60	6	4.6	3.0			
09 15 240	240	087397	68,15	6	4.6	3.0			

pliers black atramentized, head polished, handles with multi-component grips



pliers chrome-plated, handles with multi-component grips



pliers black atramentized, head polished, handles with non-slip plastic coating, with cable pulling device and universal mandrel crimp



pliers black atramentized, head polished, handles with multi-component grips, with cable pulling device and universal mandrel crimp



pliers chrome-plated, handles with multi-component grips, with cable pulling device and universal mandrel crimp



		Article No.	↔ mm	EAN 4003773-	€			AWG
Insulation Strippers, universal for single, multiple and fine stranded conductors with plastic or rubber insulation	head polished, handles plastic-coated, pliers black atramentized	11 01 160 ▶ 11 01 160 SB	160 160	033868 010708	22,35 24,45	6 6	∅ 5.0 mm / 10.0 mm ² ∅ 5,0 mm / 10,0 mm ²	8 8
Electronics Wire Stripping Shears for very thin single, multiple and fine stranded conductors	pliers black atramentized, head polished, handles with multi-component grips	11 02 160 11 02 160 SB	160 160	023180 010715	26,95 29,05	6 6	∅ 5,0 mm / 10,0 mm ² ∅ 5.0 mm / 10.0 mm ²	8 8
Electronics Wire Stripper for single, multiple and fine stranded conductors with plastic or rubber insulation	pliers chrome-plated, handles with multi-component grips	11 05 160 ▶ 11 05 160 SB	160 160	039570 010722	31,50 33,60	6 6	∅ 5.0 mm / 10.0 mm ² ∅ 5.0 mm / 10.0 mm ²	8 8
Insulation Strippers, with adapted blades leave wire undamaged thanks to precision-ground blade shapes, even multi-stranded conductors are stripped gently	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested	11 06 160 11 06 160 SB	160 160	021933 010739	36,10 38,20	1 6	∅ 5.0 mm / 10.0 mm ² ∅ 5.0 mm / 10.0 mm ²	8 8
	DIN EN 60900, IEC 60900							
Insulation Strippers, with adapted blades leave wire undamaged thanks to precision-ground blade shapes, even multi-stranded conductors are stripped gently	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether	11 06 160 T ▶ 11 06 160 T BK	160 160	081418 081760	45,40 47,50	1 1	∅ 5.0 mm / 10.0 mm ² ∅ 5.0 mm / 10.0 mm ²	8 8
	DIN EN 60900, IEC 60900							
Insulation Strippers, with adapted blades leave wire undamaged thanks to precision-ground blade shapes, even multi-stranded conductors are stripped gently	pliers black atramentized, head polished, handles with multi-component grips	11 12 160	160	034964	26,35	6	∅ 5.0 mm / 10.0 mm ²	8
Insulation Strippers, with adapted blades leave wire undamaged thanks to precision-ground blade shapes, even multi-stranded conductors are stripped gently	Set of spare parts (screw and nut), for 11 XX 160	11 09 01		052326	2,30	1		
Insulation Strippers, with adapted blades leave wire undamaged thanks to precision-ground blade shapes, even multi-stranded conductors are stripped gently	head polished, handles with multi-component grips	11 82 130	140	071648	51,70	1	∅ 0.03 – 1.0 mm / 0.01 – 0.75 mm ²	
Insulation Strippers, with adapted blades leave wire undamaged thanks to precision-ground blade shapes, even multi-stranded conductors are stripped gently	head mirror polished, handles with multi-component grips	11 92 140	140	016908	60,70	6	∅ 0.1 – 0.8 mm	
Insulation Strippers, with adapted blades leave wire undamaged thanks to precision-ground blade shapes, even multi-stranded conductors are stripped gently	pliers black lacquered, handles with plastic grips	12 11 180 ▶ 12 11 180 EAN	180 180	000792 044437	78,45 78,45	1 1	∅ 0.5/1.2/1.6 / 2.0 mm ∅ 0.5/1.2/1.6 / 2.0 mm	
Insulation Strippers, with adapted blades leave wire undamaged thanks to precision-ground blade shapes, even multi-stranded conductors are stripped gently	1 pair of spare blades for 12 11 180	12 19 180		022145	16,50	1	∅ 0.5/1.2/1.6 / 2.0 mm	
Insulation Strippers, with adapted blades leave wire undamaged thanks to precision-ground blade shapes, even multi-stranded conductors are stripped gently	1 pair of spare blades for 12 21 180	12 29 180		022152	15,30	1	0.5 – 0.75 / 1.0 / 1.5 / 2.5 / 4.0 / 6.0 mm ²	20 - 18 / 16 / 14 / 12 / 10

11

11
8

11
9

12

WIRE STRIPPERS AND STRIPPING TOOLS

12
12

Precision Insulation Strippers, with adapted blades

easy stripping of difficult insulating materials; leave wire undamaged thanks to precision-ground blade shapes; even multi-stranded conductors are stripped gently

pliers burnished, handles with multi-component grips



MM

pliers burnished, handles with multi-component grips, for solar cables



MM

pliers burnished, handles with multi-component grips



MM

1 set of spare blades for 12 12 02

1 set of spare blades for 12 12 06

1 set of spare blades for 12 12 10

1 set of spare blades for 12 12 11

1 set of spare blades for 12 12 12

1 set of spare blades for 12 12 13

1 set of spare blades for 12 12 14

Length stop for 12 12 XX

Set of springs for 12 12 XX

Article No.	↔ mm	EAN 4003773-	€			AWG
12 12 02	195	048077	157,30	1	0.03 – 2.08 mm ²	
12 12 06	195	049005	155,50	1	0.14 – 6.0 mm ²	
12 12 10	195	049012	155,50	1	2.5 – 10.0 mm ²	
12 12 11	195	062998	155,50	1	1.5 – 6.0 mm ²	16 / 14 / 12 / 10
12 12 12	195	073758	155,50	1	4.0 – 10.0 mm ²	12 / 10 / 8
12 12 13	195	077534	155,50	1		20 / 18 / 16 / 14 / 12 / 10
12 12 14	195	077541	155,50	1		26 / 24 / 22 / 20 / 18 / 16
12 19 02		049036	75,30	1	0.03 – 2.08 mm ²	
12 19 06		049043	75,30	1	0.14 – 6.0 mm ²	
12 19 10		049050	75,30	1	2.5 – 10.0 mm ²	
12 19 11		063001	75,30	1	1.5 – 6.0 mm ²	16 / 14 / 12 / 10
12 19 12		073765	75,30	1	4.0 – 10.0 mm ²	12 / 10 / 8
12 19 13		077558	75,30	1		20 / 18 / 16 / 14 / 12 / 10
12 19 14		077565	75,30	1		26 / 24 / 22 / 20 / 18 / 16
12 19 90		078982	4,70	1		
12 19 91		079439	9,10	1		

12
42

KNIPEX EvoStrip, Self-Adjusting Insulation Strippers

adjust automatically to the respective cable cross-section which prevents damage to the conductor; fine adjustable zero correction of the blade setting to special material requirements, e.g. due to large temperature differences



MM

1 pair of spare blades for 12 40 200

Torsion spring, for 12 40 200

Coil spring in the head, for 12 40 200

Spare length stop for 12 42 / 52 195, 12 72 190, 12 40 200

12 40 200	200	026662	77,95	1	0.03 – 10.0 mm ²	32 - 8
12 40 200 EAN	200	040262	77,95	1	0.03 – 10.0 mm ²	32 - 8
12 49 01		026679	19,90	1	0.03 – 10.0 mm ²	32 - 8
12 49 04		053071	4,75	1		
12 49 05		053088	4,70	1		
12 49 23		057604	2,55	1		

12
42

KNIPEX MultiStrip 10, Automatic Insulation Stripper

fine adjustment of the tool is not required as damage to the conductor is prevented by the unique self-in feeding to ensure the correct cutting depth

(PATENTED)



MM

Spare blades block, for 12 42 195 and 12 72 190

Spare length stop for 12 42 / 52 195, 12 72 190, 12 40 200

12 42 195	195	054580	103,60	1	0.03 – 10.0 mm ²	32 - 8
12 42 195 SB	195	060147	103,60	1	0.03 – 10.0 mm ²	32 - 8
12 49 21		057581	19,75	1	0.03 – 10.0 mm ²	32 - 8
12 49 23		057604	2,55	1		

	Article No.	↔ mm	EAN 4003773-	€			AWG
KNIPEX PreciStrip16, Automatic Insulation Stripper for stripping fine wire and solid conductors from 0.08 to 16 mm ² ; fine adjustable zero correction of the blade setting to special material requirements, e.g. due to large temperature differences (PATENTED)	12 52 195	190	085829	110,65	1	0.08 – 16 mm ²	28 - 6
	12 52 195 SB	190	085997	110,65	1	0.08 – 16 mm ²	28 - 6
Spare length stop for 12 42 / 52 195, 12 72 190, 12 40 200	12 49 23		057604	2,55	1		
Spare blades block for 12 52 195	12 49 31	38	086000	20,80	1	0.08 – 16 mm ²	28 - 6
Spare blades block with special blades for 12 52 195	12 49 32	38	086253	23,20	1	4 – 16 mm ²	12 - 6
KNIPEX ComStrip, Automatic Insulation Stripper adapts automatically to the respective cable cross-section; prevents damage to the conductor	12 62 180	180	054573	46,30	1	0.2 – 6.0 mm ²	24 - 10
	1 pair of spare blades for 12 62 180	12 69 21	060093	13,30	1	0.2 – 6.0 mm ²	24 - 10
Spare length stop for 12 62 180	12 69 23		067115	4,85	1		
Automatic Insulation Stripper for flat cable adapts automatically to various conductor sizes; prevents damage to the conductor; For stripping PVC-insulated flat cables up to max. 12 mm wide	12 64 180	180	073284	87,40	1	12 mm / 0.75 – 2.5 mm ²	18 - 14
	Spare blades block for 12 64 180 (models from 2025)	12 64 180 E01	092674	32,35			
KNIPEX NexStrip®, Multi-Tool for Electricians Stripping with fine adjustment – for optimal adjustment to special materials or temperature conditions for flexible and solid conductors between 0.03 and 10 mm ² (AWG 32 – 8)	12 72 190	190	088165	143,90	1	0.03 – 10 mm ²	32 - 8
	12 72 190 SB	190	088592	143,90	1	0.03 – 10 mm ²	32 - 8
Spare blades block, for 12 42 195 and 12 72 190	12 49 21		057581	19,75	1	0.03 – 10.0 mm ²	32 - 8
Spare length stop for 12 42 / 52 195, 12 72 190, 12 40 200	12 49 23		057604	2,55	1		
Automatic Stripping Pliers for oil-resistant, halogen-free control and sensor / actuator cables with multicore cable design	12 74 180	175	092667	102,30	1	∅ 4.4 – 7.5 mm	
	Spare blades block for 12 74 180 (models from 2025)	12 74 180 E01	092681	62,40			
Mini Wire Strippers precise stripping of thin copper conductors; with wire cutter	12 80 040 SB	100	071655	52,90	6	∅ 0.12 – 0.4 mm	36 - 26
	12 80 100 SB	100	043119	53,95	6	∅ 0.3 – 1.0 mm	28 - 18
Wire Stripper for fibre optics to remove primary and secondary coating of fibre optics	12 82 130 SB	130	050094	84,20	6	∅ 0.125 / ∅ 0.25 mm	
	pliers burnished, handles with multi-component grips						
Stripping tool for fibre optics cable to remove primary coating of fibre optics	12 85 110 SB	190	087878	61,80	6	∅ 0.125 mm	

12
52

12
62

12
64

12
72

12
74

12
80

12
82

12
85


WIRE STRIPPERS AND STRIPPING TOOLS

13

Electricians' Pliers

the ideal pliers for cable work; for gripping, bending, cutting wire and crimping of wire ferrules

pliers black atramentized, head polished, handles plastic-coated



Article No.

↔ mm

EAN 4003773-

€

AWG

13 01 160

160

034971

41,55

1

0.5 – 0.75 / 1.5 / 2.5 mm²

13 01 160 SB

160

022404


43,65

6

0.5 – 0.75 / 1.5 / 2.5 mm²



pliers black atramentized, head polished, handles with multi-component grips



13 02 160

160

010470

43,95

6

0.5 – 0.75 / 1.5 / 2.5 mm²

13 02 160 SB

160

012368


46,05

6

0.5 – 0.75 / 1.5 / 2.5 mm²



pliers chrome-plated, handles with multi-component grips



13 05 160

160

071426


52,15

6

0.5 – 0.75 / 1.5 / 2.5 mm²



pliers chrome-plated, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



13 05 160 T

160

079965

61,45

1

0.5 – 0.75 / 1.5 / 2.5 mm²

13 05 160 T BK

160

080398

63,55

1

0.5 – 0.75 / 1.5 / 2.5 mm²



13
4

Stripping Pliers

for stripping all common round and damp-proof installation cables; slim head to enable excellent accessibility to flush-mounted and cavity wall sockets

pliers black atramentized, head polished, handles with multi-component grips



13 42 165

165

079675

47,45

6

Ø 8 – 13 mm
0.75 – 1.5 / 2.5 mm²



pliers chrome-plated, handles with multi-component grips



13 45 165

165

079682


49,35

6

Ø 8 – 13 mm
0.75 – 1.5 / 2.5 mm²



pliers chrome-plated, handles insulated with multi-component grips, VDE-tested
DIN EN 60900,
IEC 60900



13 46 165

165

079699

53,65

1

Ø 8 – 13 mm
0.75 – 1.5 / 2.5 mm²

1000 V

13 46 165 SB

165

079910

55,75

6

Ø 8 – 13 mm
0.75 – 1.5 / 2.5 mm²

13
6

KNIPEX StriX®, Insulation strippers with cable shears

for stripping single, multiple and fine stranded conductors with plastic and rubber insulation; with cable shears for cutting Cu and Al cables

PATENTED

pliers black atramentized, head polished, handles with multi-component grips



13 62 180

180

081302

58,20

6

Ø 5.0 mm / 10.0 mm²

1 / 0

13 62 180 SB

180

081326

60,30

6

Ø 5.0 mm / 10.0 mm²

1 / 0

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested
DIN EN 60900,
IEC 60900



13 66 180

180

081319

66,25

1

Ø 5.0 mm / 10.0 mm²

1 / 0

13 66 180 SB

180

081333

68,35

6

Ø 5.0 mm / 10.0 mm²

1 / 0

1000 V

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether
DIN EN 60900,
IEC 60900



13 66 180 T

180

081906

75,55

1

Ø 5.0 mm / 10.0 mm²

1 / 0

13 66 180 T BK

180

081982

77,65

1

Ø 5.0 mm / 10.0 mm²

1 / 0

1000 V

		Article No.	↔ mm	EAN 4003773-	€		Ø Inch	mm	AWG
KNIPEX WireStripper, Multifunction Electrician Pliers, American style designed for AWG cable cross-sections and UNC threads common in the USA, Australia – not suitable for metric cables and materials (PATENTED)	pliers black atramentized, handles with non-slip plastic coating	13 71 8	200	086673	88,30	6	1/2"	15	1/0
	pliers black atramentized, handles with multi-component grips	13 72 8	200	086680	90,75	6	1/2"	15	1/0
KNIPEX WireStripper, metric version with wide jaws for gripping, bending and twisting wires, for stripping and cutting cables (PATENTED)	pliers black atramentized, handles with non-slip plastic coating	13 71 200 ME	200	088929	56,75	6	15	50	1/0
	pliers black atramentized, handles with multi-component grips	13 72 200 ME	200	088936	58,60	6	15	50	1/0
		13 72 200 ME SB	200	089346	60,70	6	15	50	1/0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested	13 76 200 ME	200	088943	66,65	1	15	50	1/0
	DIN EN 60900, IEC 60900	13 76 200 ME SB	200	089315	68,75	6	15	50	1/0
Pliers for Electrical Installation, Multi-Tool for Electricians to grip flat and round material, for bending, deburring, cutting cable, stripping and crimping wire ferrules (PATENTED)	pliers black atramentized, head polished, handles plastic-coated	13 81 200	200	075240	56,20	1	15	50	1/0
		13 81 200 SB	200	075264	58,30	6	15	50	1/0
	pliers black atramentized, head polished, handles with multi-component grips	13 82 200	200	075080	58,00	1	15	50	1/0
		13 82 200 SB	200	075271	60,10	6	15	50	1/0
	pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System	13 82 200 T	200	079972	67,30	1	15	50	1/0
		13 82 200 T BK	200	080404	69,40	1	15	50	1/0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested	13 86 200	200	075097	66,00	1	15	50	1/0
	DIN EN 60900, IEC 60900	13 86 200 SB	200	075288	68,10	6	15	50	1/0
	pliers black atramentized, head polished, handles plastic-coated	13 91 200	200	075257	59,95	1	15	50	1/0
		13 91 200 SB	200	075301	62,05	6	15	50	1/0
	pliers black atramentized, head polished, handles with multi-component grips	13 92 200	200	075103	61,85	1	15	50	1/0
		13 92 200 SB	200	075318	63,95	6	15	50	1/0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested	13 96 200	200	075110	69,45	1	15	50	1/0
	DIN EN 60900, IEC 60900	13 96 200 SB	200	075325	71,55	6	15	50	1/0

WIRE STRIPPERS AND STRIPPING TOOLS


13

Pliers for Electrical Installation, Multi-Tool for Electricians

to grip flat and round material, for bending, deburring, cutting cable, stripping and crimping wire ferrules

PATENTED

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether
DIN EN 60900, IEC 60900



⚡ 1000V


Article No.	↔ mm	EAN 4003773-	€				AWG
13 96 200 T	200	081425	78,75	1	15	50	1 / 0
13 96 200 T BK	200	081777	80,85	1	15	50	1 / 0
Spare spring / screw for 13 9X 200		13 200 E01	087762	4,60	1		

14


Diagonal Insulation Strippers

precision stripping holes and long, induction-hardened precision blades

pliers black atramentized, head polished, with comfort handles



pliers chrome-plated, with comfort handles



pliers chrome-plated, handles insulated with multi-component grips, VDE-tested
DIN EN 60900, IEC 60900



⚡ 1000V

Article No.	↔ mm	EAN 4003773-	€			AWG
✓ 14 22 160	160	034988	43,35	6	1.5 / 2.5 mm ²	16 / 14
✓ 14 22 160 SB	160	022138	45,45	6	1.5 / 2.5 mm ²	16 / 14
✓ 14 25 160	160	028697	48,50	6	1.5 / 2.5 mm ²	16 / 14
14 26 160	160	040279	52,05	1	1.5 / 2.5 mm ²	16 / 14
14 26 160 SB	160	041177	54,15	6	1.5 / 2.5 mm ²	16 / 14
15 11 120	120	015550	13,10	1	∅ 0.6 mm	
15 19 005		021551	5,05	1	∅ 0.5 mm	
15 19 006		021568	5,05	1	∅ 0.6 mm	
15 19 008		021575	5,05	1	∅ 0.8 mm	
15 19 010		021582	5,05	1	∅ 1.0 mm	

15

Stripping Tweezers for coated wire

for stripping off varnished insulation on copper wires

steel



15

Insulation Strippers

precise stripping prism matched to diameter of wire, non-adjustable

head polished, handles plastic-coated



MM

16
20

Stripping Tools, with scalpel blade

for all common round cables; screw for adjusting cutting depth; turnable blade for circular and longitudinal cutting

shock-resistant plastic body



MM

shock-resistant plastic body, with knife and hook blade



MM

Spare blade for 16 20 16 SB / 16 20 28 SB / 16 20 165 SB

16 20 16 SB	130	060451	25,55	6	∅ 4.0 – 16.0 mm	
16 20 28 SB	130	060468	25,45	6	∅ 8.0 – 28.0 mm	
16 20 165 SB	165	043133	27,20	6	∅ 8.0 – 28.0 mm	
16 29 165		043140	7,40	1		
16 30 135 SB	135	033349	63,45	6	∅ 6.0 – 29.0 mm	
16 30 145 SB	150	081029	73,00	6	∅ 19.0 – 40.0 mm	
16 39 135		027317	14,15	1		

16
30

Stripping Tool, for spiral cutting

for round PVC, rubber, silicone, PTFE cables; longitudinal cutting by turning the tool body; detent mechanism for spiral cutting

shock-resistant plastic body



MM

Spare blade for 16 30 135 SB / 16 30 145 SB

16
40

Stripping Tool

removes all kinds of insulation layers of round cables; circular and longitudinal cutting

glass fibre reinforced polyamide



Spare blade for 16 40 150

Blade feed, for 16 40 150

16 40 150	150	026709	256,55	5	∅ > 25 mm	
✓ 16 40 150 SB	150	033363	258,65	1	∅ > 25 mm	
16 49 150		026716	71,35	1		
16 49 150 01		053095	25,15	1		

	Article No.	↔ mm	EAN 4003773- 089902	€			AWG	
Stripping Knife, with guide shoe and ratchet function suitable for longitudinal and circular cutting; With three cutting areas, guide shoe and ratchet function: ideal for for tough cable sheaths (PATENTED)	N 16 50 145 SB	146	089902	67,25	1			16 50
Spare blade with guide shoe for 16 50 145	N 16 50 145 E01		089919	30,55	1			
Replacement latch for 16 50 145	N 16 50 145 E02		089926	4,90	1			
Folding Knife for Electricians universal folding cutter for everyday use; top quality, extremely sharp blade – Made in Solingen	16 20 50 SB	120	082705	14,85	1			16 20
Stripping Tool for coax cable for stripping outer sheath, shield and insulation in one operating cycle	16 60 05 SB	105	044888	21,70	6	RG 58 / 59 / 62		16 60
Wire Stripping Tool for coax and data cable for stripping the outer sheath and the inner conductor insulation in one operation cycle shock-resistant plastic body	16 60 06 SB	125	077961	16,65	1	RG 59 / 6 / 7 / 11		16 60
Spare blades block, for 16 60 06 SB	16 69 06 01		082149	6,40	1			
Stripping Tool for coax cable folding back stripping tool; two-step stripping	16 60 100 SB	100	040811	27,85	6	Ø 4.8 – 7.5 mm		16 60
Stripping Tool for flat and round cable for use in junction and distribution boxes; with stripping device; with blade for longitudinal cutting	16 64 125 SB	125	076933	29,70	6	12 mm / Ø 4.0 – 13.0 mm 0.8 / 1.5 / 2.5 mm ²		16 64
Stripping Tool for data cable for UTP + STP data cables; folding back stripping tool; with stripping device	16 65 125 SB	125	043157	52,10	6	Ø 4.5 – 10.0 mm 0.2 / 0.3 / 0.8 / 1.5 / 2.5 / 4 mm ²		16 65
Universal Stripping Tools for round and damp-proof installation cables; also for use in conduit and distribution boxes; foldable stripping tool	16 80 125 SB	125	040828	28,25	6	Ø 8.0 – 13.0 mm		16 8
telescopic blade inside, with wire stripping mechanism for single conductors	16 85 125 SB	125	060444	52,95	6	Ø 8.0 – 13.0 mm 0.2 / 0.3 / 0.8 / 1.5 / 2.5 / 4.0 mm ²		
Depth Stripping Tool Long, ergonomic design for work in deep connector sockets	16 80 175 SB	175	084129	39,75	6	Ø 8.0 – 13.0 mm		16 8

WIRE STRIPPERS AND STRIPPING TOOLS

16
90

Universal Stripping Tool for building and industrial cables

for round cables, especially for difficult-to-remove insulating materials; with stripping device



MM

16
95

KNIPEX ErgoStrip®, Universal Stripping Tool

universal tool for stripping NYM cable as well as data and coax cable; ideal for electricians, plant manufacturers and fitters

(PATENTED)

for left-handers



MM



MM

16
95

KNIPEX ErgoStrip® PV, Stripping Tool












universal stripping tool for stripping and skinning all standard round, moisture-proof and photovoltaic cables; ideal for electricians, system constructors and solar installers

(PATENTED)



MM

Article No.	↔ mm	EAN 4003773-	€			AWG
16 90 130 SB	130	076940	32,55	6	Ø 8.0 – 13.0 mm 1.5 / 2.5 mm ²	
16 95 01 SB	135	079927	46,20	6	Ø 8.0 – 13.0 mm 0.2 / 0.3 / 0.8 / 1.5 / 2.5 / 4 mm ² CAT 5 - 7, UTP / STP	
16 95 02 SB	135	082910	46,20	6	Ø 8.0 – 13.0 mm 0.2 / 0.3 / 0.8 / 1.5 / 2.5 / 4 mm ² CAT 5 - 7, UTP / STP	
N 16 95 03 SB	135	092605	52,50	6	Ø 8,0 – 13,0 mm 0,2 / 0,3 / 0,8 / 1,5 / 2,5 / 4 mm ² 4 / 6 mm ²	

		Article No.	↔ mm	EAN 4003773-	€		 Ø mm	 Ø mm	
Round Pliers with cutting edge, (Jewellers' Pliers) ideal for cutting and bending activities, also in electronics	pliers black atramentized, head polished, handles plastic-coated 	▼ 19 01 130	130	034995	36,20	6	2.2	1.6	
		▼ 19 01 130 SB	130	010746	38,30	6	2.2	1.6	
	pliers chrome-plated, handles plastic-coated 	▼ 19 03 130	130	014348	41,20	6	2.2	1.6	
Flat Nose Pliers DIN ISO 5745 short, flat jaws; knurled gripping surfaces	pliers black atramentized, head polished, handles plastic-coated 	20 01 125	125	033875	16,40	6			
		20 01 140	140	022794	16,50	6			
		20 01 160	160	033882	17,25	6			
		20 01 180	180	042440	22,00	6			
		pliers black atramentized, head polished, handles with multi-component grips 	20 02 140	140	043386	20,30	6		
		pliers black atramentized, head polished, with comfort handles 	✓ 20 02 160	160	035008	20,60	6		
	pliers chrome-plated, handles with multi-component grips 	20 05 140	140	042464	25,00	6			
		20 05 160	160	042457	26,05	6			
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900  ⚡ 1000 V	20 06 160	160	033783	30,00	1			
Round Nose Pliers DIN ISO 5745 for forming wire loops; short, round jaws	pliers black atramentized, head polished, handles plastic-coated 	22 01 125	125	033899	17,65	6			
		22 01 140	140	022800	17,65	6			
		22 01 140 SB	140	010784	19,75	6			
		22 01 160	160	033905	18,20	6			
		pliers black atramentized, head polished, handles with multi-component grips 	22 02 140	140	043430	21,05	6		
			22 02 160	160	023173	21,10	6		
		pliers chrome-plated, handles with multi-component grips 	22 05 140	140	042891	25,65	6		
			22 05 160	160	042907	27,00	6		
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900  ⚡ 1000 V	22 06 160	160	033790	30,55	1			

19
















20

22

Snipe Nose Side Cutting Pliers, (Radio Pliers)

DIN ISO 5745

for gripping and cutting work in precision mechanics; pointed, half-round jaws

		Article No.	↔ mm	EAN 4003773-	€		 Ø mm	 Ø mm	 Ø mm
pliers black atramentized, head polished, handles plastic-coated		25 01 125	125	015932	22,35	6		2.2	1.6
		25 01 140	140	033158	20,50	6		2.5	1.6
		25 01 140 SB	140	010814	22,60	6		2.5	1.6
		25 01 160	160	033912	20,65	6		2.5	1.6
		25 01 160 SB	160	010845	22,75	6		2.5	1.6
pliers black atramentized, head polished, with comfort handles		25 02 160	160	023166	24,45			2.5	1.6
		25 02 160 SB	160	010852	26,55	6		2.5	1.6
pliers black atramentized, head polished, handles with multi-component grips		25 02 140	140	023159	24,20	6		2.5	1.6
		25 02 140 SB	140	010821	26,30	6		2.5	1.6
pliers chrome-plated, handles plastic-coated		25 03 125	125	043065	26,85	6		2.2	1.6
pliers chrome-plated, with comfort handles		25 05 160	160	022817	28,55	6		2.5	1.6
		25 05 160 SB	160	010869	30,65	6		2.5	1.6
pliers chrome-plated, handles with multi-component grips		25 05 140	140	035015	27,75	6		2.5	1.6
pliers chrome-plated, handles insulated with multi-component grips, VDE-tested		25 06 160	160	033806	32,25	1		2.5	1.6
		25 06 160 SB	160	012443	34,35	6		2.5	1.6
pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether		25 06 160 T	160	081432	41,55	1		2.5	1.6
		25 06 160 T BK	160	081784	43,65	1		2.5	1.6
pliers black atramentized, head polished, handles plastic-coated		25 21 160	160	050476	24,60	6		2.5	1.6
		25 21 160 SB	160	012436	26,70	6		2.5	1.6
pliers chrome-plated, handles with multi-component grips		25 25 160	160	016007	33,00	6		2.5	1.6
pliers chrome-plated, handles insulated with multi-component grips, VDE-tested		25 26 160	160	052111	36,35	1		2.5	1.6

		Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm
Snipe Nose Side Cutting Pliers, (Stork Beak Pliers) DIN ISO 5745 highly loadable, elastic precision tips; half-round, long jaws	pliers black atramentized, head polished, handles plastic-coated	 ⊖	200	022824	26,30	6		3.2	2.2
		26 11 200 26 11 200 SB	200	010876	28,40	6		3.2	2.2
	pliers black atramentized, head polished, with comfort handles	 ⊖	200	023142	29,85	6		3.2	2.2
		 ⊖	200	010883	31,95	6		3.2	2.2
	pliers chrome-plated, handles plastic-coated	 ⊖	200	040590	33,20	6		3.2	2.2
	pliers chrome-plated, with comfort handles	 ⊖	200	035022	33,90	6		3.2	2.2
		 ⊖	200	010890	36,00	6		3.2	2.2
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900	 ⚡ 1000 V ⊖	200	022831	39,25	1		3.2	2.2
		 ⚡ 1000 V ⊖	200	010906	41,35	6		3.2	2.2
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with inte- grated insulated tether attachment point for a tool tether DIN EN 60900, IEC 60900	 ⚡ 1000 V ⊖	200	081449	48,55	1		3.2	2.2
		 ⚡ 1000 V ⊖	200	081791	50,65	1		3.2	2.2
	pliers chrome-plated, handles with dipped insulation, VDE-tested DIN EN 60900, IEC 60900	 ⚡ 1000 V ⊖	200	016069	46,15	1		3.2	2.2
	pliers black atramentized, head polished, handles plastic-coated	 ∠40° ⊖	200	022848	29,85	6		3.2	2.2
		 ∠40° ⊖	200	010913	31,95	6		3.2	2.2
pliers black atramentized, head polished, with comfort handles	 ∠40° ⊖	200	023135	33,50	6		3.2	2.2	
	 ∠40° ⊖	200	010920	35,60	6		3.2	2.2	
pliers chrome-plated, with comfort handles	 ∠40° ⊖	200	035039	39,55	6		3.2	2.2	
	 ∠40° ⊖	200	010937	41,65	6		3.2	2.2	
pliers chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900	 ⚡ 1000 V ∠40° ⊖	200	022855	44,15	1		3.2	2.2	
	 ⚡ 1000 V ∠40° ⊖	200	010944	46,25	6		3.2	2.2	
pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with inte- grated insulated tether attachment point for a tool tether DIN EN 60900, IEC 60900	 ⚡ 1000 V ∠40° ⊖	200	081456	53,45	1		3.2	2.2	
	 ⚡ 1000 V ∠40° ⊖	200	081807	55,55	1		3.2	2.2	

GRIPPING PLIERS

			Article No.	↔ mm	EAN 4003773-	€		 Ø mm	 Ø mm	 Ø mm		
26	Snipe Nose Side Cutting Pliers, (Stork Beak Pliers) DIN ISO 5745 highly loadable, elastic precision tips; half-round, long jaws	pliers chrome-plated, handles with dipped insulation, VDE-tested DIN EN 60900, IEC 60900	 ⚠ 1000 V ∠40° ⊖	26 27 200	200	016090	50,60	1		3.2	2.2	
28	Long Reach Needle-Nose Pliers especially suitable for gripping and assembly work with a higher prehensile power	pliers black atramentized, head polished, handles plastic-coated	 	28 01 200	200	044468	31,20	6				
				28 21 200	200	028246	31,35	6				
28	Long Reach Needle-Nose Pliers, with transverse profiles DIN ISO 5745 particularly suitable for gripping, alignment and assembly work in poorly accessible, confined areas	pliers black atramentized, head polished, handles plastic-coated	 ⊖	28 71 280	280	079415	36,80	6				
				28 71 280 SB	280	080879	38,90	6				
				28 81 280	280	079422	38,45	6				
				28 81 280 SB	280	080886	40,55	6				
29	Telephone Pliers DIN ISO 5745	pliers black atramentized, head polished, handles plastic-coated	 	29 11 160	160	016175	28,00	6				
				pliers black atramentized, head polished, handles plastic-coated, also suitable for soldering work	29 21 160	160	043454	26,80	6			
				pliers chrome-plated, with comfort handles, also suitable for soldering work	 ⊖	29 25 160	160	043478	32,95	6		
30	Long Nose Pliers DIN ISO 5745 heavy duty and wear resisting; different jaw styles	pliers black atramentized, head polished, handles plastic-coated	 	30 11 140	140	033936	20,75	6				
				30 11 140 SB	140	010951	22,85	6				
				30 11 160	160	023128	21,30	6				
				30 11 160 SB	160	010982	23,40	6				
		pliers chrome-plated, handles plastic-coated	 	30 13 140	140	016298	26,55	6				
				30 13 160	160	043485	27,50	6				
		pliers chrome-plated, handles with multi-component grips	 	30 15 140	140	042914	28,80	6				
				30 15 160	160	035046	30,15	6				
		pliers chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900	 ⚠ 1000 V	30 16 160	160	001904	33,30	1				
				30 16 160 SB	160	029861	35,40	6				
		pliers black atramentized, head polished, handles plastic-coated	 ⊖	30 21 140	140	042433	20,75	6				
				30 21 140 SB	140	010968	22,85	6				
30 21 160	160			035053	21,80	6						
30 21 160 SB	160			011002	23,90	6						

		Article No.	↔ mm	EAN 4003773-	€				
							Ø mm	Ø mm	Ø mm
Long Nose Pliers DIN ISO 5745 heavy duty and wear resisting; different jaw styles	pliers chrome-plated, handles plastic-coated	30 23 140	140	016373	26,40	6			
	pliers chrome-plated, handles with multi- component grips	30 25 140 30 25 160	140 160	001980 035060	28,80 29,75	6 6			
	pliers black atramentized, head polished, handles plastic-coated	30 31 160 30 31 160 SB	160 160	035077 011026	21,55 23,65	6 6			
	pliers chrome-plated, handles plastic-coated	30 33 160	160	043539	26,40	6			
	pliers chrome-plated, handles with multi- component grips	30 35 140	140	043102	28,35	6			
	pliers chrome-plated, with comfort handles	30 35 160	160	035084	28,80	6			
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900	30 36 160	160	002123	32,95	1			
Gripping Pliers, (Needle-Nose Pliers) for very exact assembly, bending and adjusting work; extra long jaws	pliers black atramentized, head polished, handles plastic-coated	31 11 160 31 11 160 SB	160 160	044475 029878	31,85 33,95	6 6			
	pliers chrome-plated, handles with multi- component grips	31 15 160	160	016465	39,75	6			
	pliers black atramentized, head polished, handles plastic-coated	31 21 160 31 21 160 SB	160 160	046790 029885	35,40 37,50	6 6			
	pliers chrome-plated, handles with multi- component grips	31 25 160	160	016489	44,25	6			
Relay Adjusting Pliers for gripping components and wires of the smallest diameters and for bending contact and relay springs	pliers black atramentized, head polished, handles plastic-coated	32 11 135	135	035091	27,15	6			
		32 21 135	135	043553	26,55	6			

GRIPPING PLIERS




























			Article No.	↔ mm	EAN 4003773- 043560	€	6	Ø mm	Ø mm	Ø mm				
32	Relay Adjusting Pliers for gripping components and wires of the smallest diameters and for bending contact and relay springs	pliers black atramentized, head polished, handles plastic-coated	 ∠40°	32 31 135	135	043560	28,70	6						
				33	Duckbill Pliers duckbill shaped tapering jaws	pliers black atramentized, head polished, handles plastic-coated	 	33 01 160	160	016663	34,10	6		
pliers chrome-plated, handles plastic-coated	 	33 03 160	160					016670	40,00	6				
		34	Precision Electronics Gripping Pliers, with bolted joint DIN ISO 9655 for ultra fine assembly work; for gripping, holding and bending; zero-blacklash bolted joint	pliers burnished, head polished, handles with multi-component grips	 	34 12 130	130	061458	55,05	6				
 	34 22 130					130	061472	56,15	6					
	 					34 32 130	130	061496	56,75	6				
 						34 42 130	130	080282	56,05	6				
	 					34 52 130	130	080312	58,70	6				
34						Precision Electronics Gripping Pliers ESD, with bolted joint DIN ISO 9655, DIN EN 61 340-5 for ultra fine assembly work; for gripping, holding and bending; zero-blacklash bolted joint	pliers burnished, head polished, handles with multi-component grips	 	34 12 130 ESD	130	061632	57,60	6	
	 								34 22 130 ESD	130	061656	58,65	6	
		 	34 32 130 ESD	130	061670				59,30	6				
	 		34 42 130 ESD	130	080299				58,55	6				
		 	34 52 130 ESD	130	080305				61,20	6				
	Spare spring, for electronics pliers, (2x)			35 99 01					084297	2,00	1			

Electronics Gripping Pliers, with box joint

DIN ISO 9655

for ultra fine assembly work;
for gripping, holding and bending

PATENTED

	Article No.	↔ mm	EAN 4003773- 016694	€		 Ø mm	 Ø mm	 Ø mm
head mirror polished, handles with non-slip plastic covers  	35 11 115	115	016694	34,35	6			
head mirror polished, handles with multi- component grips  	35 12 115 35 12 115 SB	115 115	035107 013891	37,60 39,70	6 6			
head mirror polished, handles with non-slip plastic covers  	35 21 115	115	016724	34,75	6			
head mirror polished, handles with multi- component grips  	35 22 115 35 22 115 SB	115 115	035114 013907	37,60 39,70	6 6			
head mirror polished, handles with non-slip plastic covers  	35 31 115	115	016762	34,35	6			
head mirror polished, handles with multi- component grips  	35 32 115 35 32 115 SB	115 115	035121 013914	37,60 39,70	6 6			
head polished, handles with non-slip plastic covers  	35 41 115	115	082248	37,05	6			
head mirror polished, handles with multi- component grips  	35 42 115 35 42 115 SB	115 115	040736 027874	40,60 42,70	6 6			
 	35 52 145	145	039389	44,55	6			
 	35 62 145 35 62 145 SB	145 145	039556 027881	44,55 46,65	6 6			
 	35 82 145 35 82 145 SB	145 145	039396 027898	48,10 50,20	6 6			
Spare spring, for electronics pliers, (2x) 	35 99 01		084297	2,00	1			

GRIPPING PLIERS

35

Electronics Gripping Pliers ESD, with box joint

DIN ISO 9655, DIN EN 61 340-5
for ultra fine assembly work;
for gripping, holding and bending

(PATENTED)

head mirror polished,
handles with multi-
component grips



Article No.
35 12 115 ESD

↔
mm
115

EAN
4003773-
024835

€
41,00

6

Ø mm

Ø mm

Ø mm

35 22 115 ESD
35 22 115
ESDSB

115
115

024842
027867

41,00
43,10

6
 6



35 32 115 ESD

115

024859

41,00

6



35 42 115 ESD

115

024866

44,30

6



35 52 145 ESD

145

089223

47,90

6



35 62 145 ESD

145

089230

47,90

6



35 82 145 ESD

145

089414

49,90

6



Spare spring, for electronics pliers, (2x)

35 99 01

084297

2,00

1

36

Electronics Mounting Pliers

for ultra fine assembly work;
for bending and cutting wire ends

(PATENTED)

head mirror polished,
handles with multi-
component grips



36 12 130

130

016861

50,30

6

36 22 125

125

046967

62,20

6

1.2



36 32 125

125

016885

53,20

6

1.0




37

Gripping Pliers

DIN ISO 9655
for ultra fine assembly work;
for gripping, holding and bending

pliers black atramentized,
head polished, handles
plastic-coated



37 11 125

125

014287

23,05

6

pliers chrome-plated,
handles plastic-coated




















37 13 125

125

043638

28,10

6

		Article No.	↔ mm	EAN 4003773- 035138	€	 6	 Ø mm	 Ø mm	 Ø mm
Gripping Pliers DIN ISO 9655 for ultra fine assembly work; for gripping, holding and bending	pliers black atramentized, head polished, handles plastic-coated	37 21 125	125	035138	23,05	6			
									
	pliers chrome-plated, handles plastic-coated	37 23 125	125	043645	28,10	6			
									
	pliers black atramentized, head polished, handles plastic-coated	37 31 125 37 31 125 SB	125 125	035145 0111095	23,05 25,15	6 6			
									
pliers chrome-plated, handles plastic-coated	37 33 125	125	016960	28,10	6				
									
pliers black atramentized, head polished, handles plastic-coated, ideal for bending wire loops	37 41 125	125	035152	22,65	6				
									
pliers chrome-plated, handles plastic-coated, ideal for bending wire loops	37 43 125	125	043652	28,05	6				
									
Mechanics' Pliers DIN ISO 5745 high bending strength of the pliers tips	pliers black atramentized, head polished, handles plastic-coated	38 11 200 38 11 200 SB	200 200	035169 029922	28,10 30,20	6 6			
									
	pliers chrome-plated, handles with multi- component grips	38 15 200	200	039594	37,15	6			
									
	pliers black atramentized, head polished, handles plastic-coated	38 21 200	200	035176	31,60	6			
									
	pliers chrome-plated, handles with multi- component grips	38 25 200	200	043669	40,65	6			
									
pliers black atramentized, head polished, handles plastic-coated	38 31 200	200	040712	33,95	6				
									
pliers chrome-plated, handles with multi- component grips	38 35 200	200	017134	40,85	6				
									
pliers black atramentized, head polished, handles plastic-coated, for pulling split pins	38 71 200	200	017202	35,30	6				
									

GRIPPING PLIERS

38

Mechanics' Pliers
DIN ISO 5745
high bending strength
of the pliers tips

pliers black atramentized,
head polished, handles
plastic-coated, for
gripping spark plugs



∠45° ⊖ ⊗

pliers chrome-plated,
handles with multi-com-
ponent grips, for gripping
spark plugs



∠45° ⊖ ⊗

Article No.	↔ mm	EAN 4003773- 017219	€	6	Ø mm	Ø mm	Ø mm
38 91 200	200	017219	33,95	6			
38 95 200	200	017233	41,95	6			

			Article No.	↔ mm	EAN 4003773-	€		□ mm	□ mm	□ mm	○ ∅ mm	
Universal Grip Pliers holds round, section and flat material securely, high clamping pressure due to toggle lever action			pliers bright zinc plated	40 04 180	180	022190	26,90	1	35	25	32	
			40 04 180 EAN	180	035183	26,90	1	35	25	32		
			40 04 250	250	002710	30,30	1	35	30	32		
			40 04 250 SB	250	033684	32,40	1	35	30	32		
			40 04 250 EAN	250	035190	30,30	1	35	30	32		
	pliers bright zinc plated, with one pivoting jaw		40 14 250	250	080329	34,85	1	43	42	45		
Grip Pliers holds round, section and flat material securely, high clamping pressure due to toggle lever action			pliers bright zinc plated	41 04 180	180	002741	25,10	1	30	20	30	2.0
			41 04 180 EAN	180	048169	25,10	1	30	20	30	2.0	
			41 04 250	250	002758	24,70	1	40	20	30	3.0	
			41 04 250 SB	250	040989	26,80	1	40	20	30	3.0	
			41 04 250 EAN	250	035206	24,70	1	40	20	30	3.0	
		pliers bright zinc plated, jaws with double prism		41 14 250	250	023470	28,60	1	36	36	36	
		pliers bright zinc plated, straight jaws		41 24 225	225	023487	29,75	1	25	16	30	
		pliers bright zinc plated, long-nose grip pliers		41 34 165	165	047858	25,35	1	20	10	24	
				41 44 200	200	080343	45,30	1	20	20	30	
	Welding Grip Pliers for gripping and clamping round, section and flat material; high clamping pressure due to toggle lever action			pliers bright zinc plated, holds securely section or flat material items lying side by side	42 14 280	280	022206	44,10	1	30-65	50	
pliers bright zinc plated, holds securely round or tubular material items lying centrally side by side				42 24 280	280	022213	44,45	1	10-70			
			pliers bright zinc plated, clamps cumbersome workpieces and sections with high webs	42 34 280	280	022220	43,15	1		90		
			pliers bright zinc plated, with moveable jaws, clamps cumbersome workpieces and sections with high webs	42 44 280	280	080350	44,90	1		90		






40

41

42



44

Circlip Pliers, for internal circlips in bore holes
non-slip, solid tips

	Article No.	↔ mm	EAN 4003773-	€		Ø mm	Tips Ø mm	
pliers black atramentized, head polished, handles plastic-coated DIN 5256 C		44 11 J0	140	040286	16,15	6	8 – 13	0.9
		44 11 J0 SB	140	014904	18,25	6	8 – 13	0.9
		44 11 J1	140	022862	16,15	6	12 – 25	1.3
		44 11 J1 SB	140	011132	18,25	6	12 – 25	1.3
		44 11 J2	180	022879	17,30	6	19 – 60	1.8
		44 11 J2 SB	180	011156	19,40	6	19 – 60	1.8
		44 11 J3	225	033943	19,85	6	40 – 100	2.3
		44 11 J3 SB	225	011170	21,95	6	40 – 100	2.3
		44 11 J4	320	042549	33,05	6	85 – 140	3.2
		44 11 J4 SB	320	029939	35,15	6	85 – 140	3.2
pliers chrome-plated, handles plastic-coated DIN 5256 C		44 13 J0	140	048176	21,05	6	8 – 13	0.9
		44 13 J1	140	042938	21,05	6	12 – 25	1.3
		44 13 J2	180	042945	22,70	6	19 – 60	1.8
		44 13 J3	225	042952	25,45	6	40 – 100	2.3
		44 13 J4	320	017301	40,10	6	85 – 140	3.2
pliers black atramentized, head polished, handles plastic-coated DIN 5256 D		44 21 J01	130	040132	18,40	6	8 – 13	0.9
		44 21 J01 SB	130	014911	20,50	6	8 – 13	0.9
		44 21 J11	130	022886	18,40	6	12 – 25	1.3
		44 21 J11 SB	130	011194	20,50	6	12 – 25	1.3
		44 21 J21	170	022893	18,65	6	19 – 60	1.8
		44 21 J21 SB	170	011217	20,75	6	19 – 60	1.8
		44 21 J31	215	033769	20,95	6	40 – 100	2.3
		44 21 J31 SB	215	011231	23,05	6	40 – 100	2.3
		44 21 J41	300	043683	35,30	6	85 – 140	3.2
		44 21 J41 SB	300	029946	37,40	6	85 – 140	3.2
pliers chrome-plated, handles plastic-coated DIN 5256 D		44 23 J11	130	042969	23,05	6	12 – 25	1.3
		44 23 J21	170	042976	23,85	6	19 – 60	1.8
		44 23 J31	215	042983	27,25	6	40 – 100	2.3
pliers black atramentized, head polished, handles plastic-coated		44 31 J02	140	066941	18,55	6	8 – 13	0.9
		44 31 J12	140	066958	18,55	6	12 – 25	1.3
		44 31 J22	180	066965	19,10	6	19 – 60	1.8
		44 31 J32	225	066972	21,05	6	40 – 100	2.3
		44 31 J42	310	066989	35,30	6	85 – 140	3.2


44

Circlip Pliers, for large internal circlips
for fitting circlips into bores within the range of Ø 122 – 400 mm

pliers black powder-coated, with locking device, can be released		44 10 J5	570	024910	149,00	1	122 – 300	3.5
		44 10 J6	580	024927	149,00	1	252 – 400	4.5
1 pair of spare tips for 44 10 J5		44 19 J5		024934	18,25	1		
1 pair of spare tips for 44 10 J6		44 19 J6		024941	18,25	1		
pliers black powder-coated, with locking device, can be released		44 20 J51	590	024958	149,55	1	122 – 300	3.5
		44 20 J61	600	024965	149,55	1	252 – 400	4.5
1 pair of spare tips for 44 20 J51		44 29 J51		024972	18,50	1		
1 pair of spare tips for 44 20 J61		44 29 J61		024989	18,50	1		

46
10

Circlip Tool, for internal and external circlips up to 1,000 mm nominal size
for circlips within the range of Ø 400 – 1,000 mm; for manual or mechanical operation

tool body chrome-plated		46 10 100		075417	1.523,40	1	400 – 1,000	6,0/9,0
Spare tips, Ø 6 mm, for 46 10 100		46 19 100 01		084549	161,25	1		
Spare tips, Ø 9 mm, for 46 10 100		46 19 100 02		084556	161,25	1		

CIRCLIP PLIERS

46

Circlip Pliers, for large external circlips

for fitting circlips on shafts within the range of Ø 122 – 400 mm

pliers black powder-coated, with locking device, can be released
DIN 5254 B



⊙ 90°

1 pair of spare tips for 46 20 A51

1 pair of spare tips for 46 20 A61

Article No.	↔ mm	EAN 4003773-	€		Ø mm	Tips Ø mm
46 20 A51	570	025023	149,55	1	122 – 300	3.5
46 20 A61	580	025030	149,55	1	252 – 400	4.5

46 29 A51		025047	18,50	1		
46 29 A61		025054	18,50	1		

46

Circlip Pliers, for grip rings on shafts

solid style, forged; non-slip, solid tips

pliers black atramentized, head polished, handles plastic-coated, with overexpansion guard



⊙ MM

pliers black atramentized, head polished, handles plastic-coated



⊙ MM

46 11 G0	140	047896	33,15	6	1.5 – 4	0.9
----------	-----	--------	-------	---	---------	-----

46 11 G1	140	031062	21,85	6	4 – 7	1.3
46 11 G2	140	031079	22,20	6	5 – 13	1.3
46 11 G3	140	031086	23,40	6	14 – 18	1.3
46 11 G4	180	031093	24,70	6	20 – 30	1.8

48

Precision Circlip Pliers, for internal circlips in bore holes

inserted tips of spring wire; smoothly-operating bolted joint; forged

pliers grey atramentized, handles with non-slip plastic coating
DIN 5256 C



⊙

pliers grey atramentized, handles with non-slip plastic coating
DIN 5256 D



⊙ 90°

48 11 J0	140	048510	21,55	6	8 – 13	0.9
48 11 J0 SB	140	050179	23,65	6	8 – 13	0.9
48 11 J1	140	048527	21,30	6	12 – 25	1.3
48 11 J1 SB	140	050186	23,40	6	12 – 25	1.3
48 11 J2	180	048534	22,50	6	19 – 60	1.8
48 11 J2 SB	180	050193	24,60	6	19 – 60	1.8
48 11 J3	225	048541	25,30	6	40 – 100	2.3
48 11 J3 SB	225	050209	27,40	6	40 – 100	2.3
48 11 J4	320	048558	43,60	6	85 – 140	3.2
48 11 J4 SB	320	050322	45,70	6	85 – 140	3.2
48 21 J01	130	048619	24,60	6	8 – 13	0.9
48 21 J01 SB	130	050339	26,70	6	8 – 13	0.9
48 21 J11	130	048633	24,35	6	12 – 25	1.3
48 21 J11 SB	130	050216	26,45	6	12 – 25	1.3
48 21 J21	165	048640	24,60	6	19 – 60	1.8
48 21 J21 SB	165	050223	26,70	6	19 – 60	1.8
48 21 J31	210	048657	27,45	6	40 – 100	2.3
48 21 J31 SB	210	050230	29,55	6	40 – 100	2.3
48 21 J41	305	048664	46,50	6	85 – 140	3.2
48 21 J41 SB	305	050346	48,60	6	85 – 140	3.2

48

Precision Circlip Pliers, for internal circlips in bore holes, with overexpansion guard

inserted tips of spring wire; smoothly-operating bolted joint; forged

pliers grey atramentized, handles with non-slip plastic coating, with overexpansion guard
DIN 5256 C



⊙

pliers grey atramentized, handles with non-slip plastic coating, with overexpansion guard
DIN 5256 D



⊙ 90°

48 31 J0	140	079552	35,25	6	8 – 13	0.9
48 31 J1	140	073864	35,25	6	12 – 25	1.3
48 31 J2	180	073871	37,55	6	19 – 60	1.8
48 31 J3	225	073888	42,45	6	40 – 100	2.3
48 41 J01	130	079569	39,70	6	8 – 13	0.9
48 41 J11	130	079576	39,70	6	12 – 25	1.3
48 41 J21	165	080695	39,90	6	19 – 60	1.8
48 41 J31	210	079590	44,15	6	40 – 100	2.3

**Precision Circlip Pliers,
for external circlips on shafts**

inserted tips of spring wire;
smoothly-operating bolted joint;
spring inside the joint; forged

pliers grey atramentized,
handles with non-slip
plastic coating
DIN 5254 A



Article No.	↔ mm	EAN 4003773-	€		Ø mm	Tips Ø mm
49 11 A0	140	048718	24,60	6	3 – 10	0.9
49 11 A0 SB	140	050247	26,70	6	3 – 10	0.9
49 11 A1	140	048725	23,00	6	10 – 25	1.3
49 11 A1 SB	140	050254	25,10	6	10 – 25	1.3
49 11 A2	180	048732	25,55	6	19 – 60	1.8
49 11 A2 SB	180	050261	27,65	6	19 – 60	1.8
49 11 A3	225	048749	27,90	6	40 – 100	2.3
49 11 A3 SB	225	050278	30,00	6	40 – 100	2.3
49 11 A4	320	048756	48,40	6	85 – 140	3.2
49 11 A4 SB	320	050353	50,50	6	85 – 140	3.2
49 21 A01	130	048817	26,80	6	3 – 10	0.9
49 21 A01 SB	130	050285	28,90	6	3 – 10	0.9
49 21 A11	130	048824	25,30	6	10 – 25	1.3
49 21 A11 SB	130	050292	27,40	6	10 – 25	1.3
49 21 A21	165	048831	27,90	6	19 – 60	1.8
49 21 A21 SB	165	050308	30,00	6	19 – 60	1.8
49 21 A31	210	048848	30,60	6	40 – 100	2.3
49 21 A31 SB	210	050315	32,70	6	40 – 100	2.3
49 21 A41	305	048855	52,70	6	85 – 140	3.2
49 21 A41 SB	305	050360	54,80	6	85 – 140	3.2
49 31 A0	140	061748	30,65	6	3 – 10	0.9
49 31 A1	140	073895	34,10	6	10 – 25	1.3
49 31 A2	180	073901	36,75	6	19 – 60	1.8
49 31 A3	225	073918	45,00	6	40 – 100	2.3
49 41 A01	130	061755	33,55	6	3 – 10	0.9
49 41 A11	130	079606	39,70	6	10 – 25	1.3
49 41 A21	165	079613	43,80	6	19 – 60	1.8
49 41 A31	210	079620	47,65	6	40 – 100	2.3

pliers grey atramentized,
handles with non-slip
plastic coating
DIN 5254 B



pliers grey atramentized,
handles with non-slip
plastic coating, with
overexpansion guard
DIN 5254 A



pliers grey atramentized,
handles with non-slip
plastic coating, with
overexpansion guard
DIN 5254 B



CARPENTERS' PINCERS

50

Carpenters' Pincers

DIN ISO 9243

for heavy duty; precision workmanship; extreme wear resistance and good balance

pliers black atramentized, head polished



pliers black atramentized, head polished, handles plastic-coated



51

Hammerhead Style Carpenters' Pincers

DIN ISO 9243

with striking face for driving in nails

pliers black atramentized, head polished, handles plastic-coated



55












Farriers' Pincers, (Tear-off pliers for vehicle bodywork)

small head and anvil for redirecting horseshoe-nails; for dismantling work in vehicle body workshops

pliers black atramentized, head polished



Article No.	↔ mm	EAN 4003773-	€			Ø mm
50 00 160	160	023111	16,40	6		1.8
50 00 160 SB	160	011507	18,50	6		1.8
50 00 180	180	021940	17,00	6		2
50 00 180 SB	180	011521	19,10	6		2
50 00 210	210	021957	18,10	6		2.2
50 00 210 SB	210	011545	20,20	6		2.2
50 00 225	225	021964	20,75	6		2.2
50 00 225 SB	225	011569	22,85	6		2.2
50 00 250	250	022930	24,65	6		2.2
50 01 160	160	035275	17,30	6		1.8
50 01 160 SB	160	011514	19,40	6		1.8
50 01 180	180	035282	17,95	6		2
50 01 180 SB	180	011538	20,05	6		2
50 01 210	210	035299	18,65	6		2.2
50 01 210 SB	210	011552	20,75	6		2.2
50 01 225	225	035305	21,55	6		2.2
50 01 225 SB	225	011576	23,65	6		2.2
50 01 250	250	035312	26,00	6		2.2
50 01 250 SB	250	011583	28,10	6		2.2
51 01 210	210	023104	22,90	6		2.2
51 01 210 SB	210	011606	25,00	6		2.2
55 00 300	300	039402	58,45	6		
55 00 300 SB	300	035688	60,55	6		

		Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm
Bolt End Cutting Nippers, high lever transmission particularly high cutting capacity with minimum effort due to optimum transmission ratio	pliers black atramentized, head polished, handles plastic-coated	61 01 200 61 01 200 SB	200 200	033172 029984	59,60 61,70	1 6	6.0 6.0	4.0 4.0	3.5 3.5	3.0 3.0
	 ∠85°									
	pliers black atramentized, head polished, handles with slim multi-component grips	61 02 200	200	067047	63,50	1	6.0	4.0	3.5	3.0
	 ∠85°									
Electronics Oblique Cutting Nipper, with box joint DIN ISO 9654	head polished, handles with multi-component grips	62 12 120	120	048008	44,35	6	1.0	0.7		
	 ∠15°									
Electronics End Cutting Nippers, with box joint DIN ISO 9654 precision pliers for ultra fine cutting work	head mirror polished, handles with non-slip plastic covers	64 01 115	115	017745	42,90	6	2.0	1.0	0.6	
	 									
	head mirror polished, handles with multi-component grips	64 02 115	115	035343	52,05	6	2.0	1.0	0.6	
	 									
	head mirror polished, handles with non-slip plastic covers	64 11 115	115	017769	42,25	6	1.4	0.8		
	 									
	head mirror polished, handles with multi-component grips	64 12 115	115	040743	51,15	6	1.4	0.8		
	 									
	head mirror polished, handles with multi-component grips, mini-blade	64 22 115	115	017806	51,75	6	0.8			
	 									
head mirror polished, handles with multi-component grips, oblique end cutter	64 32 120	120	017820	55,60	6	1.5	1.0	0.5		
 ∠15°										
head mirror polished, handles with multi-component grips, oblique end cutter, short head	64 42 115 64 42 115 SB	115 115	017844 013938	54,65 56,75	6 6	1.5 1.5	1.0 1.0	0.5 0.5		
 ∠27°										
	64 52 115	115	040439	56,55	6	1.3				
 ∠27°										

61

62

64

CUTTING PLIERS

64

Electronics End Cutting Nippers, with box joint

DIN ISO 9654
precision pliers for ultra fine cutting work

head mirror polished, handles with multi-component grips, oblique end cutter, mini-blade



∠65°

head mirror polished, handles with multi-component grips, oblique end cutter, mini-blade, head with recess



∠35°

64

Electronics End Cutting Nippers ESD

DIN ISO 9654, DIN EN 61 340-5
precision pliers for ultra fine cutting work

head mirror polished, handles with multi-component grips



head mirror polished, handles with multi-component grips



head mirror polished, handles with multi-component grips



head mirror polished, handles with multi-component grips, oblique end cutter



head mirror polished, handles with multi-component grips, oblique end cutter, mini-blade



67

High Leverage End Cutting Nippers

DIN ISO 5748
high cutting capacity with little effort due to optimum coordination of cutting edge angle and transmission ratio

pliers black atramentized, head polished, handles plastic-coated



head polished, handles plastic-coated



68

End Cutting Nippers

suitable for twisting and cutting binding wire

pliers black atramentized, head polished, handles plastic-coated
DIN ISO 5748



pliers black atramentized, head polished, handles plastic-coated



Article No.	↔ mm	EAN 4003773-	€		⊙ mm	⊙ mm	⊙ mm	⊙ mm
64 62 120	120	046998	57,25	6	0.6			
64 72 120	120	017882	62,10	6	1.5			
64 02 115 ESD	115	082231	55,45	6	2.0	1.0	0.6	
64 12 115 ESD	115	024323	54,40	6	1.4	0.8		
64 22 115 ESD	115	025061	54,45	6	0.8			
64 32 120 ESD	120	025078	59,30	6	1.5	1.0	0.5	
64 62 120 ESD	120	025085	60,50	6	0.6			
67 01 140	140	043690	32,70	6	4.0	3.1	2.0	1.5
67 01 140 SB	140	030010	34,80	6	4.0	3.1	2.0	1.5
67 01 160	160	040620	34,15	6	4.5	3.4	2.5	2.0
67 01 160 SB	160	011651	36,25	6	4.5	3.4	2.5	2.0
67 01 200	200	040637	42,25	6	5.0	3.8	3.0	2.5
67 01 200 SB	200	011668	44,35	6	5.0	3.8	3.0	2.5
67 03 140	145	090007	36,95	6	4.0	3.1	2.0	1.5
68 01 160	160	013792	14,45	6	4.0	2.8	2.3	
68 01 160 SB	160	011675	16,55	6	4.0	2.8	2.3	
68 01 160 EAN	160	034001	14,45	6	4.0	2.8	2.3	
68 01 180	180	013808	17,30	6	4.0	3.2	2.5	
68 01 180 SB	180	011682	19,40	6	4.0	3.2	2.5	
68 01 180 EAN	180	021971	17,30	6	4.0	3.2	2.5	
68 01 200	200	013815	21,35	6	4.0	3.5	2.8	
68 01 200 SB	200	011699	23,45	6	4.0	3.5	2.8	
68 01 200 EAN	200	042280	21,35	6	4.0	3.5	2.8	
68 01 280	280	077664	25,10	6	4.5	4.0	3.2	
68 01 280 SB	280	077671	27,20	6	4.5	4.0	3.2	
68 01 280 EAN	280	078128	25,10	6	4.5	4.0	3.2	

Diagonal Cutters

DIN ISO 5749

narrow head style for use in confined areas; clean cutting also at cutting edge tips

head polished, handles plastic-coated



Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm
70 01 110	110	014324	20,60	6	3.0	2.0	1.2	
70 01 110 SB	110	034278	22,70	6	3.0	2.0	1.2	
70 01 110 EAN	110	048138	20,60	6	3.0	2.0	1.2	
70 01 125	125	013402	20,60	6	3.0	2.3	1.5	
70 01 125 SB	125	011705	22,70	6	3.0	2.3	1.5	
70 01 125 EAN	125	034018	20,60	6	3.0	2.3	1.5	
70 01 180	180	018070	22,85	6	4.0	3.0	2.5	
70 01 180 SB	180	011781	24,95	6	4.0	3.0	2.5	
70 01 180 EAN	180	022954	22,85	6	4.0	3.0	2.5	
70 01 140	140	013419	20,60	6	4.0	2.5	1.8	
70 01 140 SB	140	011712	22,70	6	4.0	2.5	1.8	
70 01 140 EAN	140	021988	20,60	6	4.0	2.5	1.8	
70 01 160	160	013426	20,95	6	4.0	3.0	2.0	
70 01 160 SB	160	011743	23,05	6	4.0	3.0	2.0	
70 01 160 EAN	160	022947	20,95	6	4.0	3.0	2.0	

head polished, with comfort handles



70 02 125	125	034025	25,40	6	3.0	2.3	1.5	
70 02 125 SB	125	012580	27,50	6	3.0	2.3	1.5	
70 02 160	160	034032	26,60	6	4.0	3.0	2.0	
70 02 160 SB	160	011750	28,70	6	4.0	3.0	2.0	
70 02 180	180	034049	28,35	6	4.0	3.0	2.5	
70 02 180 SB	180	011798	30,45	6	4.0	3.0	2.5	

head polished, handles with multi-component grips



70 02 140	140	023098	25,80	6	4.0	2.5	1.8	
70 02 140 SB	140	011729	27,90	6	4.0	2.5	1.8	

pliers chrome-plated, with comfort handles




70 05 125	125	039501	30,05	6	3.0	2.3	1.5	
70 05 160	160	039600	31,60	6	4.0	3.0	2.0	
70 05 160 SB	160	011767	33,70	6	4.0	3.0	2.0	
70 05 180	180	043706	34,40	6	4.0	3.0	2.5	
70 05 180 SB	180	012306	36,50	6	4.0	3.0	2.5	

pliers chrome-plated, handles with multi-component grips




70 05 140	140	039488	30,15	6	4.0	2.5	1.8	
-----------	-----	--------	-------	---	-----	-----	-----	--

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested
DIN EN 60900, IEC 60900



70 06 125	125	018124	32,85	1	3.0	2.3	1.5	
70 06 180	180	033813	38,25	1	4.0	3.0	2.5	
70 06 180 SB	180	012627	40,35	6	4.0	3.0	2.5	


⚡ 1000V



70 06 140	140	040293	33,10	1	4.0	2.5	1.8	
70 06 140 SB	140	030027	35,20	6	4.0	2.5	1.8	
70 06 160	160	021995	35,75	1	4.0	3.0	2.0	
70 06 160 SB	160	011774	37,85	6	4.0	3.0	2.0	

⚡ 1000V

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether
DIN EN 60900, IEC 60900



70 06 160 T	160	081463	45,05	1	4.0	3.0	2.0	
70 06 160 T BK	160	081814	47,15	1	4.0	3.0	2.0	
70 06 180 T	180	081470	47,55	1	4.0	3.0	2.5	
70 06 180 T BK	180	081821	49,65	1	4.0	3.0	2.5	

⚡ 1000V

pliers chrome-plated, handles with dipped insulation, VDE-tested
DIN EN 60900, IEC 60900



70 07 160	160	018155	41,65	1	4.0	3.0	2.0	
-----------	-----	--------	-------	---	-----	-----	-----	--

⚡ 1000V



70 07 180	180	018179	44,65	1	4.0	3.0	2.5	
-----------	-----	--------	-------	---	-----	-----	-----	--

⚡ 1000V

CUTTING PLIERS

70

Diagonal Cutters

DIN ISO 5749

narrow head style for use in confined areas; clean cutting also at cutting edge tips

head polished,
handles plastic-coated



Article No.	↔ mm	EAN 4003773-	€		⊘ mm	⊘ mm	⊘ mm	⊘ mm
70 11 110	110	018193	28,10	6	3.0	2.0	1.2	
70 15 110	110	029649	32,75	6	3.0	2.0	1.2	
70 26 160	160	018223	35,90	1	4.0			
71 01 160	160	082668	39,45	1	5.3	4.4	3.2	3.0
71 01 160 SB	160	082675	41,55	6	5.3	4.4	3.2	3.0
71 31 160	160	084587	40,50	1	5.3	4.8	3.6	3.3
71 31 160 SB	160	085850	42,60	6	5.3	4.8	3.6	3.3
71 01 200	200	033165	44,45	1	6.0	5.2	4.0	3.6
71 01 200 SB	200	011811	46,55	6	6.0	5.2	4.0	3.6
71 02 200	200	047056	47,60	1	6.0	5.2	4.0	3.6
71 02 200 SB	200	052289	49,70	6	6.0	5.2	4.0	3.6
71 02 200 T	200	080046	56,90	1	6.0	5.2	4.0	3.6
71 02 200 T BK	200	080473	59,00	1	6.0	5.2	4.0	3.6
71 12 200	200	066859	53,90	1	6.0	5.2	4.0	3.6
71 12 200 SB	200	067078	56,00	6	6.0	5.2	4.0	3.6
71 21 200	200	066866	56,40	1	6.0	5.2	4.0	3.6
71 21 200 SB	200	067054	58,50	6	6.0	5.2	4.0	3.6
71 22 200	200	066873	66,55	1	6.0	5.2	4.0	3.6
71 22 200 SB	200	067085	68,65	6	6.0	5.2	4.0	3.6
71 22 200 T	200	080053	75,85	1	6.0	5.2	4.0	3.6
71 22 200 T BK	200	080480	77,95	1	6.0	5.2	4.0	3.6

71

KNIPEX CoBolt S, Compact Bolt Cutters

efficient joint design ensures exceptional cutting performance with little effort

pliers black atramentized,
handles plastic-coated



pliers black atramentized,
handles plastic-coated,
with recess for easier
cutting of thicker wires



71

KNIPEX CoBolt, Compact Bolt Cutters

efficient joint design ensures exceptional cutting performance with little effort

pliers black atramentized,
handles plastic-coated



pliers black atramentized,
handles with slim multi-
component grips




pliers black atramentized,
handles with slim multi-
component grips,
Integrated tether attach-
ment point for use with
KNIPEX Tethered Tool
System




pliers black atramentized,
handles with slim multi-
component grips




pliers black atramentized,
handles plastic-coated












pliers black atramentized,
handles with slim multi-
component grips



pliers black atramentized,
handles with slim multi-
component grips, Inte-
grated tether attachment
point for use with KNIPEX
Tethered Tool System



		Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm
KNIPEX CoBolt, Compact Bolt Cutters efficient joint design ensures exceptional cutting performance with little effort	pliers black atramentized, handles plastic-coated, with recess for easier cutting of thicker wires	71 31 200 71 31 200 SB	200 200	042327 039440	45,60 47,70	1 6	6.0 6.0	5.2 5.2	4.0 4.0	3.6 3.6
										
	pliers black atramentized, handles with slim multi-component grips, with recess for easier cutting of thicker wires	71 32 200 71 32 200 SB	200 200	066880 067092	54,60 56,70	1 6	6.0 6.0	5.2 5.2	4.0 4.0	3.6 3.6
										
	pliers black atramentized, handles with slim multi-component grips, with recess for easier cutting of thicker wires, Integrated tether attachment point for use with KNIPEX Tethered Tool System	71 32 200 T 71 32 200 T BK	200 200	080060 080497	63,90 66,00	1 1	6.0 6.0	5.2 5.2	4.0 4.0	3.6 3.6
										
	pliers black atramentized, handles plastic-coated, with recess for easier cutting of thicker wires	71 41 200 71 41 200 SB	200 200	066897 067061	62,70 64,80	1 6	6.0 6.0	5.2 5.2	4.0 4.0	3.6 3.6
										
	pliers black atramentized, handles with slim multi-component grips, with recess for easier cutting of thicker wires	71 42 200	200	087212	69,10	1	6.0	5.2	4.0	3.6
										
	Spare spring holder, for 71 X2 200 / 72 62 200	71 19 200 01	55	082071	4,20	1				
KNIPEX CoBolt XL, Compact Bolt Cutters efficient joint design ensures exceptional cutting performance with little effort	pliers black atramentized, handles plastic-coated, longer handles for more powerful cutting	71 01 250 71 01 250 SB	250 250	079637 079651	54,20 56,30	1 6		5.6 5.6	4.0 4.0	3.8 3.8
										
	pliers black atramentized, handles plastic-coated, with recess for easier cutting of thicker wires, longer handles for more powerful cutting	71 31 250 71 31 250 SB	250 250	079644 079668	58,30 60,40	1 6		6.0 6.0	4.3 4.3	4.2 4.2
										
Bolt Cutters precision blades; high cutting performance; forged on stopper; good access due to flat head and articulation	head grey atramentized, handles with multi-component grips	71 72 460	460	066750	118,15	1		HRC 19 8	HRC 40 6	HRC 48 5
										
	head grey atramentized, handles with multi-component grips	71 72 610	610	066767	136,80	1		9	8	7
										

71

71

71
72

CUTTING PLIERS

71
72

Bolt Cutters

precision blades; high cutting performance; forged on stopper; good access due to flat head and articulation

head grey atramentized, handles with multi-component grips



head grey atramentized, handles with multi-component grips



Spare cutter head for 71 72 460, complete with screws

Spare cutter head for 71 72 610, complete with screws

Spare cutter head for 71 72 760, complete with screws

Spare cutter head for 71 72 910, complete with screws

Article No.	↔ mm	EAN 4003773-	€		HRC 19	HRC 40	HRC 48
71 72 760	760	066774	179,05	1	11	9	8
71 72 910	910	066781	234,70	1	13	10	9
71 79 460		066804	63,95	1	8	6	5
71 79 610		066811	81,10	1	9	8	7
71 79 760		066828	109,55	1	11	9	8
71 79 910		066835	120,65	1	13	10	9

71
82

Concrete Mesh Cutter

precision blades; high cutting performance; forged on stopper; good access due to flat head and articulation

head grey atramentized, handles with multi-component grips



Spare cutter head for 71 82 950, complete with screws

Article No.	↔ mm	EAN 4003773-	€					
71 82 950	950	066798	177,60	1	11	9	6	
71 89 950		066842	113,55	1				

72


Diagonal Cutters for plastics

flat ground cutting edges for flush cutting of sprues in soft materials

head polished, handles plastic-coated



head polished, handles plastic-coated, round head



head polished, handles with multi-component grips



head polished, handles plastic-coated



Opening spring, for 72 01

head polished, handles plastic-coated

















Article No.	↔ mm	EAN 4003773-	€					
72 01 140	140	043713	28,95	6				
72 01 160	160	041245	29,70	6				
72 01 160 SB	160	027324	31,80	6				
72 01 180	180	046837	31,85	6				
72 01 160 KA	160	086376	34,15	6				
72 02 125	125	044215	30,80	6				
72 11 160	160	046813	46,45	6				
72 11 160 SB	160	030058	48,55	6				
72 21 160	160	046820	52,95	6				
72 09 01		053415	2,60	1				
72 51 160	160	028031	34,55	6				

72
51

Diagonal Cutter for fibre optics

flush cutting face

		Article No.	↔ mm	EAN 4003773- 081913	€		Ø mm	Ø mm	Ø mm	Ø mm
<p>High Leverage Flush Cutter, for soft metal and plastic for the flush cutting of soft materials, e.g. plastic, aluminium, copper, lead</p> <p>PATENTED</p>	pliers black atramentized, handles with slim multi-component grips	72 62 200	200		79,60	1	6.0			
										
Spare spring holder, for 71 X2 200 / 72 62 200		71 19 200 01	55	082071	4,20	1				
<p>KNIPEX X-Cut®, Compact Diagonal Cutters, high lever transmission DIN ISO 5749</p> <p>for very tough, continuous use, high cutting performance with less effort; large opening width for thicker cable; also for fine wire; compact, weight-saving design</p> <p>PATENTED</p>	pliers black atramentized, head polished, handles with multi-component grips	73 02 160	160	075127	45,05	6	4.8	3.8	2.7	2.2
										
	pliers chrome-plated, handles with multi-component grips	73 05 160	160	075134	52,85	6	4.8	3.8	2.7	2.2
										
	pliers chrome-plated, handles with multi-component grips	73 05 160 SB	160	075349	47,15	6	4.8	3.8	2.7	2.2
										
pliers chrome-plated, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System	73 05 160 T	160	080077	62,15	1	4.8	3.8	2.7	2.2	
										
		73 05 160 T BK	160	080503	64,25	1	4.8	3.8	2.7	2.2
										
pliers chrome-plated, handles insulated with multi-component grips, VDE-tested	73 06 160	160	075141	54,00	1	4.8	3.8	2.7	2.2	
										
DIN EN 60900, IEC 60900	73 06 160 SB	160	075363	56,10	6	4.8	3.8	2.7	2.2	
										
		73 06 160 T	160	081487	63,30	1	4.8	3.8	2.7	2.2
										
pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether	73 06 160 T BK	160	081838	65,40	1	4.8	3.8	2.7	2.2	
										
DIN EN 60900, IEC 60900										
<p>KNIPEX TwinForce, High Performance Diagonal Cutters DIN ISO 5749</p> <p>higher cutting capacity and less effort than a high leverage diagonal cutter of the same length; to cut thicker wire, also suitable for thin wire</p>	pliers black atramentized, head polished, handles plastic-coated	73 71 180	180	074762	70,40	1	5.5	4.6	3.2	3.0
										
	pliers black atramentized, head polished, handles with multi-component grips	73 72 180	180	074779	73,95	1	5.5	4.6	3.2	3.0
										
		73 72 180 BK	180	074816	76,00	6	5.5	4.6	3.2	3.0
										
		73 72 180 F	180	077657	77,55	1	5.5	4.6	3.2	3.0
										

72
62

73

73
7

High Leverage Diagonal Cutters

DIN ISO 5749

for heavy duty; high cutting performance with minimum effort

pliers black atramentized, head polished, handles plastic-coated



Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm
74 01 140	140	039747	24,80	6		3.1	2.0	1.5
74 01 140 SB	140	011835	26,90	6		3.1	2.0	1.5
74 01 160	160	033141	25,35	6		3.4	2.5	2.0
74 01 160 SB	160	011866	27,45	6		3.4	2.5	2.0
74 01 180	180	022008	27,80	6		3.8	2.7	2.2
74 01 180 SB	180	011897	29,90	6		3.8	2.7	2.2
74 01 200	200	034056	30,65	6		4.2	3.0	2.5
74 01 200 SB	200	011927	32,75	6		4.2	3.0	2.5
74 01 250	250	034063	38,80	6		4.6	3.5	3.0
74 01 250 SB	250	011941	40,90	6		4.6	3.5	3.0
74 02 180	180	023074	33,80	6		3.8	2.7	2.2
74 02 180 SB	180	011903	35,90	6		3.8	2.7	2.2
74 02 200	200	040309	36,00	6		4.2	3.0	2.5
74 02 200 SB	200	011934	38,10	6		4.2	3.0	2.5
74 02 140	140	042419	30,10	6		3.1	2.0	1.5
74 02 140 SB	140	011842	32,20	6		3.1	2.0	1.5
74 02 160	160	023081	30,65	6		3.4	2.5	2.0
74 02 160 SB	160	011873	32,75	6		3.4	2.5	2.0
74 02 250	250	042402	43,50	6		4.6	3.5	3.0
74 02 250 SB	250	011958	45,60	6		4.6	3.5	3.0
74 02 250 T	250	080091	52,80	1		4.6	3.5	3.0
74 02 250 T BK	250	080527	54,90	1		4.6	3.5	3.0
74 05 180	180	022978	42,15	6		3.8	2.7	2.2
74 05 180 SB	180	011910	44,25	6		3.8	2.7	2.2
74 05 200	200	035367	44,15	6		4.2	3.0	2.5
74 05 200 SB	200	012313	46,25	6		4.2	3.0	2.5
74 05 140	140	039617	37,10	6		3.1	2.0	1.5
74 05 160	160	022961	38,70	6		3.4	2.5	2.0
74 05 250	250	039754	53,60	6		4.6	3.5	3.0
74 06 160	160	040705	42,55	1		3.4	2.5	2.0
74 06 160 SB	160	030072	44,65	6		3.4	2.5	2.0
74 06 180	180	022985	46,10	1		3.8	2.7	2.2
74 06 180 SB	180	014003	48,20	6		3.8	2.7	2.2
74 06 200	200	033820	48,85	1		4.2	3.0	2.5
74 06 200 SB	200	014379	50,95	6		4.2	3.0	2.5
74 06 250	250	041955	62,45	1		4.6	3.5	3.0
74 06 200 T	200	081494	58,15	1		4.2	3.0	2.5
74 06 200 T BK	200	081845	60,25	1		4.2	3.0	2.5
74 06 250 T	250	081500	71,75	1		4.6	3.5	3.0
74 06 250 T BK	250	081852	73,85	1		4.6	3.5	3.0
74 07 200	200	018414	58,75	1		4.2	3.0	2.5
74 07 250	250	018421	66,60	1		4.6	3.5	3.0
74 12 160	160	065111	35,05	6		3.4	2.5	2.0
74 12 160 SB	160	065128	37,15	6		3.4	2.5	2.0
74 12 180	180	060192	38,10	6		3.8	2.7	2.2
74 12 180 SB	180	060208	40,20	6		3.8	2.7	2.2


pliers black atramentized, head polished, with comfort handles



pliers black atramentized, head polished, handles with multi-component grips



pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



pliers chrome-plated, with comfort handles



pliers chrome-plated, handles with multi-component grips



pliers chrome-plated, handles insulated with multi-component grips, VDE-tested
DIN EN 60900, IEC 60900



pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether
DIN EN 60900, IEC 60900



pliers chrome-plated, handles with dipped insulation, VDE-tested
DIN EN 60900, IEC 60900














pliers black atramentized, head polished, handles with multi-component grips



pliers black atramentized, head polished, with comfort handles



		Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm	
High Leverage Diagonal Cutters DIN ISO 5749 for heavy duty; high cutting performance with minimum effort	pliers black atramentized, head polished, handles plastic-coated $\sphericalangle 25^\circ$	74 21 200	200	050483	33,85	6		4.2	3.0	2.5	
		74 21 200 SB	200	037491	35,95	6		4.2	3.0	2.5	
		74 21 250	250	045021	42,10	6		4.6	3.5	3.0	
	pliers black atramentized, head polished, with comfort handles $\sphericalangle 25^\circ$	74 22 200	200	051831	37,45	6		4.2	3.0	2.5	
		74 22 250	250	071372	46,95	6		4.6	3.5	3.0	
		74 22 250 T	250	080114	56,25	1		4.6	3.5	3.0	
		74 22 250 T BK	250	080541	58,35	1		4.6	3.5	3.0	
	pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System $\sphericalangle 25^\circ$										
Electronics Diagonal Cutters, with bolted joint DIN ISO 9654 precision pliers for ultra fine cutting work; with bolted joint	pliers burnished, handles with plastic grips MM	75 02 125	125	043720	45,80	6	1.3	1.0	0.6	0.4	
		75 02 125 SB	125	040507	47,90	6	1.3	1.0	0.6	0.4	
		75 12 125	125	040514	53,95	6	1.3	1.0	0.6	0.4	
		75 22 125	125	040538	47,10	6	1.3	0.9	0.4	0.3	
		75 52 125	125	043737	51,95	6	0.8	0.5	0.3		
Diagonal Cutter, for electromechanics DIN ISO 5749 with precision cutting edges and lap joint	pliers burnished, handles with plastic grips, with narrow head MM										
		76 01 125	125	044482	27,35	6	3.0	2.3	1.5	0.6	
		76 03 125	125	048923	32,00	6	3.0	2.3	1.5	0.6	
		76 05 125	125	005315	35,15	6	3.0	2.3	1.5	0.6	
		76 12 125	125	048015	32,35	6	3.0	2.3	1.5	0.6	
	head polished, handles plastic-coated 										
	pliers chrome-plated, handles plastic-coated 										
	pliers chrome-plated, with comfort handles 										
	head polished, handles with multi-component grips MM										

		Article No.	↔ mm	EAN 4003773- 040750	€		Ø mm	Ø mm	Ø mm	Ø mm	
Electronics Diagonal Cutters, with box joint DIN ISO 9654 for ultra fine cutting work (PATENTED)	head mirror polished, handles with multi-component grips, pointed, flat head	77 52 115	115	040750	50,60	6	1.0	0.8	0.5		
											
	head mirror polished, handles with multi-component grips, pointed mini-head	77 72 115 77 72 115 SB	115 115	040958 028000	48,20 50,30	6 6	0.8 0.8				
											
		77 82 130	130	089162	48,05	6	1.6	1.3			
											
	Spare spring, for electronics pliers, (2x)	35 99 01		084297	2,00	1					
Electronics Diagonal Cutters ESD, with box joint DIN ISO 9654, DIN EN 61 340-5 for ultra fine cutting work (PATENTED)	head mirror polished, handles with multi-component grips, round head	77 02 115 ESD 77 02 130 ESD	117 130	025092 089209	47,55 50,95	6 6	1.6 2.0	1.2 1.5	0.6 0.8		
											
		head mirror polished, handles with multi-component grips, pointed head	77 12 115 ESD 77 12 115 ESDSB	115 115	025108 030126	55,90 58,00	6 6	1.6 1.6	1.2 1.2	0.6 0.6	
											
		head mirror polished, handles with multi-component grips, pointed head	77 22 115 ESD	115	025115	47,85	6	1.3	1.0		
											
		head mirror polished, handles with multi-component grips, pointed head	77 32 115 ESD 77 32 130 ESD	115 130	025122 089193	51,15 55,05	6 6	1.3 2.0	1.0 1.3	0.5 0.6	
											
	head mirror polished, handles with multi-component grips, pointed head	77 42 115 ESD 77 42 130 ESD	115 130	031901 089216	50,85 52,70	6 6	1.3 1.6	0.8 1.3			
											
	head mirror polished, handles with multi-component grips, pointed, flat head	77 52 115 ESD	115	025139	53,35	6	1.0	0.8	0.5		
											
	head mirror polished, handles with multi-component grips, pointed mini-head	77 72 115 ESD	115	024330	50,85	6	0.8				
											
	head mirror polished, handles with multi-component grips, round head	77 82 130 ESD	130	089179	50,70	6	1.6	1.3			
											
	Spare spring, for electronics pliers, (2x)	35 99 01		084297	2,00	1					

CUTTING PLIERS


77

Electronics Diagonal Cutter, with inset carbide cutting edge

DIN ISO 9654
excellent stability; permanently reliable cutting results, also on piano wire; no deformation of cutting edges through unfamiliar, hard materials

(PATENTED)

head mirror polished, handles with multi-component grips, round head



Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm
77 02 120 H	120	075783	132,55	1	2.0	1.4	1.0	0.6

head mirror polished, handles with multi-component grips, pointed head with chamfer



77 32 120 H	120	075790	144,05	1	1.6	1.0	0.6	0.2
-------------	-----	--------	--------	---	-----	-----	-----	-----

77

Electronics Diagonal Cutters ESD, with inset carbide cutting edge

DIN ISO 9654, DIN EN 61 340-5
excellent stability; permanently reliable cutting results, also on piano wire; no deformation of cutting edges through unfamiliar, hard materials


(PATENTED)

head mirror polished, handles with multi-component grips, round head



77 02 120 H ESD	120	075813	138,05	1	2.0	1.4	1.0	0.6
-----------------	-----	--------	--------	---	-----	-----	-----	-----

head mirror polished, handles with multi-component grips, pointed head with chamfer



77 32 120 H ESD	120	075820	149,95	1	1.6	1.0	0.6	0.2
-----------------	-----	--------	--------	---	-----	-----	-----	-----

78

Electronic Super Knips


DIN ISO 9654
for ultra fine cutting work; extremely smooth movement

INOX tool steel, head polished, handles with multi-component grips



78 03 125	125	035381	23,35	6	1.6	1.0		
78 03 125 SB	125	011972	25,45	6	1.6	1.0		

INOX tool steel, head polished, handles insulated with multi-component grips, VDE-tested
DIN EN 60900, IEC 60900



78 06 125	125	084099	30,45	1	1.6	1.0		
78 06 125 SB	125	084716	32,55	6	1.6	1.0		

INOX tool steel, head polished, handles with multi-component grips



78 13 125	125	035398	26,20	6	1.6	1.0		
78 13 125 SB	125	011989	28,30	6	1.6	1.0		

pliers burnished, handles with multi-component grips, narrow head



78 23 125	125	043096	27,95	6	1.0	0.6		
-----------	-----	--------	-------	---	-----	-----	--	--

pliers burnished, handles with multi-component grips, narrow head



78 31 125	125	039778	25,95	6	1.0			
-----------	-----	--------	-------	---	-----	--	--	--

pliers burnished, handles with multi-component grips, also suitable for cutting fibre optics



78 41 125	125	040767	29,60	6	1.0			
-----------	-----	--------	-------	---	-----	--	--	--

pliers burnished, handles with multi-component grips, also suitable for cutting fibre optics



78 61 125	125	035404	24,25	6	1.6	1.2		
78 61 125 SB	125	011996	26,35	6	1.6	1.2		

pliers burnished, handles with multi-component grips



78 71 125	125	043799	27,65	6	1.6	1.2		
78 71 125 SB	125	013983	29,75	6	1.6	1.2		

		Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm
Electronic Super Knips DIN ISO 9654 for ultra fine cutting work; extremely smooth movement	pliers burnished, handles with multi- component grips	78 81 125	125	065074	25,50	6	1.6	1.2	0.6	
		78 81 125 SB	125	065104	27,60	6	1.6	1.2	0.6	
		78 91 125	125	065081	28,45	6	1.6	1.2	0.6	
Electronic Super Knips ESD DIN ISO 9654, DIN EN 61 340-5 for ultra fine cutting work; extremely smooth movement		78 03 125 ESD	125	025146	25,85	6	1.6	1.0		
		78 03 125 ESDSB	125	030188	27,95	6	1.6	1.0		
		78 13 125 ESD	125	025153	28,20	6	1.6	1.0		
	pliers burnished, handles with multi-component grips, also suitable for cutting fibre optics	78 61 125 ESD	125	025184	26,70	6	1.6	1.2		
		78 61 125 ESDSB	125	030201	28,80	6	1.6	1.2		
	pliers burnished, handles with multi- component grips	78 71 125 ESD	125	025191	29,65	6	1.6	1.2		
Electronic Super Knips XL DIN ISO 9654 for very precise flush cutting; in particular for cutting cable ties to length	head polished, handles with multi-component grips, INOX tool steel	78 03 140	140	081647	28,65	6	2.1	1.2		
		78 03 140 SB	140	081722	30,75	6	2.1	1.2		
	pliers burnished, handles with multi- component grips	78 61 140	140	081685	29,40	6	2.1	1.4		
		78 61 140 SB	140	081692	31,50	6	2.1	1.4		
Electronic Super Knips XL ESD DIN ISO 9654, DIN EN 61 340-5 for very precise flush cutting; in particular for cutting cable ties to length	head polished, handles with multi-component grips, INOX tool steel	78 03 140 ESD	140	081661	31,25	6	2.1	1.2		
		78 03 140 ESDSB	140	081678	33,35	6	2.1	1.2		
	pliers burnished, handles with multi- component grips	78 61 140 ESD	140	081708	31,90	6	2.1	1.4		
		78 61 140 ESDSB	140	081715	34,00	6	2.1	1.4		
Precision Electronics Diagonal Cutters, with bolted joint DIN ISO 9654 for ultra fine cutting work; zero-backlash smooth and low friction movement	pliers burnished, head polished, handles with multi-component grips, mini-head	79 02 120	120	061403	61,50	6	1.4	1.0	0.6	
		79 02 125	125	061281	57,85	6	1.7	1.3	0.7	
		79 02 125 S1	125	071808	78,50	6	1.7	1.3	0.7	
	pliers burnished, head polished, handles with multi-component grips, round head	79 12 125	125	071365	66,30	6	1.7	1.3	1.0	0.6

78

78

78

78

79

CUTTING PLIERS

79

Precision Electronics Diagonal Cutters, with bolted joint
DIN ISO 9654
for ultra fine cutting work;
zero-backlash smooth and low
friction movement

pliers burnished, head
polished, handles with
multi-component grips,
mini-head



Article No.	↔ mm	EAN 4003773- 061427	€		Ø mm	Ø mm	Ø mm	Ø mm
79 22 120	120	061427	67,20	6	1.3	0.8		
79 22 125	125	061342	63,35	6	1.7	1.0		
79 32 125	125	061366	57,85	6	1.5	1.1	0.6	
79 42 125	125	061380	63,35	6	1.5	0.8		
79 42 125 Z	125	078449	65,20	6	1.3			
79 52 125	125	065135	65,35	6	1.3	0.9	0.5	
79 62 125	125	065142	71,95	6	1.3	0.8		
79 02 120 ESD	120	061595	63,05	6	1.4	1.0	0.6	
79 02 125 ESD	125	061519	60,20	6	1.7	1.3	0.7	
79 02 125 ESDSB	125	061526	62,30	6	1.7	1.3	0.7	
79 12 125 ESD	125	071389	67,90	6	1.7	1.3	1.0	0.6
79 22 120 ESD	120	061618	68,45	6	1.3	0.8		

pliers burnished, head
polished, handles with
multi-component grips,
round head



pliers burnished, head
polished, handles with
multi-component grips,
pointed head



pliers burnished, head
polished, handles with
multi-component grips,
pointed head, for flush
cutting of soft materials



pliers burnished, head
polished, handles with
multi-component grips,
pointed head



Precision Electronics Diagonal Cutters ESD, with bolted joint
DIN ISO 9654, DIN EN 61 340-5
for ultra fine cutting work;
zero-backlash smooth and low
friction movement

pliers burnished, head
polished, handles with
multi-component grips,
mini-head



pliers burnished, head
polished, handles with
multi-component grips,
round head









pliers burnished, head
polished, handles with
multi-component grips,
pointed head



pliers burnished, head
polished, handles with
multi-component grips,
mini-head



		Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm
Precision Electronics Diagonal Cutters ESD, with bolted joint DIN ISO 9654, DIN EN 61 340-5 for ultra fine cutting work; zero-backlash smooth and low friction movement	pliers burnished, head polished, handles with multi-component grips, round head 	79 22 125 ESD	125	061533	66,80	6	1.7	1.0		
	pliers burnished, head polished, handles with multi-component grips, pointed head 	79 32 125 ESD	125	061557	60,20	6	1.5	1.1	0.6	
		79 42 125 ESD	125	061571	66,80	6	1.5	0.8		
	pliers burnished, head polished, handles with multi-component grips, pointed head, for flush cutting of soft materials 	79 42 125 Z ESD	125	078456	67,65	6	1.3			
	pliers burnished, head polished, handles with multi-component grips, pointed head 	79 52 125 ESD	125	065159	67,70	6	1.3	0.9	0.5	
		79 62 125 ESD	125	065166	74,35	6	1.3	0.8		
Material catcher, for 79 02 / 22 125 ESD		00 11 V79		083443	13,85	1				

PIPE WRENCHES AND WATER PUMP PLIERS

81

Siphon and Connector Pliers, for traps, tube fittings and connectors

DIN ISO 8976

attachment at the touch of a button – quick, reliable and precise; ergonomic handle geometry; 25-way adjustable joint; ideal for tightening and releasing plastic pipe fittings, round union nuts, screw connectors etc.

pliers black atramentized, handles with non-slip plastic coating



pliers chrome-plated, handles with non-slip plastic coating



pliers black atramentized, handles with non-slip plastic coating, with plastic jaws



pliers chrome-plated, handles with non-slip plastic coating, with plastic jaws



2 pairs of one-component plastic inserts for 81 11 250/81 13 250

2 pairs of two-component plastic inserts for 81 11 250/81 13 250

Article No.	↔ mm	EAN 4003773-	€		∅ mm
81 01 250	250	078463	37,05	6	25 – 80
81 01 250 SB	250	078883	39,15	6	25 – 80
81 03 250	250	078487	46,10	6	25 – 80
81 03 250 SB	250	078906	48,20	6	25 – 80
81 11 250	250	078470	54,75	6	10 – 75
81 11 250 SB	250	078890	56,85	6	10 – 75
81 13 250	250	078494	63,70	6	10 – 75
81 13 250 SB	250	078913	65,80	6	10 – 75
81 19 250 V01		086567	15,10	1	
81 19 250 V02		086550	15,10	1	

82

KNIPEX TwinGrip, Slip Joint Pliers

Front gripping and side gripping function, box joint, push-button adjustment

pliers grey atramentized, handles plastic-coated



pliers grey atramentized, with comfort handles



Assortment of spare parts for adjustment for 82 150

Assortment of spare parts for adjustment for 82 200

Assortment of spare parts for adjustment for 82 250

Article No.	↔ mm	EAN 4003773-	€		∅ Inch	∅ Inch	∅ mm
N 82 01 150	150	089353	25,65	6	5/8	5/8	16
N 82 01 150 SB	150	091004	27,75	6	5/8	5/8	16
82 01 200	200	087243	27,00	6	7/8	7/8	22
82 01 200 SB	200	087571	29,10	6	7/8	7/8	22
N 82 01 250	250	089377	33,90	6	1 1/16	1/16	27
N 82 01 250 SB	250	091011	36,00	6	1 1/16	1/16	27
N 82 02 150	150	089360	29,10	6	5/8	5/8	16
N 82 02 150 SB	150	091028	31,20	6	5/8	5/8	16
82 02 200	200	087250	30,50	6	7/8	7/8	22
82 02 200 SB	200	087588	32,60	6	7/8	7/8	22
N 82 02 250	250	089384	39,90	6	1 1/16	1/16	27
N 82 02 250 SB	250	090991	42,00	6	1 1/16	1/16	27
N 82 150 E01		092148	4,80	1			
82 200 E01		087632	4,90	1			
N 82 250 E01		092131	5,50	1			

83

Pipe Wrenches 90°

DIN 5234

Swedish pattern

pliers red powder-coated



∠90°

83

Pipe Wrenches 45°

DIN 5234

Swedish pattern

pliers red powder-coated



∠45°

83

Pipe Wrenches S-Type

DIN 5234

pliers red powder-coated



Knurled nut with spring, for 83 005

Knurled nut with spring, for 83 010

Knurled nut with spring, for 83 015

Knurled nut with spring, for 83 020

Knurled nut with spring, for 83 030

Knurled nut with spring, for 83 040

Article No.	↔ mm	EAN 4003773-	€		∅ Inch	∅ mm
83 10 010	310	014188	51,30	1	1	42
83 10 015	420	014195	68,50	1	1 1/2	60
83 10 020	560	014201	104,80	1	2	70
83 10 030	650	022329	210,30	1	3	10 – 105
83 10 040	750	022336	276,75	1	4	10 – 130
83 20 010	320	014218	52,80	1	1	42
83 20 015	430	014225	71,80	1	1 1/2	60
83 20 020	570	014232	111,50	1	2	70
83 30 005	245	025221	54,65	1	1/2	35
83 30 010	320	014249	51,30	1	1	42
83 30 015	420	014256	74,00	1	1 1/2	60
83 30 020	570	014263	116,85	1	2	10 – 70
83 30 030	680	014164	218,20	1	3	10 – 120
83 99 005		053453	5,45	1		
83 99 010		053446	7,75	1		
83 99 015		053460	7,95	1		
83 99 020		053477	8,80	1		
83 99 030		053484	10,70	1		
83 99 040		053491	11,70	1		
83 60 010	330	075424	57,50	1	1	42
83 60 015	420	075677	83,10	1	1 1/2	60
83 60 020	560	078838	131,05	1	2	70
83 61 010	330	077602	62,75	1	1	42
83 61 015	420	077619	88,55	1	1 1/2	60
83 61 020	560	078876	137,15	1	2	70

83

Pipe Wrenches S-Type, with fast adjustment

DIN 5234

push the button for adjustment on the workpiece

(PATENTED)

pliers grey powder-coated, handles plastic-coated



		Article No.	↔ mm	EAN 4003773- 052265	€		Ø mm		
Cycle Pliers for very narrow screw connections	pliers black atramentized, head polished, handles plastic-coated		84 11 200	200	052265	28,80	6	6 / 10	
			84 21 200	200	051930	30,65	6	6 / 10	
KNIPEX SmartGrip, Water Pump Pliers with automatic adjustment DIN ISO 8976 ideal for frequent changeover to workpieces of different sizes; slim dimensions	pliers grey atramentized, head polished, handles with non-slip plastic coating		85 01 250	250	061304	54,85	6	1 1/4	36
			85 01 250 SB	250	061311	56,95	6	1 1/4	36
Spring Hose Clamp Pliers for standard, space-saving and spring wire hose clamps and for spring band clamps; adjust to any position due to rotatable grip inserts	pliers grey atramentized, handles with non-slip plastic coating		85 51 180 A	180	081159	59,35	1	50	
			85 51 180 A SB	180	081272	61,45	6	50	
			85 51 250 A	250	077329	66,70	1	70	
			85 51 250 A SB	250	077701	68,80	6	70	
	pliers grey atramentized, handles with non-slip plastic coating, with retainer		85 51 250 AF	250	078623	86,25	1	70	
Spare parts assortment grip inserts, for 85 51 250 A/85 51 250 AF			85 59 250 A		077336	17,50	1		
Hose Clamp Pliers, for Click clamps for opening and closing Click clamps, e.g. on vacuum pipes and fuel hoses	pliers grey atramentized, handles with non-slip plastic coating		85 51 180 C	180	081166	62,30	1		
			85 51 180 C SB	180	081265	64,40	6		
			85 51 250 C	250	078517	66,25	1		
			85 51 250 C SB	250	079507	68,35	6		
	Spare parts assortment grip inserts, for 85 51 180 C/85 51 250 C			85 59 250 C		078999	23,05	1	
Pliers Wrenches XS, pliers and a wrench in a single tool for careful installation of finished-surface components; parallel smooth jaws (PATENTED)	pliers chrome-plated, embossed grips		86 04 100	100	087281	54,45	1	3/4	21
			86 04 100 BK	100	087298	56,50	1	3/4	21
Pliers Wrenches, pliers and a wrench in a single tool for careful installation of finished-surface components; parallel smooth jaws; push-button adjustment	pliers black atramentized, handles with non-slip plastic coating		86 01 180	180	084273	55,40	1	1 1/2	40
			86 01 180 SB	180	084303	57,50	6	1 1/2	40
	pliers black atramentized, head polished, handles with non-slip plastic coating DIN ISO 8976		86 01 250	250	082385	59,10	1	2	52
			86 01 250 SB	250	082637	61,20	6	2	52
	pliers black atramentized, handles plastic-coated		86 01 300	300	084662	79,50	1	2 1/2	68
			86 01 300 SB		084679	81,60	1	2 1/2	68
	pliers black atramentized, head polished, handles with multi-component grips		86 02 180	180	084280	60,05	1	1 1/2	40
			86 02 180 SB	180	084310	62,15	6	1 1/2	40
	pliers black atramentized, head polished, handles with slim multi-component grips		86 02 250	250	082392	65,15	1	2	52
			86 02 250 SB	250	082644	67,25	6	2	52

84

85

85
51

85
51

86

86

PIPE WRENCHES AND WATER PUMP PLIERS

86

Pliers Wrenches, pliers and a wrench in a single tool

for careful installation of finished-surface components; parallel smooth jaws; push-button adjustment

pliers chrome-plated, handles plastic-coated



Article No.	↔ mm	EAN 4003773-	€		⌀ Inch	⌀ mm
86 03 125	125	077497	53,45	1	7/8	23
86 03 125 SB	125	077688	55,55	6	7/8	23
86 03 150	150	069676	59,10	1	1	27
86 03 150 SB	150	070009	61,20	6	1	27
86 03 180	180	035466	60,70	1	1 1/2	40
86 03 180 SB	180	028819	62,80	6	1 1/2	40
86 03 250	250	033837	69,50	1	2	52
86 03 250 SB	250	022091	71,60	6	2	52
86 03 300	300	041429	86,45	1	2 1/2	68
86 03 300 SB	300	040927	88,55	1	2 1/2	68
86 05 150	150	069928	64,95	1	1	27
86 05 150 SB	150	070054	67,05	6	1	27
86 05 180	180	047162	65,55	1	1 1/2	40
86 05 180 SB	180	052180	67,65	6	1 1/2	40
86 05 250	250	047841	75,90	1	2	52
86 05 250 SB	250	052029	78,00	6	2	52
86 05 150 S02	150	071785	85,15	1	1	27

pliers chrome-plated, handles with multi-component grips



86

Pliers Wrench, with roughened jaws, especially for opening plastic cable connectors

fast adjustment by pushing a button directly on the workpiece

pliers chrome-plated, handles with multi-component grips, with roughened jaws



Pliers Wrenches, pliers and a wrench in a single tool

for careful installation of finished-surface components; parallel smooth jaws; push-button adjustment

pliers chrome-plated, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



86 05 180 T	180	080121	74,85	1	1 1/2	40
86 05 180 T BK	180	080558	76,95	1	1 1/2	40
86 05 250 T	250	080138	85,20	1	2	52
86 05 250 T BK	250	080565	87,30	1	2	52
86 06 250	250	082408	82,90	1	2	52
86 06 250 SB	250	082651	85,00	6	2	52
Assortment of spare parts Adjustment, for 86 150		86 09 150	073123	5,15	1	
Assortment of spare parts Adjustment, for 86 XX 180		86 09 180	037514	5,45	1	
Assortment of spare parts for adjustment for 86/87 XX 250/300 (without 87 2X XXX)		87 09 01	074724	5,50	1	
Spare parts set, for 86/87 0X 100		87 09 100	086123	6,60	1	
Assortment of spare parts for adjustment for 86/87 125		87 09 125	074151	4,40	1	

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested
DIN EN 60900, IEC 60900



⚡ 1000V

86

Protective jaws, for 86 XX 180/86 XX 250/86 XX 300

3 pairs; picture similar

for 86 XX 180



Article No.	↔ mm	EAN 4003773-	€		⌀ Inch	⌀ Inch	⌀ mm
86 09 180 V01		085805	9,90	1			
86 09 250 V01		084143	10,45	1			
86 09 300 V01		085812	12,35	1			

for 86 XX 250



for 86 XX 300



86

Pliers Wrench XL, pliers and a wrench in a single tool

for large union joints with pressure-sensitive surfaces; replaces diverse expensive, large open-end wrenches

pliers chrome-plated, handles plastic-coated



86 03 400	400	077312	152,55	1		3 3/8	85
-----------	-----	--------	--------	---	--	-------	----

			Article No.	↔ mm	EAN 4003773-	€				
KNIPEX Cobra® XS DIN ISO 8976 (PATENTED)	pliers grey atramentized, head polished, embossed grips		87 00 100	100	085836	29,15	1	1	1	24
			87 00 100 BK	100	085843	31,20	1	1	1	24
KNIPEX Cobra®, High-Tech Water Pump Pliers DIN ISO 8976 push the button for adjustment on the workpiece; self-locking on pipes and nuts	pliers grey atramentized, head polished, handles with non-slip plastic coating		87 01 125	125	069935	28,35	6	1	1 1/16	27
			87 01 125 SB	125	070856	30,45	6	1	1 1/16	27
			87 01 150	150	060116	29,05	6	1 3/8	1 1/4	32
			87 01 150 SB	150	060123	31,15	6	1 1/4	1 1/8	30
			87 01 180	180	022015	30,50	6	1 1/2	1 1/2	36
			87 01 180 SB	180	012016	32,60	6	1 1/2	1 1/2	36
			87 01 250	250	022022	32,35	6	2	1 3/4	46
			87 01 250 SB	250	012023	34,45	6	2	1 3/4	46
			87 01 300	300	034087	44,85	6	2 3/4	2 1/4	60
			87 01 300 SB	300	014133	46,95	6	2 3/4	2 1/4	60
			87 02 180	180	042396	33,90	6	1 1/2	1 1/2	36
			87 02 180 SB	180	047001	36,00	6	1 1/2	1 1/2	36
pliers grey atramentized, head polished, handles with multi-component grips		87 02 300	300	029144	51,40	6	2 3/4	2 1/4	60	
		87 02 300 SB	300	051398	53,50	6	2 3/4	2 1/4	60	
pliers grey atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System		87 02 180 T	180	080145	43,20	1	1 1/2	1 1/2	36	
		87 02 180 T BK	180	080572	45,30	1	1 1/2	1 1/2	36	
		87 02 300 T	300	080169	60,70	1	2 3/4	2 1/4	60	
		87 02 300 T BK	300	080596	62,80	1	2 3/4	2 1/4	60	
pliers grey atramentized, head polished, handles with slim multi-component grips		87 02 250	250	040316	36,45	6	2	1 3/4	46	
		87 02 250 SB	250	046752	38,55	6	2	1 3/4	46	
pliers grey atramentized, head polished, handles with slim multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System		87 02 250 T	250	080152	45,75	1	2	1 3/4	46	
		87 02 250 T BK	250	080589	47,85	1	2	1 3/4	46	
pliers chrome-plated, handles with non-slip plastic coating		87 03 125	125	073949	36,35	6	1		27	
		87 03 180	180	005667	42,00	1	1 1/2	1 1/2	36	
		87 03 250	250	043805	43,80	1	2	1 3/4	46	
		87 03 250 SB	250	012030	45,90	6	2	1 3/4	46	
		87 03 300	300	041382	56,50	1	2 3/4	2 1/4	60	
pliers chrome-plated, handles with slim multi-component grips		87 03 300 SB	300	034285	58,60	6	2 3/4	2 1/4	60	
		87 05 250	250	005681	47,80	6	2	1 3/4	46	
pliers chrome-plated, handles with multi-component grips		87 05 300	300	014126	61,75	6	2 3/4	2 1/4	60	
Assortment of spare parts for adjustment for 86/87 XX 250/300 (without 87 2X XXX)		87 09 01		074724	5,50	1				
Spare parts set, for 86/87 0X 100		87 09 100		086123	6,60	1				
Assortment of spare parts for adjustment for 86/87 125		87 09 125		074151	4,40	1				
Assortment of spare parts for adjustment for 87 150		87 09 150		074168	4,80	1				
Assortment of spare parts Adjustment, for 87 180		87 09 180		034360	5,10	1				
Protective jaws, High-Tech Water Pump Pliers 3 pairs; picture similar		for 87 XX 180	87 09 180 V01		088066	9,50	1			
		for 87 XX 250	87 09 250 V01		088073	10,05	1			

87
00

87
0

87

PIPE WRENCHES AND WATER PUMP PLIERS

			Article No.	↔ mm	EAN 4003773-	€		 Inch	 Inch	 mm
87	Protective jaws, High-Tech Water Pump Pliers 3 pairs; picture similar	for 87 XX 300	87 09 300 V01		088080	11,85	1			
87 26	KNIPEX Cobra® VDE, High-Tech Water Pump Pliers DIN ISO 8976, DIN EN 60900, IEC 60900 adjustment by sliding one jaw directly on to the workpiece: fast, reliable and comfortable handling (PATENTED)	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested	87 26 250 87 26 250 SB	250 250	071495 072782	55,05 57,15	1 6	2 2	1 3/4 1 3/4	46 46
		pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether	87 26 250 T 87 26 250 T BK	250 250	081517 081869	64,35 66,45	1 1	2 2	1 3/4 1 3/4	46 46
87 0	KNIPEX Cobra® XL/XXL, Water Pump Pliers push the button for adjustment on the workpiece; self-locking on pipes and nuts	pliers grey atramentized, head polished, handles plastic-coated DIN ISO 8976	87 01 400 87 01 400 SB	400 400	005636 045113	78,80 80,90	1 6	3 1/2 3 1/2	3 3/4 3 3/4	95 95
		pliers grey atramentized, head polished, handles plastic-coated	87 01 560	560	044321	133,05	1	4 1/2		120
		Assortment of spare parts Adjustment, for 87 400	87 09 400		034391	5,95	1			
		Assortment of spare parts Adjustment, for 87 560	87 09 560		049845	7,80	1			
87 11	KNIPEX Cobra®...matic, Water Pump Pliers DIN ISO 8976	pliers grey atramentized, head polished, handles with non-slip plastic coating	87 11 250 87 11 250 SB	250 250	035473 022114	36,85 38,95	6 6	2 2		46 46
		Spare spring for 87 11 250	87 19 250		022640	5,35	1			
		Assortment of spare parts for adjustment for 86/87 XX 250/300 (without 87 2X XXX)	87 09 01		074724	5,50	1			
87 21	KNIPEX Cobra® QuickSet, High-Tech Water Pump Pliers DIN ISO 8976 adjustment by sliding one jaw directly on to the workpiece: fast, reliable and comfortable handling (PATENTED)	pliers grey atramentized, head polished, handles with non-slip plastic coating	87 21 250 87 21 250 SB 87 21 300 87 21 300 SB	250 250 300 300	072775 073796 078524 078548	34,55 36,65 47,10 49,20	6 6 6 6	2 2 2 3/4 2 3/4		46 46 60 60
		pliers grey atramentized, head polished, handles with slim multi-component grips	87 22 250 87 22 250 SB	250 250	077794 077800	38,50 40,60	6 6	2 2		46 46
		Assortment of spare parts for 87 2X 250	87 29 01		079002	7,25	1			
		Assortment of spare parts for 87 21 300	87 29 300		084570	7,35	1			
87 41	Multiple Slip Joint Spanner perfect fitting grip, no rounding of bolt heads	pliers grey atramentized, head polished, handles with non-slip plastic coating	87 41 250 87 41 250 SB	250 250	054566 060109	36,85 38,95	6 6		1 1/4 1 1/4	32 32
		Assortment of spare parts for adjustment for 86/87 XX 250/300 (without 87 2X XXX)	87 09 01		074724	5,50	1			
87 51	KNIPEX Cobra® ES, Water Pump Pliers extra-slim DIN ISO 8976; particularly good access to the workpiece in confined areas	pliers grey atramentized, head polished, handles with non-slip plastic coating	87 51 180 87 51 180 SB 87 51 250 87 51 250 SB	185 180 250 250	088981 089773 061267 061328	31,75 33,85 35,30 37,40	6 6 6 6	1 1/4 1 1/4 1 1/4 1 1/4		32 32 34 34
		Assortment of spare parts for adjustment for 86/87 XX 250/300 (without 87 2X XXX)	87 09 01		074724	5,50	1			

**KNIPEX Alligator®,
Water Pump Pliers**
DIN ISO 8976
self-locking on pipes and nuts;
box-joint design

	Article No.	↔ mm	EAN 4003773- 034360	€		 Inch	 Inch	 mm
Assortment of spare parts Adjustment, for 87 180								
	87 09 180			5,10	1			
pliers black atramentized, head polished, handles with non-slip plastic coating	88 01 180	180	035480	23,35	6	1 1/2		36
	88 01 180 SB	180	035695	25,45	6	1 1/2		36
	88 01 250	250	022992	24,55	6	2		46
	88 01 250 SB	250	012047	26,65	6	2		46
	88 01 300	300	034094	36,85	6	2 3/4		60
	88 01 300 SB	300	012061	38,95	6	2 3/4		60
pliers black atramentized, head polished, handles with multi-component grips	88 02 180	180	044222	27,40	6	1 1/2		36
	88 02 180 SB	180	079347	29,50	6	1 1/2		36
	88 02 300	300	029151	40,90	6	2 3/4		60
pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System	88 02 300 T	300	080183	50,20	1	2 3/4		60
	88 02 300 T BK	300	080619	52,30	1	2 3/4		60
pliers black atramentized, head polished, handles with slim multi-compo- nent grips	88 02 250	250	019282	29,95	6	2		46
	88 02 250 SB	250	030256	32,05	6	2		46
pliers black atramentized, head polished, handles with slim multi-compo- nent grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System	88 02 250 T	250	080176	39,25	1	2		46
	88 02 250 T BK	250	080602	41,35	1	2		46
pliers chrome-plated, handles with non-slip plastic coating	88 03 180	180	042860	33,40	6	1 1/2		36
	88 03 250	250	005742	35,65	6	2		46
pliers chrome-plated, handles with multi- component grips	88 05 180	180	060130	33,80	6	1 1/2		36
	88 05 300	300	042389	53,00	6	2 3/4		60
pliers chrome-plated, handles with slim multi- component grips	88 05 250	250	035497	38,75	6	2		46
pliers chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900	88 06 250	250	039303	43,80	1	2		46
	88 06 250 SB	250	034292	45,90	6	2		46
pliers chrome-plated, handles with dipped insulation, VDE-tested DIN EN 60900, IEC 60900	88 07 250	250	019343	52,15	1	2		46
	88 01 400	400	075844	72,10	1	3 1/2		95
KNIPEX Alligator® XL, Water Pump Pliers DIN ISO 8976 Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working	88 01 400 SB	400	077183	74,20	6	3 1/2		95

PIPE CUTTERS

90
10

Pipe Cutter, for multilayer and pneumatic hoses
for all common liquid, multilayer and pneumatic hoses/pipes with max. Ø 20 mm

chrome-plated, glass fibre reinforced plastic handles



Spare blade for 90 25 20/90 10 185/90 25 185

Article No.

90 10 185
90 10 185 SB

↔
mm

EAN
4003773-
084846
086086

€

60,80
62,90



1
6

⊙

max. Ø 20 mm
max. Ø 20 mm

90 29 01

031932

18,00

1

90
20

KNIPLEX PlastiCut®, Cutter for flexible hoses and plastic conduit pipes

chrome-plated, glass fibre reinforced plastic handles



MM

Spare blade for 90 20 185

90 20 185
90 20 185 SB

185
185

067122
070894

51,40
53,50

1
6

max. Ø 25 mm
max. Ø 25 mm

90 29 185

067139

17,55

1

94
10

Pipe Cutter, for plastic conduit pipes

low force requirement due to special blade geometry and optimum transmission; ratchet blade feed in stages



MM

Spare blade for 94 10 185

Torsion spring, for 94 10 185

94 10 185

185

047025

65,30

1

Ø 6 – 35 mm

94 19 185

047032

27,85

1

94 19 185 02

053804

3,50

1

90
22

KNIPLEX TwistCut®, Corrugated pipe cutters

for shortening empty or ready-assembled corrugated pipes, without damaging the cable or pipes inside

(PATENTED)



MM

with wire stripping mechanism for single conductors



MM

90 22 01 SB

100

082286

31,30

6

Ø 13 - 32 mm

90 22 02 SB

100

082293

39,00

6

Ø 13 – 32 mm
0,2 / 0,3 / 0,8 / 1,5 / 2,5 / 4,0 mm²

90
22

KNIPLEX BiX, Cutter for plastic pipes and sealing sleeves

Cuts pipes quickly, cleanly and without shavings

(PATENTED)



Two spare blades integrated in the tool

90 22 10 BK

72

087311

28,70

6

Ø 20 – 56 mm

Set with 8 spare blades for 90 22 10 BK

90 22 10 E01

087564

15,40

6

90
23

KNIPLEX DP50, Pipe Cutter for plastic drain pipes

Quickly cut and chamfer plastic pipes

Exchangeable blade with two cutting edges can be reversed when showing signs of wear, Cuts high temperature and other plastic pipes with Ø 32, 40 or 50 mm and wall thicknesses up to 2.4 mm



90 23 01 BK

202

087809

53,45

1

Ø 32, 40, 50 mm

Spare blade for 90 23 01, can be used from both sides

90 23 01 E01

088103

14,25

1









Spare locking pin for 90 23 01

90 23 01 E02

088110

9,90

1

			Article No.	↔ mm	EAN 4003773-	€		Ø		
KNIPEX DPT50, Pipe cutter for thick-walled plastic pipes, also foam-core Quickly cut and chamfer plastic pipes	Exchangeable blade with two cutting edges can be reversed when showing signs of wear, Cuts PVC, PP and PE pipes with wall thicknesses of 2.5 – 3.5 mm		N 90 23 02 BK	202	092186	63,45	1	Ø 32, 40, 50 mm	90 23	
			Spare blade for 90 23 02, can be used from both sides	N 90 23 02 E01		092193	24,25	1		
Pipe Cutters, for composite pipes and protective tubes easily exchangeable blade	chrome-plated, handles with multi-component grips		90 25 20	210	046004	104,60	1	max. Ø 26 mm / Ø 18 – 35 mm	90 25	
			90 25 20 SB	210	071457	106,70	6	max. Ø 26 mm / Ø 18 – 35 mm		
			1 pair of spare blades for 90 25 20 (protective tubes), new model	90 25 20 E01		089117	38,10	1		
			Spare blade for 90 25 20/90 10 185/90 25 185	90 29 01		031932	18,00	1		
			1 pair of spare blades for 90 25 20 (protective tubes), old model	90 29 02		031949	38,10	1		
			Calibration arbor for 90 25 20 (Geberit pipes)	90 29 15		031956	28,65	1		
Pipe Cutter, for composite and plastic pipes with a cutting wheel for particularly easy cutting	pliers chrome-plated, handles with multi- component grips		90 25 25	210	088714	122,20	1	max. Ø 26 mm	90 25	
			Spare cutting wheel for 90 25 25	90 25 25 E01		088806	40,15	1		
Pipe Cutter, for composite and plastic pipes ratchet principle for easy cutting	chrome-plated, handles with multi-component grips		90 25 40	210	045182	100,40	1	max. Ø 40 mm	90 25	
			Spare blade for 90 25 40	90 29 40		045199	38,30	1		
Pipe Cutter, for composite and plastic pipes for cutting aluminium composite and plastic pipes from Ø 12 – 25 mm	chrome-plated, glass fibre reinforced plastic handles		90 25 185	185	084839	51,20	1	max. Ø 25 mm	90 25	
			90 25 185 SB	185	086093	53,30	6	max. Ø 25 mm		
			Spare blade for 90 25 20/90 10 185/90 25 185	90 29 01		031932	18,00	1		
KNIPEX TubiX® S, Pipe cutter with QuickLock one-hand locking mechanism and spare cutting wheel			N 90 31 01	77	090038	53,75	1	Ø 3 – 30 mm	90 31	
			Cutting wheel for stainless steel and copper, with spare quick-change axle	90 39 02 V01		085874	14,10	1		
			5 x Cutting wheel for stainless steel and copper	90 39 02 V03		086307	47,25	1		
				90 31 02 SB	180	084686	77,25	1	Ø 6 – 35 mm	
				90 31 02 BK	180	084907	77,25	1	Ø 6 – 35 mm	
KNIPEX TubiX®, Pipe cutter with QuickLock locking mechanism, deburring tool and spare cutting wheel included	Lightweight and durable magnesium housing								90 31	
			Cutting wheel for stainless steel and copper, with spare quick-change axle	90 39 02 V01		085874	14,10	1		
			Deburring tool for 90 31 02	90 39 02 V02		085881	7,10	1		
			5 x Cutting wheel for stainless steel and copper	90 39 02 V03		086307	47,25	1		
				90 31 03 BK	260	088127	113,25	1		Ø 6 – 76 mm
KNIPEX TubiX® XL, Pipe cutter with QuickLock locking mechanism, deburring tool and spare cutting wheel included	Lightweight and durable aluminium housing		Spare deburring tool for 90 31 03	90 31 03 E01		088134	9,00	1		
			Cutting wheel for stainless steel and copper, with spare quick-change axle	90 39 02 V01		085874	14,10	1		
			5 x Cutting wheel for stainless steel and copper	90 39 02 V03		086307	47,25	1		

SPECIAL PLIERS AND ACCESSORIES

			Article No.	↔ mm	EAN 4003773-	€				
90 10	KNIPEX CutiX, Universal knife with individually adjustable blade stabilisation: The blade cannot be accidentally bent or broken (PATENTED)		90 10 165 BK	165	087533	26,15	1			
			Spare part set for stabilisation bar for 90 10 165 BK	90 10 165 E01		087557	5,20	1		
			Spare blade for 90 10 165 BK (10x)	90 10 165 E02		088219	7,70	1		
10 9	Ear Clamp Pliers for the simple and reliable mounting of 1-ear and 2-ear clamps (Oetiker system or similar)		10 98 1220	220	080749	27,40	6			
			10 98 1220 SB	220	080893	29,50	6			
			10 99 1220	220	080756	35,00	6			
			10 99 1220 SB	220	080909	37,10	6			
		90 42	Punch Lock Riveters low handforce required due to lever transmission		90 42 250	250	047865	131,85	1	max. 1.2 (2 x 0.6) mm
						90 42 340	340	071884	112,15	1
	90 42 340 EAN			340	072751	112,15	1	max. 1.2 (2 x 0.6) mm		
	Spare punch for 90 42 340			90 49 340		028079	20,70	1		
Spare die for 90 42 340	90 49 340 M				028499	16,45	1			
90 55	Sheet Metal Nibbler clean cut edges, no additional work needed		90 55 280	280	026730	67,25	1	1.2 mm		
			90 55 280 EAN	280	042303	67,25	1	1.2 mm		
		Spare blade for 90 55 280	90 59 280		027355	16,00	1			
		Opening spring, for 90 55 280	90 59 280 02		053712	3,55	1			
90 61	Notching Pliers clean cut edges, no additional work needed; easy handling		90 61 16	250	051947	65,65	1	16 x 32 mm		
			90 61 16 EAN	250	052227	65,65	1	16 x 32 mm		
			90 61 20	250	051954	65,65	1	20 x 29 mm		
			90 61 20 EAN	250	052081	65,65	1	20 x 29 mm		
			90 70 220	220	019411	20,20	6	Ø 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 mm		
90 70	Revolving Punch Pliers with 6 interchangeable punches		90 70 220 SB	220	012108	22,30	6	Ø 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 mm		
			90 70 220 EAN	220	035510	20,20	6	Ø 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 mm		
			Punch, for 90 70 220, 2 mm	90 79 220 20		053729	4,20	1		
		Punch, for 90 70 220, 2.5 mm	90 79 220 25		053736	4,20	1			
		Punch, for 90 70 220, 3 mm	90 79 220 30		053743	4,20	1			
		Punch, for 90 70 220, 3.5 mm	90 79 220 35		053750	4,20	1			
		Punch, for 90 70 220, 4 mm	90 79 220 40		053767	4,20	1			
		Punch, for 90 70 220, 5 mm	90 79 220 50		053774	4,20	1			
		91 00	Tile Nibbling Pincer, (Parrot Beak Pincer) holes in tiles can be enlarged and edges formed by nibbling		91 00 200	200	013754	18,65	6	
					91 00 200 SB	200	012122	20,75	6	
91 00 200 EAN	200				034100	18,65	6			
91 13	Tile Breaking Pliers for precisely cutting tiles and stoneware to length		91 13 250	250	079538	73,25	1			
			91 13 250 SB	250	082279	75,35	6			
		Spare jaw for 91 13 250	91 19 250 01		079545	10,40	1			
91 9	Upholstery Pliers for the professional fixing of seat covers on profiled seats to the seat frame with all popular upholstery clips		91 91 180	180	092650	49,95	1			
			91 92 180	185	080725	53,40	1			

Material catcher,
for 79 02 / 22 125 ESD



Article No.
00 11 V79

↔
mm

EAN
4003773-
083443




























€
13,85


1

**00
11**

PRECISION TWEEZERS

			Article No.	↔ mm	EAN 4003773-	€		Reference number	
15	Stripping Tweezers for coated wire for stripping off varnished insulation on copper wires	steel		120	015550	13,10	1	253040.C.BI.8	
			1 pair of spare blades for 15 11 120, Ø 0,5 mm	15 19 005		021551	5,05	1	253040-P05
			1 pair of spare blades for 15 11 120, Ø 0,6 mm	15 19 006		021568	5,05	1	253040-P06
			1 pair of spare blades for 15 11 120, Ø 0,8 mm	15 19 008		021575	5,05	1	253040-P08
			1 pair of spare blades for 15 11 120, Ø 1,0 mm	15 19 010		021582	5,05	1	253040-P10
92	Precision Tweezers resistant to many chemicals	premium stainless steel		120	085041	33,50	1	00.SA.0.KN	
				110	085065	33,50	1	3C.SA.0.KN	
				110	085089	39,45	1	5.SA.0.KN	
				120	085027	41,85	1	7.SA.0.KN	
				120	085126	33,50	1	2A.SA.0.KN	
				90	087526	32,30	1	0C9.SA.0.KN	
92	Mini Precision Tweezers for precision work in confined spaces	premium stainless steel		70	086703	32,30	1	M3.SA.1.KN	
				80	086710	32,30	1	M5.SA.1.KN	
				70	086697	32,30	1	M2A.SA.1.KN	
				130	087090	35,90	1	2ACFR.SA.1.KN	
92	Tweezers with exchangeable tips ESD with versatile, exchangeable carbon fibre reinforced tips; electrically dissipative	premium stainless steel		130	087113	35,90	1	5CFR.SA.1.KN	
				130	087137	35,90	1	7CFR.SA.1.KN	
				130	087151	35,90	1	249CFR.SA.1.KN	
				130	087175	35,90	1	259CFR.SA.1.KN	
			Exchangeable ESD tips, for 92 81 01	92 89 01	40	087106	11,90	1	A2ACF.KN
			Exchangeable ESD tips, for 92 81 02	92 89 02	40	087120	11,90	1	A5CF.KN
92	Cutting Tweezers hard and sharp for finest cutting work	stainless steel		115	085003	71,85	1	15AGW.S.0.KN	
		stainless steel DIN EN 61340 -5-1		115	086727	79,10	1	15AGW.S.N.0.KN	
92	Universal Tweezers ideal for demanding standard applications	premium stainless steel		120	086758	23,90	1	34A.SA.1.KN	
				120	086765	23,90	1	36A.SA.1.KN	
				110	086734	17,85	1	3C.SA.B.KN	

			Article No.	↔ mm	EAN 4003773- 086741	€	 1	Reference number
Universal Tweezers ideal for demanding standard applications	stainless steel		92 21 08	140		17,85	1	SS.SA.B.KN
			92 22 04	128		17,85	1	AA.SA.B.KN
			92 22 06	120		17,85	1	00.SA.B.KN
			92 22 07	125		18,65	1	3.SA.B.KN
			92 22 12	110		21,30	1	5.SA.B.KN
			92 22 13	130		21,40	1	GG.SA.B.KN
			92 22 35	155		20,30	1	648.SA.B.KN
Precision Tweezers, with centering pin, pointed shape ideal for demanding standard applications	chrome nickel steel, stainless		92 22 35	155		20,30	1	648.SA.B.KN
	stainless steel		92 32 29	118		23,05	1	7.SA.B.KN
			92 34 36	152		17,85	1	649.SA.B.KN
	steel		92 34 37	155		14,25	1	649.SA.NE.B
Universal Tweezers, round slim shape ideal for demanding standard applications	stainless steel		92 52 23	118		19,00	1	2A.SA.B.KN
	stainless steel		92 61 01	200		29,85	1	7320.SA.B.KN
			92 61 02	300		41,85	1	7330.SA.B.KN
			92 64 43	120		14,10	1	7312.SA.B.KN
			92 72 45	145		19,15	1	7314.SA.B.KN
			92 84 18	126		14,95	1	AAPPST.SA.B.KN
			92 21 01 ESD	125		21,40	1	3.SA.NE.B.KN
Universal Tweezers ESD DIN EN 61340 -5-1 electrically dissipative, for electronics and fine mechanics	stainless steel		92 21 01 ESD	125		21,40	1	3.SA.NE.B.KN
			92 21 02 ESD	128		21,40	1	AA.SA.NE.B.KN
			92 21 03 ESD	140		21,40	1	SS.SA.NE.B.KN
			92 28 69 ESD	120		18,80	1	00.SA.NE.B.KN
			92 28 70 ESD	110		20,35	1	3C.SA.NE.B.KN
			92 28 71 ESD	110		22,25	1	5.SA.NE.B.KN
			92 28 72 ESD	130		22,25	1	GG.SA.NE.B.KN
			92 28 72 ESD	130		22,25	1	GG.SA.NE.B.KN

92






















92

92

92

PRECISION TWEEZERS

			Article No.	↔ mm	EAN 4003773-	€		Reference number	
92	Universal Tweezers ESD DIN EN 61340 -5-1 electrically dissipative, for electronics and fine mechanics	stainless steel		92 38 75 ESD	118	054863	24,15	1	7.SA.NE.B.KN
				92 58 74 ESD	118	054900	21,40	1	2A.SA.NE.B.KN
				92 78 77 ESD	145	054979	21,40	1	7314.SA.NE.B.KN
92	SMD Precision Tweezers optimised for electronic work with SMD components	premium stainless steel		92 01 01	115	085522	31,10	1	SM103.SA.1.KN
				92 01 02	120	085539	31,10	1	SM107.SA.1.KN
				92 01 03	120	085546	31,10	1	SM108.SA.1.KN
				92 01 04	115	085591	31,10	1	SM111.SA.1.KN
				92 02 54	115	054610	28,75	1	SM115.SA.1.KN
				92 08 78 ESD	118	054634	28,10	1	SM109.SA.NE.B.KN
92	SMD Precision Tweezers ESD DIN EN 61340 -5-1 optimised for electronic work with SMD components	stainless steel		92 01 07	143	086932	23,90	1	5574.SA.B.KN
				92 11 02	145	085034	28,70	1	5572.SA.B.KN
				92 11 03	122	085553	21,40	1	572.SA.B.KN
92	Positioning Tweezers for exact positioning or pulling of small components	stainless steel		92 08 79 ESD	122	054641	26,25	1	572.SA.NE.B.KN
				92 16 01 ESD	120	086949	29,85	1	578B.SA.NE.B.KN
				92 16 02 ESD	120	086956	29,85	1	572B.SA.NE.B.KN
92	Positioning Tweezers ESD DIN EN 61340 -5-1 for exact positioning or pulling of small components	stainless steel		92 23 01	110	085010	34,65	1	5.TA.0
				92 23 05	120	054726	31,70	1	3.TA.0
92	Precision Cross Jaw Tweezers hold automatically due to their spring force, for filigree work	premium stainless steel		92 91 01	120	086802	45,40	1	2AX.SA.1.KN
				92 91 02	120	086819	45,40	1	3X.SA.1.KN
				92 91 03	115	086826	45,40	1	7X.SA.1.KN
92	Universal cross jaw tweezers hold automatically due to their spring force, ideal helpers for soldering	stainless steel		92 94 91	160	055006	22,70	1	5518.SA.B.KN
				92 95 89	165	055013	23,90	1	29.SA.B.KN

			Article No.	↔ mm	EAN 4003773- 055020	€	 1	Reference number	
Universal cross jaw tweezers hold automatically due to their spring force, ideal helpers for soldering	stainless steel		92 95 90	162		23,90	1	30.SA.B.KN	
Plastic Tweezers ESD extremely light and robust, electrically dissipative	carbon fibre reinforced plastic DIN EN 61340 -5-1		92 09 01 ESD	115	086970	5,85	1	702A.CF.KN	
			92 09 02 ESD	115	086987	5,85	1	707.CF.KN	
			92 09 03 ESD	110	086994	5,85	1	708.CF.KN	
			92 09 04 ESD	115	087007	5,85	1	709.CF.KN	
			92 09 05 ESD	115	087014	5,85	1	710.CF.KN	
			92 69 84	129	054948	4,50	1	926984.HI.KN	
Universal Tweezers, insulated DIN EN 60900, IEC 60900 tested protection against electrical voltage up to 1000 V	stainless steel		92 27 61	125	054757	27,45	1	540691K.SA.B.00	
			92 27 62	150	054764	27,45	1	550151K.SA.B.00	
			92 37 64	148	054856	27,80	1	550151BK.SA.B.00	
			92 47 01	148	086963	27,75	1	73014BK.SA.B.00	
			92 67 63	145	054931	27,45	1	73014K.SA.B.00	
		Precision Tweezers with ESD rubber handles for frequent handling of ESD-sensitive components or small static objects	premium stainless steel		92 21 10 ESD	123	088608	50,60	1
	92 21 11 ESD			123	088615	50,60	1	2A.SA.DRG.0.KN	
	92 21 12 ESD			112	088622	51,35	1	3C.SA.DRG.0.KN	
	92 21 13 ESD			112	088639	56,25	1	5.SA.DRG.0.KN	
	92 21 14 ESD			130	088653	38,50	1	AA.SA.DRG.6.KN	
	92 31 10 ESD			122	088646	58,95	1	7.SA.DRG.0.KN	
	92 21 10 ESD								
	92 21 10 ESD								

92

92








92

92

92

PRECISION TWEEZERS

			Article No.	↔ mm	EAN 4003773-	€		Contents
92 00	Universal Tweezers Set ESD, 5 parts DIN EN 61340 -5-1 in tool roll made of hard-wearing polyester fabric	stainless steel	92 00 01 ESD	90	087038	122,95	1	1 x 92 28 69 ESD / 1 x 92 28 70 ESD / 1 x 92 28 71 ESD / 1 x 92 38 75 ESD / 1 x 92 58 74 ESD
								
								
92 00	Precision Tweezers Set, 5 parts in tool roll made of hard-wearing polyester fabric	premium stainless steel	92 00 02	90	087021	197,80	1	1 x 92 21 01 / 1 x 92 21 02 / 1 x 92 21 03 / 1 x 92 31 01 / 1 x 92 51 01
								
								
92 00	SMD Precision Tweezers Set, 5 parts in tool roll made of hard-wearing polyester fabric	premium stainless steel	92 00 03	90	087045	169,15	1	1 x 92 01 01 / 1 x 92 01 02 / 1 x 92 01 03 / 1 x 92 01 04 / 1 x 92 02 54
								
								
92 00	Universal Tweezers Set, insulated, 5 parts DIN EN 60900, IEC 60900 in tool roll made of hard-wearing polyester fabric; tested protection against electrical voltage up to 1000 V	stainless steel	92 00 04	90	087052	153,90	1	1 x 92 27 61 / 1 x 92 27 62 / 1 x 92 37 64 / 1 x 92 47 01 / 1 x 92 67 63
								
								
92 00	Plastic Tweezers Set ESD, 5 parts DIN EN 61340 -5-1 in tool roll made of hard-wearing polyester fabric	carbon fibre reinforced plastic	92 00 05 ESD	90	087069	45,25	1	1 x 92 09 01 ESD / 1 x 92 09 02 ESD / 1 x 92 09 03 ESD / 1 x 92 09 04 ESD / 1 x 92 09 05 ESD
								
								

			Article No.	↔ mm	EAN 4003773-	€			AWG		
Cutter, for ribbon cable crush-free, rectangular cutting; exchangeable cutting base; standard trapezoidal blade	tool chrome-plated, handles with plastic grips  MMM		94 15 215	215	046011	67,55	1	56 mm		94 15	
			94 15 215 EAN	215	043911	67,55	1	56 mm			
			94 19 02			052333	3,15	1			
			94 19 215			046219	11,85	1			
Mitre Shears, for plastic and rubber sections crush-free cutting 45°/60°/75°/90°; exchangeable cutting base; standard trapezoidal blade	tool chrome-plated, handles with plastic grips  MMM		94 35 215	215	046028	65,90	1			94 3	
			94 35 215 EAN	215	046974	65,90	1				
			94 39 215 01			053835	13,20	1			
			94 19 215			046219	11,85	1			
Anvil shears drawing cut for easy and clean cutting of soft materials	tool chrome-plated, handles with plastic grips  MMM		94 55 200	200	080763	61,65	1			94 5	
			94 59 200 01			080916	24,75	1			
			94 59 200 02			080923	9,35	1			
			94 19 215			046219	11,85	1			
Vinyl Shears, also for cable ducts lever transmission; very effective blade geometry	tool burnished, handles with multi-component grips  MMM		95 02 21	275	052128	137,95	1	4.0 mm		95 02	
			95 09 21			069768	42,80	1			
			95 03 160 SB			043362	51,45	1			
Shears, for KEVLAR® fibres precision-ground blades with serration: prevent the fibres from slipping, clean cut	shear chrome-plated, handles extrusion plastic-coated 		95 03 160 SB	160	043362	51,45	1			95 03	
			95 05 10 SB			082125	28,70	1			
Electricians' Shears blades with micro-serration	head polished, handles with multi-component grips, with crimp area for wire ferrules, with plastic belt box 		95 05 10 SB	190	082125	28,70	1			95 05	
			95 05 20 SB			082699	39,60	1			
			95 05 155 SB			077725	23,40	1			
Combination Shears for cutting cardboard, plastics, aluminium, brass and copper foils; precision-ground, hardened blades	head polished, handles extrusion plastic-coated  ∠45° MMM		95 05 140	140	019589	20,10	6			95 05	
			95 05 185			060277	25,10	6			

CABLE AND WIRE ROPE SHEARS

95
05

Combination Shears
for cutting cardboard, plastics,
aluminium, brass and copper foils;
precision-ground, hardened blades

head polished, handles
extrusion plastic-coated



MM

Article No.	↔ mm	EAN 4003773-	€			AWG
95 05 190	190	019602	22,90	6		
95 05 190 SB	190	042518	25,00	6		
Opening spring, for 95 05 140						
95 05 140 E01		087700	3,55	1		
Spare opening spring for 95 05 185 / 190						
95 05 E02		087786	3,55	1		

95
0

**Cable Shears,
handles extrusion
plastic-coated**
precision-ground, hardened blades:
clean and smooth cut without
crushing

head polished, handles
extrusion plastic-coated



MM

head polished, handles
insulated, extrusion plastic-
coated, VDE-tested
DIN EN 60900, IEC 60900



⚡ 1000 V

95 05 165	165	019596	25,25	6	Ø 10 mm / 24 mm ²	4
95 05 165 SB	165	034308	27,35	6	Ø 10 mm / 24 mm ²	4
95 06 230	230	006305	62,20	1	Ø 16 mm / 50 mm ²	1 / 0
95 06 230 SB	230	034124	64,30	6	Ø 16 mm / 50 mm ²	1 / 0
Opening spring, for 95 05 165						
95 05 E01		087687	3,55	1		

95

**KNIPEX StepCut®,
Cable shears with step cut**
additionally hardened, precision-
ground blades: lighter, cleaner cut
without crushing

(PATENTED)

tool burnished, handles
plastic-coated



tool burnished,
with comfort handles



tool chrome-plated,
handles insulated with
multi-component grips,
VDE-tested
DIN EN 60900,
IEC 60900



⚡ 1000 V

95 11 160	160	085904	34,45	6	Ø 15 mm / 50 mm ²	1 / 0
95 11 160 SB	160	085911	36,55	6	Ø 15 mm / 50 mm ²	1 / 0
95 12 160	160	085928	39,25	6	Ø 15 mm / 50 mm ²	1
95 12 160 SB	160	085935	41,35	6	Ø 15 mm / 50 mm ²	1 / 0
95 16 160	160	085966	56,25	1	Ø 15 mm / 50 mm ²	1 / 0
95 16 160 SB	160	085898	58,35	6	Ø 15 mm / 50 mm ²	1 / 0

95

**KNIPEX StepCut® XL,
Cable shears with step cut**
additionally hardened, precision-
ground blades: lighter, cleaner cut
without crushing

tool burnished, handles
plastic-coated



tool burnished,
with comfort handles



tool burnished, handles
insulated with multi-com-
ponent grips, VDE-tested



⚡ 1000 V

95 11 225	225	088882	56,50	1	Ø 23 mm / 70 mm ²	2 / 0
95 11 225 SB	225	089933	58,60	1	Ø 23 mm / 70 mm ²	2 / 0
95 12 225	225	088899	63,60	1	Ø 23 mm / 70 mm ²	2 / 0
95 12 225 SB	225	089940	65,70	1	Ø 23 mm / 70 mm ²	2 / 0
95 18 225	225	089964	65,90	1	Ø 23 mm / 70 mm ²	2 / 0
95 18 225 SB	225	089988	68,00	1	Ø 23 mm / 70 mm ²	2 / 0

95

Cable Shears
precision-ground, hardened blades:
clean and smooth cut without
crushing

tool burnished,
handles plastic-coated



tool burnished,
with comfort handles



tool chrome-plated,
handles insulated with
multi-component grips,
VDE-tested
DIN EN 60900,
IEC 60900










⚡ 1000 V

tool chrome-plated,
handles insulated with
multi-component grips,
VDE-tested, with inte-
grated insulated tether
attachment point for a
tool tether
DIN EN 60900,
IEC 60900



⚡ 1000 V

95 11 165	165	040323	33,10	6	Ø 15 mm / 50 mm ²	1 / 0
95 11 165 SB	165	031253	35,20	6	Ø 15 mm / 50 mm ²	1 / 0
95 12 165	165	029182	38,05	6	Ø 15 mm / 50 mm ²	1 / 0
95 12 165 SB	165	079446	40,15	6	Ø 15 mm / 50 mm ²	1 / 0
95 16 165	165	039648	55,00	1	Ø 15 mm / 50 mm ²	1 / 0
95 16 165 SB	165	030263	57,10	6	Ø 15 mm / 50 mm ²	1 / 0
95 16 165 T	165	081524	64,30	1	Ø 15 mm / 50 mm ²	1 / 0
95 16 165 T BK	165	081876	66,40	1	Ø 15 mm / 50 mm ²	1 / 0

		Article No.	↔ mm	EAN 4003773-	€			AWG
Cable Shears precision-ground, hardened blades: clean and smooth cut without crushing	tool burnished, handles plastic-coated  MM	95 21 165	165	069805	44,40	6	Ø 15 mm / 50 mm ²	1 / 0
		95 21 165 SB	165	070122	46,50	6	Ø 15 mm / 50 mm ²	1 / 0
	tool burnished, with comfort handles  MM	✓ 95 22 165	165	069812	48,95	6	Ø 15 mm / 50 mm ²	1 / 0
	tool chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900 ⚡ 1000 V MM	95 26 165	165	069980	65,60	1	Ø 15 mm / 50 mm ²	1 / 0
		95 26 165 SB	165	070139	67,70	6	Ø 15 mm / 50 mm ²	1 / 0
	tool burnished, handles plastic-coated, with stripping function  MM	95 41 165	165	078609	58,75	6	Ø 12 mm / 35 mm ²	1 / 0
	Spare spring for 95 2x 165 / 95 41 165	95 165 E01		087618	5,95	1		
Cable Shears, with twin cutting edge precision-ground, hardened blades: clean and smooth cut without crushing; low handforce required due to favourable lever ratio	tool burnished, handles plastic-coated  MM	95 11 200	200	043928	51,00	6	Ø 20 mm / 70 mm ²	2 / 0
		95 11 200 SB	200	028291	53,10	6	Ø 20 mm / 70 mm ²	2 / 0
	tool burnished, with comfort handles  MM	✓ 95 12 200	200	047834	61,90	6	Ø 20 mm / 70 mm ²	2 / 0
		✓ 95 12 200 SB	200	052197	64,00	6	Ø 20 mm / 70 mm ²	2 / 0
	tool chrome-plated, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900 ⚡ 1000 V	95 16 200	200	026761	70,00	1	Ø 20 mm / 70 mm ²	2 / 0
		95 16 200 SB	200	040910	72,10	6	Ø 20 mm / 70 mm ²	2 / 0
	tool chrome-plated, handles with dipped insulation, VDE-tested DIN EN 60900, IEC 60900 ⚡ 1000 V	95 17 200	200	026952	76,05	1	Ø 20 mm / 70 mm ²	2 / 0
Cable Shears, for two-hand operation precision-ground, hardened blades: clean and smooth cut without crushing and deformation; low handforce required due to favourable lever ratio; low weight	head burnished, handles with multi-component grips 	95 12 500	500	069966	145,10	1	Ø 27 mm / 150 mm ²	6 / 0
		95 17 500	500	026785	184,10	1	Ø 27 mm / 150 mm ²	6 / 0
	head polished, handles with dipped insulation, VDE-tested DIN EN 60900, IEC 60900  ⚡ 1000 V							

**Cable Cutters,
(ratchet action)**

precision-ground, hardened blades:
clean and smooth cut without
crushing; two-stage ratchet drive
for easy cutting

	Article No.	↔ mm	EAN 4003773-	€			MCM
tool black lacquered, handles with multi- component grips MM	95 31 250	250	043935	252,00	1	Ø 32 mm / 240 mm ²	500
tool black lacquered, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900 ⚠ 1000 V MM	95 36 250	250	026884	284,15	1	Ø 32 mm / 240 mm ²	500
tool black lacquered, handles with multi- component grips MM	95 31 280	280	043942	338,25	1	Ø 52 mm / 380 mm ²	750
tool black lacquered, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900 ⚠ 1000 V MM	95 36 280	280	026891	377,80	1	Ø 52 mm / 380 mm ²	750
tool black atrimentized, head polished, handles with multi-component grips MM	95 32 320	320	075172	417,85	1	Ø 60 mm / 600 mm ²	1,200
tool black atrimentized, head polished, handles insulated with multi-com- ponent grips, VDE-tested DIN EN 60900, IEC 60900 ⚠ 1000 V MM	95 36 320	320	075189	456,80	1	Ø 60 mm / 600 mm ²	1,200
Movable spare blade for 95 31 250 / 95 36 250, Models from 2025	95 250 E01		089537	63,70	1		
Movable spare blade for 95 31 280 / 95 36 280, Models from 2025	95 280 E01		089544	112,25	1		
Pivot cutter repair kit for 95 32 320 and 95 36 320, Models from 2025	95 320 E01		089568	185,60	1		
Repair kit ratchet drive, 95 250/280/315A/320, Models from 2025	95 3X E01		075738	45,05	1		
Screw connection repair kit, 95 250/280/315A/320, Models from 2025	95 3X E02		075738	32,90	1		
Feed pawl for 95 3 250/280, Models until 2024	95 39 04		039167	4,35	1		
Catch, for 95 31 250/280, Models until 2024	95 39 05		039174	5,40	1		
Torsion spring, for 95 31 250/280, Models until 2024	95 39 06		039181	3,00	1		
Pressure spring, for 95 31 250/280, Models until 2024	95 39 07		039198	2,80	1		
Barrel spring, for 95 31 250/280, Models until 2024	95 39 08		039204	3,25	1		
Tension spring set for lateral mounting 95 36 25/28, Models until 2024	95 39 08 S		039211	4,85	1		
Set of catches, for 95 31 250/280, Models until 2024	95 39 09		039228	4,15	1		
Joint axis, for 95 31 250/280, Models until 2024	95 39 11		039259	3,35	1		
Set of distance bolts, 1x87 01 150, 1x87 01 250, 1x87 01 300, Models until 2024	95 39 12 97		032458	6,10	1		
Raised countersunk screw, Models until 2024	95 39 13		039280	2,65	1		
Set of lock nuts, Models until 2024	95 39 13 97		032465	2,50	1		
Movable spare blade for 95 31 250 / 95 36 250, Models until 2024	95 39 250		022244	63,70	1		
Movable spare blade for 95 31 280 / 95 36 280, Models until 2024	95 39 280		025283	112,25	1		

	Article No.	↔ mm	EAN 4003773- 075714	€			MCM
Pivot cutter repair kit for 95 32 320 and 95 36 320, Models until 2024	95 39 320 01		075714	185,60	1		
Screw connection repair kit, 95 315A/320, Models until 2024	95 39 320 04		075745	32,90	1		
Retainer	95 69 190 03		079101	5,15	1		
Cable Shears, (ratchet action), with telescopic handles two-hand cable shears with multi-stage adjustable articulated joint; individual adjustment of the handle width; high cutting performance	head burnished, handles with multi-component grips	570	071556	298,15	1	∅ 38 mm / 280 mm ²	550
Spare cutter head for 95 32 038	95 39 038		073260	190,70	1		
Cable Cutters, (ratchet action), with telescopic handles precision-ground, hardened blades: clean and smooth cut without crushing; ratchet drive for easy cutting; with telescopic handles	head burnished, handles with multi-component grips	630 680	071563 071570	865,00 1.001,25	1 1	∅ 60 mm / 740 mm ² ∅ 100 mm / 960 mm ²	1,400 1,900
Movable spare blade for 95 31 720 / 95 32 060	95 39 720		025290	164,10	1		
Movable spare blade for 95 31 870 / 95 32 100	95 39 870		025306	219,25	1		
Cable Cutters, (ratchet action), for steel wire armoured cables (SWA cable) for cutting steel wire armoured cables; clean and smooth cut without crushing and deformation; 3-stage ratchet drive for easy cutting with one or two-hand operation; compact, low-weight construction	tool black lacquered, handles with multi-component grips	315	078562	429,25	1	∅ 45 mm / 380 mm ²	750
	tool black lacquered, handles insulated with multi-component grips, VDE-tested IEC 60900, DIN EN 60900	315	078579	463,90	1	∅ 45 mm / 380 mm ²	750
Repair kit ratchet drive, 95 250/280/315A/320, Models from 2025	N 95 3X E01		075738	45,05	1		
Screw connection repair kit, 95 250/280/315A/320, Models from 2025	N 95 3X E02		075738	32,90	1		
Pivot cutter repair kit for 95 32 315 A and 95 36 315 A, Models from 2025	N 95 315 E01		089551	185,30	1		
Pivot cutter repair kit for 95 32 315 A and 95 36 315 A, Models until 2024	95 39 315 A01		078586	185,30	1		
Screw connection repair kit, 95 315A/320, Models until 2024	95 39 320 04		075745	32,90	1		
ACSR Cable Cutter, (ratchet action), for cables with a steel core smooth, clean cut; two-stage ratchet drive for easy cutting; robust design	tool burnished, handles with multi-component grips	340	081241	488,00	1	∅ 32 mm / 1 1/4"	477
Pivot cutter repair kit for 95 32 340 SR	95 39 340 01		081340	189,05	1		
Bowden Cable Cutter	shear black a-tramentized, head polished, handles plastic-coated	150	065197	31,35	6	∅ mm 3	

95
3

95
3

95
3

95
3

95
6

CABLE AND WIRE ROPE SHEARS

95
6

Wire Rope Cutters, forged

blade geometry prevents the wire rope fanning out; little handforce required due to very high transmission ratio; with two crimping dies for end caps on Bowden cable sheaths and end ferrules for traction cables

head polished, handles plastic-coated



Article No.

95 61 190

↔ mm

190

EAN 4003773-

040651

€

52,05

6

Ø mm

5

head polished, handles with multi-component grips



95 62 190

190

071976

55,40

6

5

95 62 190 SB

190

071983

57,50

6

5

head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



95 62 190 T

190

080206

64,70

1

5

95 62 190 T BK

190

080633

66,80

1

5

Retainer

95 69 190 03

079101

5,15

1

95
6

Wire Rope Cutters, also for high-strength wire rope

compact and yet more powerful than many bigger wire rope cutters; unique joint design

PATENTED

tool burnished, handles with multi-component grips



95 62 160

160

082354

41,65

1

4

95 62 160 SB

160

082712

43,75

6

4

specially for tyre cord



95 62 160 TC

160

082422

44,35

1

2

Opening spring, for 95 62 160 und 95 62 160 TC

95 69 160 01

084105

4,20

1

Crimping Pliers

for cutting cables, stripping wire and crimping; with threaded holes for cutting copper and brass screws

pliers black lacquered, handles with multi-component grips



Article No.	↔ mm	EAN 4003773-	€			AWG
97 21 215	230	019688	25,50	6	0.5 – 6.0 mm ²	20 - 10
97 21 215 SB	230	034131	27,60	6	0.5 – 6.0 mm ²	20 - 10
97 21 215 B	230	019695	27,20	6	0.5 – 2.5 mm ²	20 - 14
97 21 215 B SB	230	041283	29,30	6	0.5 – 2.5 mm ²	20 - 14
97 21 215 C	230	019701	26,80	6	0.5 – 6.0 mm ²	20 - 10
97 22 240	240	070726	28,75	6	0.5 – 6.0 mm ²	20 - 10
					0.5 – 2.5 mm ²	20 - 14
97 22 240 SB	240	070733	30,85	6	0.5 – 6.0 mm ²	20 - 10
					0.5 – 2.5 mm ²	20 - 14
97 32 240	240	079491	28,05	6	0.5 – 6.0 mm ²	20 - 10
					0.5 – 6.0 mm ²	20 - 10
97 32 240 SB	240	079514	30,15	6	0.5 – 6.0 mm ²	20 - 10
					0.5 – 6.0 mm ²	20 - 10

KNIPEX MultiCrimp, Crimping Pliers with changer magazine

sets composed of pliers and quick changer magazine; high crimping quality due to precision profiles and ratchet mechanism; easy changing of crimping dies, no additional tools required

PATENTED

pliers burnished, handles with multi-component grips, with 3 interchangeable crimping dies



97 33 01	250	066927	240,55	1	0.5 – 6.0 mm ²	20 - 10
					0.5 – 6.0 mm ²	20 - 10
					0.25 – 6.0 mm ²	24 - 10
97 33 02	250	066934	313,45	1	0.5 – 6.0 mm ²	20 - 10
					0.5 – 6.0 mm ²	20 - 10
					0.25 – 6.0 mm ²	24 - 10
					10 / 16 / 25	8 / 6 / 4
					0.5 – 10 mm ²	20 - 8

pliers burnished, handles with multi-component grips, with 5 interchangeable crimping dies



pliers burnished, handles with multi-component grips, with 3 interchangeable crimping dies



N 97 33 03	250	092599	240,55	1	0.25 – 6 mm ²	24 - 10
				1	0.5 – 10.0 mm ²	20 - 8
				1	4 / 6 mm ²	12 / 10
N 97 33 LE	250	092643	125,55			

pliers burnished, handles with multi-component grips



Crimping die, for non-insulated open plug type connectors (plug width 4.8 + 6.3 mm)

97 39 05		070078	63,50	1	0.5 – 6.0 mm ²	20 - 10
----------	--	--------	-------	---	---------------------------	---------

Crimping die, for insulated cable connectors

97 39 06		070085	63,50	1	0.5 – 6.0 mm ²	20 - 10
----------	--	--------	-------	---	---------------------------	---------

CRIMPING PLIERS















































	Article No.	↔ mm	EAN 4003773-	€			AWG
	Crimping die, for insulated and non-insulated wire ferrules, 0,25 - 6 mm ²	97 39 08	070092	63,50	1	0.25 – 6.0 mm ²	24 - 10
	Crimping die, for insulated and non-insulated wire ferrules, 10 / 16 / 25 mm ²	97 39 09	077763	63,50	1	10 / 16 / 25 mm ²	8 / 6 / 4
	Crimping die, for non-insulated cable connectors	97 39 13	070108	63,50	1	0.5 – 10 mm ²	20 - 8
	Crimping die, for MC4®/MC4® EVO 2 connectors with 4 / 6 mm ²	N 97 39 42	092582	63,50		4 / 6 mm ²	
	Changer magazine, empty	97 39 90	070061	32,50	1		
97	Insertion tool, for LSA-Plus and identical construction design head burnished, plastic housing tool for putting on boards, sockets and fields; pushing down and cutting in one operation	97 40 10	175 044895	55,55	6	∅ 0.4 – 0.8 mm	
	Spare tip for 97 40 10	97 40 10 E01	087717	11,65	1		
97 40	Compression Tool, for coax connectors for crimping F, BNC and RCA connectors	97 40 20 SB	175 077626	71,85	1		
97 43	Crimp System Pliers with ratchet mechanism and adjustable crimping pressure; for all crimping dies and locators (article numbers 97 49 XX)	pliers burnished, handles with multi-component grips, in a plastic case with service tools, without crimping dies	97 43 200	200 030812	163,05	1	
		pliers burnished, handles with multi-component grips, without crimping dies	97 43 200 A	200 071587	125,85	1	
		pliers burnished, handles with multi-component grips, with mounted crimping dies	97 43 05	200 031031	216,75	1	0.5 – 6.0 mm ² 20 - 10
			97 43 06	200 031048	198,30	1	0.5 – 6.0 mm ² 20 - 10
	Spare spring for 97 43 200 / 97 43 200 A	97 49 200 02	14 087823	3,95	1		
97 43	Crimp System Pliers, for MC4®- and MC4® EVO 2 connectors with ratchet mechanism and adjustable crimping pressure	pliers burnished, handles with multi-component grips, with mounted crimping dies, for MC4®- and MC4® EVO 2 connectors	97 43 66	200 087779	305,50	1	2,5 – 6,0 mm ² 14 - 10
		pliers burnished, handles with multi-component grips, with mounted crimping dies, for MC4® EVO 2 connectors	N 97 43 66 EVO	200 090014	390,55	1	4,0 – 10,0 mm ² 12 - 8

		Article No.	↔ mm	EAN 4003773-	€			AWG
KNIPEX eCrimp, Electromechanical Crimp System Pliers, for exchangeable crimping dies for all crimping dies and locators (article numbers 97 49 XX); specially for crimping large cross-sections and for crimping sequences (PATENTED)	without crimping dies, in a plastic case with battery and charger, with euro plug	97 43 E	270	076858	1.825,65	1		
	without crimping dies, in a plastic case with battery and charger, with plug adapter for BS 5733 (GB)	97 43 E UK	270	076865	1.825,65	1		
	without crimping dies, in a plastic case with battery and charger, with plug adapter for AS/NSZ 3112	97 43 E AUS	270	076872	1.825,65	1		
	without crimping dies, in a plastic case with battery and charger, with plug NEMA 1-15P (USA / Canada / Mexico)	97 43 E US	270	077008	1.825,65	1		
	Spare Storage Battery for KNIPEX eCrimp	97 43 E 01			076889	152,55	1	
Crimping Dies, for manual and electromechanical KNIPEX Crimp System Pliers Art. No.: 97 43 XX	for non-insulated open plug type connectors (plug width 2.8 + 4.8 mm)	97 49 04		030850	94,90	1		0.1 – 2.5 mm ² 26 - 14
	for non-insulated open plug type connectors (plug width 4.8 + 6.3 mm)	97 49 05		030867	90,90	1		0.5 – 6.0 mm ² 20 - 10
	for insulated cable connectors	97 49 06		030836	72,50	1		0.5 – 6.0 mm ² 20 - 10
	for insulated PIDG connectors	97 49 06 PI		086475	76,40	1		0.5 – 6.0 mm ² 20 - 10
	for heat shrinkable sleeve connectors	97 49 07		077749	72,50	1		0.5 – 6.0 mm ² 20 - 10
	for insulated and non-insulated wire ferrules	97 49 08		030874	70,25	1		0.25 – 6.0 mm ² 24 - 10
		97 49 09		030881	70,25	1		10 / 16 / 25 mm ² 8 / 6 / 4
	for non-insulated tube and crimp cable lugs and non-insulated butt and crimp connectors in accordance with DIN 46341	97 49 10		076896	72,15	1		0.25 – 0.75 / 1.0 – 1.5 / 2.5 mm ² 24 - 14
	for non-insulated cable connectors	97 49 14		077756	70,25	1		0.5 – 10 mm ² 20 - 8
	for plug connectors and non-insulated, open plug type connectors	97 49 15		043164	245,55	1		1,5 – 2,5 + 3,0 – 6,0 16 - 10
	for insulated terminals + plug connectors	97 49 16		040675	76,30	1		10 / 16 mm ² 8 / 6
	for twin wire ferrules for two flexible conductors	97 49 18		063186	125,85	1		2 x 6 / 2 x 10 / 2 x 16 mm ² 2 x 10 / 2 x 8 / 2 x 6
	for insulated and non-insulated wire ferrules	97 49 19		030898	118,00	1		35 / 50 mm ² 2 / 1 / 0
	for insulated and non-insulated connectors	97 49 21		086468	246,70	1		0.1 - 0.5 mm ² 20 - 10

97
43
E

97

Crimping Dies, for manual and electromechanical KNIPEX Crimp System Pliers Art. No.: 97 43 XX

	Article No.	↔ mm	EAN 4003773-	€			AWG
for non-insulated cable lugs + connectors	 97 49 23		052135	74,45	1	16 / 25 mm ² 	6 / 4
for D-Sub, HD 20, HDE plugs	 97 49 24		030911	167,05	1	0.03 – 0.56 mm ² 	32 - 20
Micro-Fit 3.0 from Molex	 97 49 25		079798	304,00	1		30 - 20
Mini-Fit™ von Molex	 97 49 26		079804	304,00	1		24 - 16
for MQS connectors without single wire seal	 97 49 27		079811	209,00	1	0.25 – 0.5 mm ² 	24 - 20
Crimping die for connectors of the AMP Superseal 1.5 series from Tyco Electronics	 97 49 28		083757	203,15	1	0.35 – 1.5 mm ² 	22 - 16
Wire Feed Stopper for 97 49 28	97 49 28 1		083764	33,95	1		
for non-insulated compression connectors according to DIN 46267	 97 49 30		030904	70,25	1	1.5 – 10.0 mm ² 	16 - 8
			030904			6.0 + 10.0 mm ² 	10 / 8
for coax connectors	 97 49 40		030959	118,00	1	RG 58 / 59 / 62 / 71 / 223 	
for coax connectors / car phone	 97 49 50		030966	139,25	1	RG 58 / 174 / 188 / 316 	
Junior Power Timer	 97 49 54		041450	169,80	1	0.5 – 2.5 mm ² 	20 - 14
for solar cable connectors Helios H4 (Amphenol)	 97 49 59		073734	168,70	1	2.5 / 4 / 6 + 10 mm ² 	14 - 8
for turned contacts (HTS + Harting)	 97 49 60		030928	177,65	1	0.14 – 4.0 mm ² 	26 - 12
for turned contacts	 97 49 61		045137	173,70	1	1.5 / 2.5 / 4 / 6 mm ² 	16 - 10
for ABS connectors in motor vehicles	 97 49 64		044055	245,00	1	2.5 – 6.0 mm ² 	14 - 10
for solar cable connectors MC4® (Multi-Contact) & MC4® EVO2	 97 49 66		066699	178,15	1	2.5 / 4 / 6.0 mm ² 	14 / 12 / 10
		 97 49 66 4	072096	290,65	1	4.0 mm ² 	12
		 97 49 66 6	072102	290,65	1	6.0 mm ² 	10
for turned solar cable connectors (Tyco)	 97 49 68		066712	256,70	1	1.5 – 6.0 mm ² 	16 - 10
for solar cable connectors gesis® solar PST 40 (Wieland)	 97 49 69 2		072126	193,80	1	4.0 / 6.0 / 10.0 mm ² 	12 / 10 / 8
for Western plugs	 97 49 70		030942	149,25	1	RJ 10 / 11 / 12 / 45 	
for solar cable connectors MC4® (Multi-Contact)	 97 49 71		075066	173,70	1	4.0 / 6.0 / 10.0 mm ² 	12 / 10 / 8
for unshielded Molex plugs (short design)	 97 49 74		044062	180,95	1	RJ 12 / 45 	

	Article No.	↔ mm	EAN 4003773- 079828	€	 1	AWG
Locators, for exchangeable crimping dies	Locator for 97 49 25		97 49 25 1	82,35	1	
	Locator for 97 49 26		97 49 26 1	079835	82,35	1
	Locator for 97 49 27		97 49 27 1	079842	84,15	1
	Locator for 97 49 59 (solar cable connectors Helios H4)		97 49 59 1	073741	109,55	1
	Locator for 97 49 66		97 49 66 1	066736	84,50	1
	Locator for 97 49 68		97 49 68 1	066743	84,50	1
	Locator for 97 49 71 (solar cable connectors MC4®)		97 49 71 1	075073	81,90	1
	Locator for 97 49 60 (HTS+Harting)		97 49 90	031017	138,65	1

CRIMPING PLIERS

97

Locators, for exchangeable crimping dies

Locator for 97 49 61



Article No.
N 97 49 91

↔
mm

EAN
4003773-
045144

€
90,65

1

AWG

Locator for 97 49 24
(D-Sub-plugs)



97 49 93

047926

129,75

1

Locator for 97 49 04



97 49 94

030997

44,30

1

Locator for
97 49/52 05/35



97 49 95

031000

44,30


1

97

Set of Mounting Tools, for solar cable connectors MC4® (Multi-Contact)

for easy and correct assembly of MC4® solar cable connectors

tool: glass fibre reinforced plastic



97 49 66 2

115

074106

9,30

1

97

Crimping Pliers for Scotchlok™ connectors, with side cutter

for crimping plastic-insulated telecommunication or signal cables using the U-contact principle

head polished, handles plastic-coated



97 50 01

155

028239

48,70

6 Ø 0.4 – 1.1 mm

97

Crimping Pliers for Western plugs

exact crimping process due to parallel crimping; with ratchet mechanism; with additional stripping device for round cables

pliers burnished, handles with multi-component grips



97 51 10

190

043171

34,65

1 RJ 11 / 12 / 45



97 51 10 SB

190

044390

36,75

1 RJ 11 / 12 / 45



97 51 12

200

043188

118,80

1 RJ 10 / 11 / 12 / 45



97 51 12 SB

200

044406

120,90

1 RJ 10 / 11 / 12 / 45



97 51 13

190

087908

53,55

1 RJ45



97 51 13 SB

190

089155

55,65

1 RJ45

Spare blade for 97 51 10 / 97 51 12 / 97 51 13

97 51 E01

089278

16,80

1

Crimping Pliers, for two-hand operation
hand force reduced by up to 30%; high crimping quality due to precision dies and ratchet mechanism

pliers burnished, handles with non-slip plastic covers



Article No.	↔ mm	EAN 4003773-	€	📦		AWG
97 52 04	250	025450	180,95	1	0.1 – 2.5 mm ²	26 - 14
97 52 05	250	025467	177,05	1	0.5 – 6.0 mm ²	20 - 10
97 52 05 SB	250	033301	179,15	1	0.5 – 6.0 mm ²	20 - 10
97 52 06	250	025474	140,90	1	0.5 – 6.0 mm ²	20 - 10
97 52 06 SB	250	039464	143,00	1	0.5 – 6.0 mm ²	20 - 10
97 52 08	250	025481	149,80	1	0.25 – 6.0 mm ²	24 - 10
97 52 09	250	025498	149,80	1	10 / 16 / 25 mm ²	8 / 6 / 4
97 52 09 SB	250	044024	151,90	1	10 / 16 / 25 mm ²	8 / 6 / 4
97 52 10	250	023678	192,10	1	RG 58 / 59 / 62 / 71 / 223	
97 52 13	250	048084	157,05	1	0.5 – 10 mm ²	20 - 8
97 52 13 SB	250	048091	159,15	1	0.5 – 10 mm ²	20 - 8
97 52 18	250	026839	225,10	1	2 x 6 / 2 x 10 / 2 x 16 mm ²	10 / 8 / 6
97 52 19	250	052142	191,55	1	35 / 50 mm ²	2 / 0
97 52 23	250	052159	162,60	1	16 / 25 mm ²	6 / 4
97 52 14	195	026808	188,20	1	0.1 – 1.5 mm ²	26 - 16
97 52 20	195	026853	194,95	1	RG 58 / 59 / 62 / 71 / 223	
97 59 14		026976	38,00	1		
97 59 20		053934	4,40	1		
97 59 21		053941	4,40	1		

Crimping Pliers, short design
high crimping quality due to precision dies and ratchet mechanism; optimum transmission of force due to toggle lever action; low weight

pliers burnished, handles with multi-component grips



Locator for 97 52 14

Spare spring, for 97 52 XX / 97 33 XX

Spare spring, for 97 52 04 – 97 52 23

KNIPEX PreciForce, Crimping Pliers

high crimping quality due to precision dies and ratchet mechanism; high transmission of force thanks to toggle lever action; compact design

pliers burnished, handles with multi-component grips



Article No.	↔ mm	EAN 4003773-	€			AWG
97 52 30	220	051855	128,65	1	1.5 – 10.0 mm ²	16 - 8
97 52 30 SB	220	052586	128,65	1	1.5 – 10.0 mm ²	16 - 8
97 52 33	220	051862	128,65	1	0.5 – 10 mm ²	20 - 8
97 52 33 SB	220	052593	128,65	1	0.5 – 10 mm ²	20 - 8
97 52 34	220	051879	148,10	1	0.1 – 2.5 mm ²	26 - 14
97 52 34 SB	220	052609	148,10	1	0.1 – 2.5 mm ²	26 - 14
97 52 35	220	051886	148,10	1	0.5 – 6.0 mm ²	20 - 10
97 52 35 SB	220	052562	148,10	1	0.5 – 6.0 mm ²	20 - 10
97 52 36	220	051893	120,85	1	0.5 – 6.0 mm ²	20 - 10
97 52 36 SB	220	052579	120,85	1	0.5 – 6.0 mm ²	20 - 10
97 52 37	220	063193	120,85	1	0.5 – 6.0 mm ²	20 - 10
97 52 38	220	051909	128,65	1	0.25 – 6.0 mm ²	24 - 10
97 52 38 SB	220	052630	128,65	1	0.25 – 6.0 mm ²	24 - 10
97 52 42	220	092117	148,10	1	4.0 – 6.0 mm ²	12 - 10
97 52 42 SB	220	092162	148,10	1	4.0 – 6.0 mm ²	12 / 10
97 52 50	220	051916	173,20	1	RG 58 / 174 / 188 / 316	
97 52 50 SB	220	052647	173,20	1	RG 58 / 174 / 188 / 316	
97 52 63	180	050148	718,40	1	0.08 – 2.5 mm ²	28 - 14
97 52 63 DG	195	063209	1.044,10	1	0.08 – 2.5 mm ²	28 - 14
97 52 65	230	045236	836,60	1	0.14 – 6.0 mm ²	26 - 10

pliers burnished, handles with multi-component grips, locator available as accessory



pliers burnished, handles with multi-component grips



pliers burnished, handles with multi-component grips, for MC4®- and MC4® EVO 2 connectors



pliers burnished, handles with multi-component grips



Four-Mandrel Crimping Pliers for turned contacts

high crimping quality due to ratchet mechanism; optimum transmission of force due to lever action; including mandrel gauge to check setting

pliers chrome-plated, handles with multi-component grips, with locator, in a plastic case

































pliers chrome-plated, handles with multi-component grips, digital display of the preset crimping capacities, with locator, in a plastic case



pliers chrome-plated, handles with multi-component grips, with locator, in a plastic case



		Article No.	↔ mm	EAN 4003773- 071594	€			AWG
<p>Four-Mandrel Crimping Pliers for turned contacts</p> <p>high crimping quality due to ratchet mechanism; optimum transmission of force due to lever action; including mandrel gauge to check setting</p>	pliers chrome-plated, handles with multi-component grips, without locator, in a plastic case	97 52 65 A	250		772,90	1	0.14 – 6.0 mm ²	26 - 10
								
								
	pliers chrome-plated, handles with multi-component grips, digital display of the preset crimping capacities, with locator, in a plastic case	97 52 65 DG	250	063216	1.157,45	1	0.14 – 6.0 mm ²	26 - 10
								
	 							
	pliers chrome-plated, handles with multi-component grips, digital display of the preset crimping capacities, without locator, in a plastic case	97 52 65 DG A	250	071990	1.028,15	1	0.14 – 6.0 mm ²	26 - 10
								
	 							
<p>Locators, for exchangeable crimping dies</p> <p>Universally adjustable locator for the repeatable exact alignment of turned contacts in crimping pliers</p>	Universal Locator for 97 52 65 / 97 52 65 A / 97 52 65 DG / 97 52 65 DG A	97 59 65 2		071600	310,10	1		
								
<p>Four-Mandrel Crimping Pliers for DT contacts</p> <p>high crimping quality due to ratchet mechanism; optimum transmission of force due to lever action; including two mandrel gauges to check setting; Specialty crimping pliers for processing turned male and female contacts of the DT-series from TE Connectivity (formerly known as Deutsch terminals)</p>	pliers chrome-plated, handles with multi-component grips	97 52 67 DT	230	088820	516,60	1	0.35 – 3.0 mm ²	22 - 12
								
								
	Spare "Go" gauge	97 59 67 1	77	088905	54,85	1		
	Spare "NoGo" gauge	97 59 67 2	77	088912	54,85	1		
<p>Self-Adjusting Crimping Pliers for wire ferrules, with lateral access</p> <p>repetitive, high crimping quality due to ratchet mechanism; optimum transmission of force due to toggle lever action; handy shape and low weight</p> <p></p>	pliers burnished, handles with multi-component grips	97 53 04	180	028017	183,80	1	0.08 – 16.0 mm ² / 2x 6.0 mm ²	28 - 6
								
								
	pliers burnished, handles with multi-component grips	97 53 04 SB	180	030270	183,80	1	0.08 – 16.0 mm ² / 2x 6.0 mm ²	28 - 6
								
								
pliers burnished, handles with multi-component grips	97 53 14	180	041474	193,20	1	0.08 – 16 mm ² / 2x 10 mm ²	28 - 6	
								
								
pliers chrome-plated, handles with multi-component grips	97 53 14 SB	180	048497	193,20	1	0.08 – 16 mm ² / 2x 10 mm ²	28 - 6	
								
								
pliers chrome-plated, handles with multi-component grips	97 55 04	180	084853	190,45	1	0.08 – 16.0 mm ² / 2x 6.0 mm ²	28 - 6	
								
	97 55 04 SB	180	086109	190,45	1	0.08 – 16.0 mm ² / 2x 6.0 mm ²	28 - 6	

97

















97

97

97

CRIMPING PLIERS

			Article No.	↔ mm	EAN 4003773-	€			AWG	
97	Self-Adjusting Crimping Pliers for wire ferrules, with lateral access repetitive, high crimping quality due to ratchet mechanism; optimum transmission of force due to toggle lever action; handy shape and low weight (PATENTED)		pliers chrome-plated, handles with multi-component grips	97 55 14	180	084860	199,95	1	0.08 – 16 mm ² / 2 x 10 mm ² 	28 - 6
				97 55 14 SB	180	086116	199,95	1	0.08 – 16 mm ² / 2 x 10 mm ² 	28 - 6
			Extension spring, for 97 53 4/5/8/9/14, thin (Handle)	97 59 30		053965	4,15	1		
			Extension spring, for 97 53 4/5/8/9/14, thick (Head)	97 59 31		053972	4,15	1		
97	Self-Adjusting Crimping Pliers for wire ferrules, with front loading repetitive, high crimping quality due to ratchet mechanism; optimum transmission of force due to toggle lever action; handy shape and low weight		pliers burnished, handles with multi-component grips, parallel loading up to 2.5 mm ²	97 53 08	190	040187	186,55	1	0.08 – 10 mm ² 	28 - 8
				97 53 08 SB	190	040484	186,55	1	0.08 – 10 mm ² 	28 - 8
			pliers burnished, handles with multi-component grips	97 53 09	190	044550	198,20	1	0.08 – 10 + 16 mm ² 	28 - 6
				97 53 09 SB	190	044758	198,20	1	0.08 – 10 + 16 mm ² 	28 - 6
			Extension spring, for 97 53 4/5/8/9/14, thin (Handle)	97 59 30		053965	4,15	1		
			Extension spring, for 97 53 4/5/8/9/14, thick (Head)	97 59 31		053972	4,15	1		
97	KNIPEX Twistor 16®, Self-Adjusting Crimping Pliers for wire ferrules, with rotatable die head 360° rotatable crimp head; with 8 tactile locking positions; with square compression		pliers chrome-plated, handles with multi-component grips	97 53 18	200	082729	204,45	1	0.14 – 16 mm ² 	26 - 6
				97 53 18 SB	200	082736	204,45	1	0.14 – 16 mm ² 	26 - 6
97	KNIPEX Twistor® T, Self-Adjusting Crimping Pliers for wire ferrules, with rotatable die head 360° rotatable crimp head; with 8 tactile locking positions		pliers chrome-plated, handles with multi-component grips, Trapezoidal crimp	97 53 19	200	088097	204,45	1	0.14 - 10 mm ² 	26 - 8
				97 53 19 SB	196	088578	204,45	1	0.14 - 10 mm ² 	26 - 8
97	Crimping Pliers for micro plugs, parallel crimping high crimping quality due to precision dies and ratchet mechanism; fixed locator for an exact positioning of connector and cable; optimum transmission of force due to toggle lever		pliers burnished, handles with multi-component grips	97 54 24	190	060215	441,35	1	0.03 – 0.56 mm ² 	32 - 20
				97 54 25	190	079859	441,35	1		30 - 20
				97 54 26	190	079866	387,90	1		24 - 16
97	Crimping Pliers for wire ferrules, with trapezoid crimp reliable crimping in marked trapezoidal dies		head polished, handles plastic-coated	97 61 145 A	145	035558	29,80	6	0.25 – 2.5 mm ² 	24 - 14
				97 61 145 A SB	145	023029	31,90	6	0.25 – 2.5 mm ² 	24 - 14
				97 62 145 A	145	060154	33,65	6	0.25 – 2.5 mm ² 	24 - 14
			head polished, with comfort handles							

			Article No.	↔ mm	EAN 4003773-	€			AWG									
<p>Crimping Pliers for wire ferrules, with trapezoid crimp reliable crimping in marked trapezoidal dies</p>	<p>head polished, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900</p>		<p>97 68 145 A</p>	<p>145</p>	<p>071754</p>	<p>37,15</p>	<p>1</p>	<p>0.25 – 2.5 mm²</p> 	<p>24 - 14</p>									
<p>Crimping Pliers for wire ferrules, with mandrel crimp light and slim design; reliable crimping in 9 marked half-round dies with conical side faces</p>	<p>head polished, handles plastic-coated</p>		<p>97 71 180</p>	<p>180</p>	<p>040668</p>	<p>40,55</p>	<p>6</p>	<p>0.25 – 16 mm²</p> 	<p>24 - 6</p>									
										<p>head polished, with comfort handles</p>		<p>97 71 180 SB</p>	<p>180</p>	<p>012740</p>	<p>42,65</p>	<p>6</p>	<p>0.25 – 16 mm²</p> 	<p>24 - 6</p>
	<p>head polished, handles insulated with multi-component grips, VDE-tested DIN EN 60900, IEC 60900</p>		<p>97 72 180</p>	<p>180</p>	<p>060185</p>	<p>44,55</p>	<p>6</p>	<p>0.25 – 16 mm²</p> 	<p>24 - 6</p>									
	<p>head polished, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether DIN EN 60900, IEC 60900</p>		<p>97 78 180 SB</p>	<p>180</p>	<p>083146</p>	<p>49,50</p>	<p>6</p>	<p>0.25 – 16 mm²</p> 	<p>24 - 6</p>									
<p>head polished, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether DIN EN 60900, IEC 60900</p>											<p>97 78 180 T</p>	<p>180</p>	<p>081531</p>	<p>56,70</p>	<p>1</p>	<p>0.25 – 16 mm²</p> 	<p>24 - 6</p>	
	<p>Crimping Pliers for wire ferrules, with front loading ideal for work in confined areas, e.g. in narrow and deep switch boxes</p>	<p>head polished, handles plastic-coated</p>		<p>97 78 180 T BK</p>	<p>180</p>	<p>081883</p>	<p>58,80</p>	<p>1</p>	<p>0.25 – 16 mm²</p> 									<p>24 - 6</p>
<p>Crimping Pliers for wire ferrules, with front loading ideal for work in confined areas, e.g. in narrow and deep switch boxes</p>	<p>head polished, handles plastic-coated</p>		<p>97 81 180</p>	<p>180</p>	<p>019794</p>	<p>57,00</p>	<p>6</p>	<p>0.5 – 6.0 mm²</p> 	<p>20 - 10</p>									

CRIMP ASSORTMENTS

97

Crimp Assortments, for cable connectors

in a TANOS MINI-systainer® of high-strength ABS-material; with T-Loc catch; plastic inserts with an assortment of standard cable connectors

with crimping pliers 97 52 36



Article No.
97 90 21

↔ mm
265

EAN
4003773-
062134

€
279,90

📦
1

Contents
1 x 97 52 36

with crimping pliers 97 52 36 and self-adjusting insulation stripper 12 42 195



97 90 22

265

062141

419,35

1

1 x 12 42 195 / 1 x 97 52 36

with crimping pliers 97 22 240



97 90 25

265

076971

146,55

1

1 x 97 22 240

with crimping pliers 97 22 241



97 90 26

265

079521

155,85

1

1 x 97 32 240

with Multi-Tool for Electricians 12 72 190



N 97 90 27

265

090021

268,25

1

1 x 12 72 190

97

Crimp Assortments, for wire ferrules

DIN 46228 in a TANOS MINI-systainer® of high-strength ABS-material; with T-Loc catch; plastic inserts with an assortment of wire ferrules

with crimping pliers for wire ferrules 97 71 180



97 90 05

265

025535

144,00

1

1 x 97 71 180

97

Crimp Assortments, for wire ferrules with plastic collars

DIN 46228 in a TANOS MINI-systainer® of high-strength ABS-material; with T-Loc catch; plastic inserts with an assortment of wire ferrules with collar

with crimping pliers for wire ferrules 97 71 180



97 90 06

265

025542

156,05

1

1 x 97 71 180

Crimp Assortments, for wire ferrules with plastic collars in a TANOS MINI-systainer® of high-strength ABS-material; with T-Loc catch; plastic inserts with an assortment of wire ferrules

with crimping pliers for wire ferrules 97 53 04
DIN 46228



Article No.	↔ mm	EAN 4003773- 028574	€	📦	Contents
97 90 09	265		325,50	1	1 x 97 53 04
97 90 10	265	046202	440,30	1	1 x 97 53 04 / 1 x 12 40 200
97 90 13	265	083474	367,85	1	1 x 97 53 18
97 90 14	265	084884	512,00	1	1 x 97 53 18 / 1 x 12 52 195
97 90 15	265	084877	503,15	1	1 x 97 53 09 / 1 x 12 52 195
97 90 16	265	086024	474,45	1	1 x 97 53 09 / 1 x 12 40 200
97 90 17	265	086031	493,05	1	1 x 97 53 09 / 1 x 12 42 195
97 90 23	265	062158	260,05	1	1 x 97 52 38

with crimping pliers for wire ferrules 97 53 04 and self-adjusting insulation stripper 12 40 200
DIN 46228



with crimping pliers for wire ferrules KNIPEX Twistor®16 97 53 18
DIN 46228



with crimping pliers for wire ferrules KNIPEX Twistor® 16 97 53 18 and automatic insulation stripper KNIPEX PreciStrip16 12 52 195
DIN 46228



with crimping pliers for wire ferrules 97 53 09 and KNIPEX PreciStrip16 12 52 195
DIN 46228



with crimping pliers for wire ferrules 97 53 09 and self-adjusting insulation stripper 12 40 200
DIN 46228



with crimping pliers for wire ferrules 97 53 09 and self-adjusting insulation stripper 12 42 195
DIN 46228



with crimping pliers for wire ferrules 97 52 38



CRIMP ASSORTMENTS

		Article No.	↔ mm	EAN 4003773- 054009	€	 Contents
97	TANOS MINI-systainer®, empty of high-strength ABS-material with T-Loc catch and plastic inserts	97 90 00 LE	171		62,00	1
						
97 91	Tool sets for photovoltaics equipped with tools for photovoltaics; 1.5 / 2.5 / 4.0 / 6.0 mm ²	97 91 01		070351	368,85	1 1 x 12 12 11 / 1 x 95 16 165 / 1 x 97 43 200
						
97 91	Tool sets for photovoltaics equipped with tools for photovoltaics; 4.0 / 6.0 / 10.0 mm ²	97 91 03		087755	387,25	1 1 x 12 12 12 / 1 x 95 16 165 / 1 x 97 43 200
						
97	Tool Sets for Photovoltaics MC4® equipped with tools for photovoltaics; for MC4® connectors	97 91 04 V01	1.5 / 2.5 / 4.0 / 6.0 mm ²	088998	640,80	1 1 x 12 12 11 / 1 x 95 16 165 / 1 x 97 43 200 / 1 x 97 49 66 / 1 x 97 49 66 1 / 1 x 97 49 66 2
						
	4.0 / 6.0 / 10.0 mm²	97 91 04 V02		089001	640,80	1 1 x 95 16 165 / 1 x 12 12 12 / 1 x 97 43 200 A / 1 x 97 49 71 / 1 x 97 49 71 1 / 1 x 97 49 66 2
						
	Tool sets for photovoltaics, empty	97 91 01 LE	280	088813	66,75	1

		Article No.	↔ mm	EAN 4003773-	€				AWG	
Blade Terminal Sockets, insulated	100 pieces each		97 99 001		075882	11,05	1	●	2.8 x 0.5 mm; 0.5 – 1.0 mm ²	22 - 16
			97 99 010		075899	11,70	1	●	4.8 x 0.8 mm; 0.5 – 1.0 mm ²	22 - 16
			97 99 011		075905	12,90	1	●	4.8 x 0.8 mm; 1.5 – 2.5 mm ²	16 - 14
			97 99 021		075929	12,90	1	●	6.3 x 0.8 mm; 1.5 – 2.5 mm ²	16 - 14
			97 99 022		075936	15,50	1	●	6.3 x 0.8 mm; 4.0 – 6.0 mm ²	12 - 10
			97 99 030		075943	23,80	1	●	7.7 x 0.8 mm; 1.5 – 2.5 mm ²	16 - 14
			97 99 020		075912	12,90	1	●	6.3 x 0.8 mm; 0.5 – 1.0 mm ²	22 - 16
Cable Connectors, eye type, insulated DIN 46237	200 pieces each		97 99 170		076094	24,00	1	●	Ø 3.0 mm; 0.5 – 1.0 mm ²	22 - 16
			97 99 171		076100	26,35	1	●	Ø 4.0 mm; 0.5 – 1.0 mm ²	22 - 16
			97 99 172		076117	27,85	1	●	Ø 5.0 mm; 0.5 – 1.0 mm ²	22 - 16
	100 pieces each		97 99 173		076124	14,10	1	●	Ø 4.0 mm; 1.5 – 2.5 mm ²	16 - 14
			97 99 174		076131	16,40	1	●	Ø 5.0 mm; 1.5 – 2.5 mm ²	16 - 14
			97 99 175		076148	17,85	1	●	Ø 6.0 mm; 1.5 – 2.5 mm ²	16 - 14
			97 99 176		076155	21,30	1	●	Ø 8.0 mm; 1.5 – 2.5 mm ²	16 - 14
			97 99 177		076162	23,85	1	●	Ø 5.0 mm; 4.0 – 6.0 mm ²	12 - 10
			97 99 178		076179	23,70	1	●	Ø 6.0 mm; 4.0 – 6.0 mm ²	12 - 10
			97 99 179		076186	28,90	1	●	Ø 8.0 mm; 4.0 – 6.0 mm ²	12 - 10
	97 99 180		076193	41,20	1	●	Ø 10.0 mm; 4.0 – 6.0 mm ²	12 - 10		
Butt Connectors, insulated	100 pieces each		97 99 270		076346	22,70	1	●	0.5 – 1.0 mm ²	22 - 16
			97 99 271		076353	25,50	1	●	1.5 – 2.5 mm ²	16 - 14
			97 99 272		076360	43,25	1	●	4.0 – 6.0 mm ²	12 - 10
Wire ferrules with plastic collar DIN 46228	200 pieces each		97 99 330		076414	3,10	1	●	0.5 mm ²	20
			97 99 331		076421	3,25	1	●	0.75 mm ²	18
			97 99 332		076438	3,55	1	●	1.0 mm ²	18
			97 99 333		076445	3,65	1	●	1.5 mm ²	16
			97 99 334		076452	4,55	1	●	2.5 mm ²	14
			97 99 335		076469	8,70	1	●	4.0 mm ²	12
	100 pieces each		97 99 336		076476	5,80	1	●	6.0 mm ²	10
			97 99 337		076483	8,00	1	●	10.0 mm ²	8
			97 99 338		076490	10,10	1	●	16.0 mm ²	6
			97 99 339		076506	10,30	1	●	25.0 mm ²	4
	50 pieces each		97 99 350		076513	5,80	1	●	0.5 mm ²	20
	200 pieces each		97 99 351		076520	5,40	1	●	0.75 mm ²	18
			97 99 352		076537	6,60	1	●	1.0 mm ²	18
			97 99 353		076544	6,50	1	●	1.5 mm ²	16
			97 99 354		076551	10,65	1	●	2.5 mm ²	14
	97 99 355		076568	11,10	1	●	4.0 mm ²	12		
100 pieces each	97 99 356		076575	9,10	1	●	6.0 mm ²	10		
	97 99 357		076582	11,05	1	●	10.0 mm ²	8		
	97 99 358		076599	13,60	1	●	16.0 mm ²	6		
	97 99 359		076605	13,70	1	●	25.0 mm ²	4		
Twin wire ferrules, with plastic collar	200 pieces each		97 99 370		076612	8,10	1	●	2 x 0.5 mm ²	2 x 20
			97 99 371		076629	7,95	1	●	2 x 0.75 mm ²	2 x 18
			97 99 372		076636	8,85	1	●	2 x 1.0 mm ²	2 x 18
			97 99 373		076643	11,65	1	●	2 x 1.5 mm ²	2 x 16
	100 pieces each		97 99 374		076650	5,55	1	●	2 x 2.5 mm ²	2 x 14
			97 99 375		076667	11,40	1	●	2 x 4.0 mm ²	2 x 12
	50 pieces each		97 99 376		076674	7,55	1	●	2 x 6.0 mm ²	2 x 10
			97 99 377		076681	12,60	1	●	2 x 10.0 mm ²	2 x 8
			97 99 378		076698	7,75	1	●	2 x 16.0 mm ²	2 x 6

97
99

97
99

97
99

97
99

97
99

CABLE CONNECTORS

97
99

Non-insulated wire ferrules 200 pieces each
DIN 46228



Article No.	↔ mm	EAN 4003773-	€			AWG	
97 99 390		076704	2,60	1	0.5 mm ²	20	
97 99 391		076711	2,60	1	0.75 mm ²	18	
97 99 392		076728	2,70	1	1.0 mm ²	18	
97 99 393		076735	2,85	1	1.5 mm ²	16	
97 99 394		076742	3,40	1	2.5 mm ²	14	
97 99 395		076759	4,55	1	4.0 mm ²	12	
<hr/>							
	100 pieces each	97 99 396	076766	3,45	1	6.0 mm ²	10
		97 99 397	076773	4,60	1	10.0 mm ²	8
		97 99 398	076780	5,75	1	16.0 mm ²	6
	50 pieces each	97 99 399	076797	4,95	1	25.0 mm ²	4

97
99

F-Compression Connector 10 pieces each



97 99 500		082378	19,25	1	ca. Ø 7 mm	
-----------	--	--------	-------	---	------------	--

97
99

Assortment Boxes, with insulated wire ferrules
DIN 46228
handy, transparent shaker with opening to remove individual wire ferrules



97 99 905		082446	13,40	1	30 x 0.25 / 30 x 0.34 / 30 x 0.50 / 30 x 0.75 / 30 x 1.00 mm ²	
-----------	--	--------	-------	---	---	--

97 99 906		082453	13,40	1	50 x 0.50 / 100 x 0.75 / 100 x 1.00 / 100 x 1.50 / 50 x 2.50 mm ²	
-----------	--	--------	-------	---	--	--

97 99 907		082460	13,40	1	50 x 4.00 / 20 x 6.00 / 20 x 10.00 / 10 x 16.00 mm ²	
-----------	--	--------	-------	---	--	--

97
99

Assortment Boxes, with Twin wire ferrules
handy, transparent shaker with opening to remove individual wire ferrules



97 99 908		082477	13,40	1	50 x (2 x 0.75) / 50 x (2 x 1.0) / 50 x (2 x 1.5) / 50 x (2 x 2.5) mm ²	
-----------	--	--------	-------	---	--	--

97 99 909		082484	12,80	1	20 x (2 x 4.0) / 10 x (2 x 6.0) / 10 x (2 x 10.0) / 5 x (2 x 16.0) mm ²	
-----------	--	--------	-------	---	--	--

97
99

Assortment Boxes, with non-insulated wire ferrules
DIN 46228
handy, transparent shaker with opening to remove individual wire ferrules



97 99 910		082491	23,90	1	500 x 0.50 / 500 x 0.75 / 400 x 1.00 / 300 x 1.50 / 200 x 2.50 mm ²	
-----------	--	--------	-------	---	--	--

97 99 911		082507	14,75	1	150 x 4.00 / 75 x 6.00 / 75 x 10.00 / 50 x 16.00 mm ²	
-----------	--	--------	-------	---	---	--

**Concreters' Nippers,
(Concreter's Nippers or
Fixer's Nippers)**

DIN ISO 9242

to twist and cut wire in one operation; fast and reliable

pliers black atramentized,
head polished



pliers black atramentized,
head polished, with 12
mm head



pliers black atramentized,
head polished, handles
plastic-coated



pliers bright zinc plated



**High Leverage Concreters'
Nippers, high lever
transmission**

DIN ISO 9242

to twist and cut thicker wire in one operation; particularly high cutting capacity with minimum effort due to optimum transmission ratio; high damping of the cutting stroke after cutting

pliers black atramentized,
head polished



pliers black atramentized,
head polished, handles
plastic-coated



pliers bright zinc plated



Article No.	↔ mm	EAN 4003773-	€		 Ø mm	 Ø mm	 Ø mm
99 00 200	200	014393	16,10	6		1.8	1.4
99 00 220	220	013273	16,45	6		2.4	1.6
99 00 220 SB	220	012160	18,55	6		2.4	1.6
99 00 220 EAN	220	022039	16,45	6		2.4	1.6
99 00 250	250	013280	18,00	6		2.4	1.6
99 00 250 SB	250	012184	20,10	6		2.4	1.6
99 00 250 EAN	250	022046	18,00	6		2.4	1.6
99 00 280	280	014096	19,75	6		2.8	1.8
99 00 280 SB	280	012207	21,85	6		2.8	1.8
99 00 280 EAN	280	022053	19,75	6		2.8	1.8
99 00 200 EAN	200	039358	16,10	6		1.8	1.4
99 00 300	300	014409	23,50	6		3.1	1.8
99 00 300 EAN	300	034117	23,50	6		3.1	1.8
99 00 300 SB	300	027188	25,60	6		3.1	1.8
99 00 220 K12	220	027812	21,10	6		2.4	1.6
99 00 220K12EAN	220	042341	21,10	6		2.4	1.6
99 01 200	200	021452	16,85	6		1.8	1.4
99 01 200 SB	200	022770	18,95	6		1.8	1.4
99 01 200 EAN	200	035572	16,85	6		1.8	1.4
99 01 220	220	021469	17,25	6		2.4	1.6
99 01 220 SB	220	012177	19,35	6		2.4	1.6
99 01 220 EAN	220	035589	17,25	6		2.4	1.6
99 01 250	250	021483	18,75	6		2.4	1.6
99 01 250 SB	250	012191	20,85	6		2.4	1.6
99 01 250 EAN	250	035596	18,75	6		2.4	1.6
99 01 280	280	021490	20,70	6		2.8	1.8
99 01 280 SB	280	012214	22,80	6		2.8	1.8
99 01 280 EAN	280	035602	20,70	6		2.8	1.8
99 01 300	300	014416	25,00	6		3.1	1.8
99 01 300 SB	300	027195	27,10	6		3.1	1.8
99 01 300 EAN	300	039372	25,00	6		3.1	1.8
99 04 220	220	048398	19,05	6		2.4	1.6
99 04 220 EAN	220	083405	19,05	6		2.4	1.6
99 04 250	250	048213	20,80	6		2.4	1.6
99 04 250 EAN	250	083412	20,80	6		2.4	1.6
99 04 280	280	048220	22,70	6		2.8	1.8
99 04 280 EAN	280	083429	22,70	6		2.8	1.8
99 10 250	250	071396	24,20	6		3.3	1.8
99 10 250 SB	250	071815	26,30	6		3.3	1.8
99 10 250 EAN	250	083436	24,20	6		3.3	1.8
99 10 300	300	022398	29,80	6		3.8	2.0
99 10 300 SB	300	027201	31,90	6		3.8	2.0
99 10 300 EAN	300	035619	29,80	6		3.8	2.0
99 11 250	250	071402	25,35	6		3.3	1.8
99 11 250 SB	250	071822	27,45	6		3.3	1.8
99 11 300	300	042365	30,55	6		3.8	2.0
99 11 300 SB	300	030300	32,65	6		3.8	2.0
99 14 250	250	071419	27,70	6		3.3	1.8
99 14 250 EAN	250	074748	27,70	6		3.3	1.8
99 14 250 SB	250	071839	29,80	6		3.3	1.8
99 14 300	300	028116	32,70	6		3.8	2.0
99 14 300 EAN	300	039297	32,70	6		3.8	2.0
99 14 300 SB	300	033080	34,80	6		3.8	2.0

99
0

99
1

INSULATED TOOLS


01

Combination Pliers, Chrome Vanadium

DIN ISO 5746, DIN EN 60900, IEC 60900

for heavy duty; with gripping zones for flat and round material

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V

Article No.	↔ mm	EAN 4003773-	€	📦	⊙ mm	⊙ mm	⊙ mm	⊙ mm	⊙ mm
01 06 160	160	040729	41,65	1		2.0	1.5	10.0	16.0
01 06 190	190	040415	46,25	1		2.5	2.0	13.0	25.0


02

High Leverage Combination Pliers

DIN ISO 5746, DIN EN 60900, IEC 60900

35% less effort required than with conventional combination pliers due to improved lever action

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V

02 06 180	180	010012	37,25	1		2.5	2.0	11.5	16.0
02 06 200	200	010029	39,25	1		2.8	2.2	13.0	25.0
02 06 225	225	010036	44,50	1		3.0	2.5	14.0	25.0


03

Combination Pliers

DIN ISO 5746, DIN EN 60900, IEC 60900

with gripping zones for flat and round material


pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V

03 06 160	160	021902	28,95	1	3.1	2.0		10.0	16.0
03 06 160 SB	160	010616	31,05	6	3.1	2.0		10.0	16.0
03 06 180	180	021926	31,30	1	3.4	2.2		12.0	16.0
03 06 180 SB	180	010661	33,40	6	3.4	2.2		12.0	16.0
03 06 200	200	033776	34,90	1	3.8	2.5		13.0	16.0
03 06 200 SB	200	012238	37,00	6	3.8	2.5		13.0	16.0
03 06 180 T	180	081395	40,60	1	3.4	2.2		12.0	16.0
03 06 180 T BK	180	081746	42,70	1	3.4	2.2		12.0	16.0

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V

pliers chrome-plated, handles with dipped insulation, VDE-tested



⚡ 1000 V

03 07 180	180	015314	38,85	1	3.4	2.2		12.0	16.0
03 07 200	200	015321	41,35	1	3.8	2.5		13.0	16.0

08

Needle-Nose Combination Pliers

DIN ISO 5746, DIN EN 60900, IEC 60900

universal pliers for all common repair jobs; narrow head style for use in confined areas

PATENTED

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V


08 26 145	145	079361	34,35	1	3.0	2.0		8.0	16.0
08 26 145 SB	145	080275	36,45	6	3.0	2.0		8.0	16.0
08 26 145 T	145	081401	43,65	1	3.0	2.0		8.0	16.0
08 26 145 T BK	145	081753	45,75	1	3.0	2.0		8.0	16.0

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V

08 26 185	185	088356	41,90	1	3.8	3.0		13.0	25.0
08 26 185 SB	185	088868	44,00	6	3.8	3.0		13.0	25.0

11

Insulation Strippers, universal


DIN EN 60900, IEC 60900 for single, multiple and fine stranded conductors with plastic or rubber insulation

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V

Article No.	↔ mm	EAN 4003773-	€	📦	⊙ mm	⊙ mm	AWG
11 06 160	160	021933	36,10	1	∅ 5.0 mm / 10.0 mm ²		8
11 06 160 SB	160	010739	38,20	6	∅ 5.0 mm / 10.0 mm ²		8
11 06 160 T	160	081418	45,40	1	∅ 5.0 mm / 10.0 mm ²		8
11 06 160 T BK	160	081760	47,50	1	∅ 5.0 mm / 10.0 mm ²		8
11 09 01		052326	2,30	1			

Set of spare parts (screw and nut), for 11 XX 160

		Article No.	↔ mm	EAN 4003773-	€			AWG	
Stripping Pliers DIN EN 60900, IEC 60900 for stripping all common round and damp-proof installation cables; slim head to enable excellent accessibility to flush-mounted and cavity wall sockets	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested ⚡ 1000V	13 46 165	165	079699	53,65	1	∅ 8 – 13 mm 0.75 – 1.5 / 2.5 mm ²		
		13 46 165 SB	165	079910	55,75	6	∅ 8 – 13 mm 0.75 – 1.5 / 2.5 mm ²		
KNIPEX StriX®, Insulation strippers with cable shears DIN EN 60900, IEC 60900 for stripping single, multiple and fine stranded conductors with plastic and rubber insulation; with cable shears for cutting Cu and Al cables (PATENTED)	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested ⚡ 1000V	13 66 180	180	081319	66,25	1	∅ mm	mm ²	AWG
		13 66 180 SB	180	081333	68,35	6	15	50	1 / 0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether ⚡ 1000V	13 66 180 T	180	081906	75,55	1	15	50	1 / 0
		13 66 180 T BK	180	081982	77,65	1	15	50	1 / 0
Pliers for Electrical Installation, Multi-Tool for Electricians DIN EN 60900, IEC 60900 to grip flat and round material, for bending, deburring, cutting cable, stripping and crimping wire ferrules (PATENTED)	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested ⚡ 1000V	13 86 200	200	075097	66,00	1	15	50	1 / 0
		13 86 200 SB	200	075288	68,10	6	15	50	1 / 0
	 ⚡ 1000V	13 96 200	200	075110	69,45	1	15	50	1 / 0
		13 96 200 SB	200	075325	71,55	6	15	50	1 / 0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether ⚡ 1000V	13 96 200 T	200	081425	78,75	1	15	50	1 / 0
		13 96 200 T BK	200	081777	80,85	1	15	50	1 / 0
KNIPEX WireStripper, metric version DIN EN 60900, IEC 60900 with wide jaws for gripping, bending and twisting wires, for stripping and cutting cables (PATENTED)	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested ⚡ 1000V	13 76 200 ME	200	088943	66,65	1	15	50	1 / 0
		13 76 200 ME SB	200	089315	68,75	6	15	50	1 / 0
Diagonal Insulation Strippers DIN EN 60900, IEC 60900 precision stripping holes and long, induction-hardened precision blades	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested ⚡ 1000V	14 26 160	160	040279	52,05	1		16 / 14	
Flat Nose Pliers DIN ISO 5745, DIN EN 60900, IEC 60900 short, flat jaws; knurled gripping surfaces	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested ⚡ 1000V	20 06 160	160	033783	30,00	1			
Round Nose Pliers DIN ISO 5745, DIN EN 60900, IEC 60900 for forming wire loops; short, round jaws	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested ⚡ 1000V	22 06 160	160	033790	30,55	1			

13
4
6
13
6
13
13
14
20
22

INSULATED TOOLS

25

Snipe Nose Side Cutting Pliers, (Radio Pliers)

DIN ISO 5745, DIN EN 60900, IEC 60900

for gripping and cutting work in precision mechanics; pointed, half-round jaws

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V ⊖ [Icon] [Icon]

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V ⊖ [Icon] [Icon]

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V ∠40° ⊖ [Icon] [Icon]

26

Snipe Nose Side Cutting Pliers, (Stork Beak Pliers)

DIN ISO 5745, DIN EN 60900, IEC 60900

highly loadable, elastic precision tips; half-round, long jaws

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V ⊖ [Icon] [Icon]

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V ⊖ [Icon] [Icon]

pliers chrome-plated, handles with dipped insulation, VDE-tested



⚡ 1000 V ⊖ [Icon] [Icon]

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V ∠40° ⊖ [Icon] [Icon]

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V ∠40° ⊖ [Icon] [Icon]

pliers chrome-plated, handles with dipped insulation, VDE-tested



⚡ 1000 V ∠40° ⊖ [Icon] [Icon]

30

Long Nose Pliers

DIN ISO 5745, DIN EN 60900, IEC 60900

heavy duty and wear resisting; different jaw styles

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V [Icon] [Icon]

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V 8 [Icon]

Article No.	↔ mm	EAN 4003773-	€	[Icon]	⊙ mm	⊙ mm	⊙ mm
25 06 160	160	033806	32,25	1		2.5	1.6
25 06 160 SB	160	012443	34,35	6		2.5	1.6
25 06 160 T BK	160	081784	43,65	1		2.5	1.6
25 06 160 T	160	081432	41,55	1		2.5	1.6
25 26 160	160	052111	36,35	1		2.5	1.6
26 16 200	200	022831	39,25	1		3.2	2.2
26 16 200 SB	200	010906	41,35	6		3.2	2.2
26 16 200 T	200	081449	48,55	1		3.2	2.2
26 16 200 T BK	200	081791	50,65	1		3.2	2.2
26 17 200	200	016069	46,15	1		3.2	2.2
26 26 200	200	022855	44,15	1		3.2	2.2
26 26 200 SB	200	010944	46,25	6		3.2	2.2
26 26 200 T	200	081456	53,45	1		3.2	2.2
26 26 200 T BK	200	081807	55,55	1		3.2	2.2
26 27 200	200	016090	50,60	1		3.2	2.2
30 16 160	160	001904	33,30	1			
30 16 160 SB	160	029861	35,40	6			
30 36 160	160	002123	32,95	1			

Diagonal Cutters

narrow head style for use in confined areas; clean cutting also at cutting edge tips

Article No.	↔ mm	EAN 4003773-	€		Ø mm	Ø mm	Ø mm	Ø mm
70 06 125	125	018124	32,85	1	3.0	2.3	1.5	
70 06 180	180	033813	38,25	1	4.0	3.0	2.5	
70 06 180 SB	180	012627	40,35	6	4.0	3.0	2.5	
70 06 140	140	040293	33,10	1	4.0	2.5	1.8	
70 06 140 SB	140	030027	35,20	6	4.0	2.5	1.8	
70 06 160	160	021995	35,75	1	4.0	3.0	2.0	
70 06 160 SB	160	011774	37,85	6	4.0	3.0	2.0	
70 06 160 T	160	081463	45,05	1	4.0	3.0	2.0	
70 06 160 T BK	160	081814	47,15	1	4.0	3.0	2.0	
70 06 180 T	180	081470	47,55	1	4.0	3.0	2.5	
70 06 180 T BK	180	081821	49,65	1	4.0	3.0	2.5	
70 07 160	160	018155	41,65	1	4.0	3.0	2.0	
70 07 180	180	018179	44,65	1	4.0	3.0	2.5	
70 26 160	160	018223	35,90	1	4.0			
73 06 160	160	075141	54,00	1	4.8	3.8	2.7	2.2
73 06 160 SB	160	075363	56,10	6	4.8	3.8	2.7	2.2
73 06 160 T	160	081487	63,30	1	4.8	3.8	2.7	2.2
73 06 160 T BK	160	081838	65,40	1	4.8	3.8	2.7	2.2

KNIPEX X-Cut®, Compact Diagonal Cutters, high lever transmission

DIN ISO 5749, DIN EN 60900, IEC 60900

for very tough, continuous use, high cutting performance with less effort; large opening width for thicker cable; also for fine wire; compact, weight-saving design

PATENTED

INSULATED TOOLS

74

High Leverage Diagonal Cutters

DIN ISO 5749, DIN EN 60900, IEC 60900

for heavy duty; high cutting performance with minimum effort

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000V

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000V

pliers chrome-plated, handles with dipped insulation, VDE-tested



⚡ 1000V

Article No.	↔ mm	EAN 4003773-	€	📦	⊘ mm	⊘ mm	⊘ mm	⊘ mm
74 06 160	160	040705	42,55	1		3.4	2.5	2.0
74 06 160 SB	160	030072	44,65	6		3.4	2.5	2.0
74 06 180	180	022985	46,10	1		3.8	2.7	2.2
74 06 180 SB	180	014003	48,20	6		3.8	2.7	2.2
74 06 200	200	033820	48,85	1		4.2	3.0	2.5
74 06 200 SB	200	014379	50,95	6		4.2	3.0	2.5
74 06 250	250	041955	62,45	1		4.6	3.5	3.0
74 06 200 T	200	081494	58,15	1		4.2	3.0	2.5
74 06 200 T BK	200	081845	60,25	1		4.2	3.0	2.5
74 06 250 T	250	081500	71,75	1		4.6	3.5	3.0
74 06 250 T BK	250	081852	73,85	1		4.6	3.5	3.0
74 07 200	200	018414	58,75	1		4.2	3.0	2.5
74 07 250	250	018421	66,60	1		4.6	3.5	3.0
78 06 125	125	084099	30,45	1	1.6	1.0		
78 06 125 SB	125	084716	32,55	6	1.6	1.0		

78

Electronic Super Knips

DIN ISO 9654, DIN EN 60900, IEC 60900

for ultra fine cutting work; extremely smooth movement

INOX tool steel, head polished, handles insulated with multi-component grips, VDE-tested



⚡ 1000V

Article No.	↔ mm	EAN 4003773-	€	📦	⊘ Inch	⊘ Inch	⊘ mm
86 06 250	250	082408	82,90	1		2	52
86 06 250 SB	250	082651	85,00	6		2	52
87 26 250	250	071495	55,05	1	2	1 3/4	46
87 26 250 SB	250	072782	57,15	6	2	1 3/4	46
87 26 250 T	250	081517	64,35	1	2	1 3/4	46
87 26 250 T BK	250	081869	66,45	1	2	1 3/4	46
88 06 250	250	039303	43,80	1	2		46
88 06 250 SB	250	034292	45,90	6	2		46
88 07 250	250	019343	52,15	1	2		46
92 27 61	125	054757	27,45	1			54069IK.SA.B.00
92 27 62	150	054764	27,45	1			55015IK.SA.B.00

86

Pliers Wrenches, pliers and a wrench in a single tool

DIN EN 60900, IEC 60900

for careful installation of finished-surface components; parallel smooth jaws; push-button adjustment

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000V

87
26

KNIPEX Cobra® VDE, High-Tech Water Pump Pliers

DIN ISO 8976, DIN EN 60900, IEC 60900

adjustment by sliding one jaw directly on to the workpiece: fast, reliable and comfortable handling

(PATENTED)

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000V

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000V

88

KNIPEX Alligator®, Water Pump Pliers

DIN ISO 8976, DIN EN 60900, IEC 60900

self-locking on pipes and nuts; box-joint design

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested



⚡ 1000V

pliers chrome-plated, handles with dipped insulation, VDE-tested



⚡ 1000V

92

Universal Tweezers, insulated

DIN EN 60900, IEC 60900

tested protection against electrical voltage up to 1000 V

stainless steel



⚡ 1000V



⚡ 1000V

		Article No.	↔ mm	EAN 4003773- 054856	€		Reference number		
Universal Tweezers, insulated stainless steel DIN EN 60900, IEC 60900 tested protection against electrical voltage up to 1000 V		92 37 64	148		27,80	1	550151BK.SA.B.00		
	$\triangle 1000\text{ V } \angle 30^\circ$								
		92 47 01	148	086963	27,75	1	73014BK.SA.B.00		
	$\triangle 1000\text{ V } \angle 30^\circ$								
		92 67 63	145	054931	27,45	1	73014K.SA.B.00		
	$\triangle 1000\text{ V}$								
Cable Shears, handles extrusion plastic-coated DIN EN 60900, IEC 60900 precision-ground, hardened blades: clean and smooth cut without crushing	head polished, handles insulated, extrusion plas- tic-coated, VDE-tested $\triangle 1000\text{ V}$	Article No.	↔ mm	EAN 4003773- 006305	€			AWG	
		95 06 230	230	006305	62,20	1	Ø 16 mm / 50 mm ²	1 / 0	
		95 06 230 SB	230	034124	64,30	6	Ø 16 mm / 50 mm ²	1 / 0	
KNIPEX StepCut®, Cable shears with step cut DIN EN 60900, IEC 60900 additionally hardened, precision- ground blades: lighter, cleaner cut without crushing	tool chrome-plated, handles insulated with multi-component grips, VDE-tested (PATENTED) $\triangle 1000\text{ V}$	95 16 160	160	085966	56,25	1	Ø 15 mm / 50 mm ²	1 / 0	
		95 16 160 SB	160	085898	58,35	6	Ø 15 mm / 50 mm ²	1 / 0	
KNIPEX StepCut® XL, Cable shears with step cut additionally hardened, precision- ground blades: lighter, cleaner cut without crushing	tool burnished, handles insulated with multi-com- ponent grips, VDE-tested $\triangle 1000\text{ V}$	95 18 225	225	089964	65,90	1	Ø 23 mm / 70 mm ²	2 / 0	
		95 18 225 SB	225	089988	68,00	1	Ø 23 mm / 70 mm ²	2 / 0	
Cable Shears DIN EN 60900, IEC 60900 precision-ground, hardened blades: clean and smooth cut without crushing	tool chrome-plated, handles insulated with multi-component grips, VDE-tested $\triangle 1000\text{ V}$	95 16 165	165	039648	55,00	1	Ø 15 mm / 50 mm ²	1 / 0	
		95 16 165 SB	165	030263	57,10	6	Ø 15 mm / 50 mm ²	1 / 0	
		95 16 165 T	165	081524	64,30	1	Ø 15 mm / 50 mm ²	1 / 0	
	tool chrome-plated, handles insulated with multi-component grips, VDE-tested, with inte- grated insulated tether attachment point for a tool tether $\triangle 1000\text{ V}$	95 16 165 T BK	165	081876	66,40	1	Ø 15 mm / 50 mm ²	1 / 0	
	tool chrome-plated, handles insulated with multi-component grips, VDE-tested $\triangle 1000\text{ V}$	95 26 165	165	069980	65,60	1	Ø 15 mm / 50 mm ²	1 / 0	
		95 26 165 SB	165	070139	67,70	6	Ø 15 mm / 50 mm ²	1 / 0	
Cable Shears, with twin cutting edge DIN EN 60900, IEC 60900 precision-ground, hardened blades: clean and smooth cut without crushing; low handforce required due to favourable lever ratio	tool chrome-plated, handles insulated with multi-component grips, VDE-tested $\triangle 1000\text{ V}$	95 16 200	200	026761	70,00	1	Ø 20 mm / 70 mm ²	2 / 0	
		95 16 200 SB	200	040910	72,10	6	Ø 20 mm / 70 mm ²	2 / 0	
	tool chrome-plated, handles with dipped insulation, VDE-tested $\triangle 1000\text{ V}$	95 17 200	200	026952	76,05	1	Ø 20 mm / 70 mm ²	2 / 0	

92

95
0

95

95

95

95
1

INSULATED TOOLS

95
1

Cable Shears, for two-hand operation

DIN EN 60900, IEC 60900
precision-ground, hardened blades: clean and smooth cut without crushing and deformation; low handforce required due to favourable lever ratio; low weight

head polished, handles with dipped insulation, VDE-tested



⚡ 1000 V

Article No.	↔ mm	EAN 4003773-	€	📦	⚡	AWG
95 17 500	500	026785	184,10	1	Ø 27 mm / 150 mm ²	6 / 0

95
3

Cable Cutter, (ratchet action), for steel wire armoured cables (SWA cable)

IEC 60900, DIN EN 60900
for cutting steel wire armoured cables; clean and smooth cut without crushing and deformation; 3-stage ratchet drive for easy cutting with one or two-hand operation; compact, low-weight construction

tool black lacquered, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V ⚡ M

Pivot cutter repair kit for 95 32 315 A and 95 36 315 A, Models from 2025

🔴 95 315 E01

Article No.	↔ mm	EAN 4003773-	€	📦	⚡	MCM
95 36 315 A	315	078579	463,90	1	Ø 45 mm / 380 mm ²	750
95 315 E01		089551	185,30	1		

95
3

Cable Cutters, (ratchet action)

DIN EN 60900, IEC 60900
precision-ground, hardened blades: clean and smooth cut without crushing; two-stage ratchet drive for easy cutting

tool black lacquered, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V M

Repair kit ratchet drive, 95 250/280/315A/320, Models from 2025

🔴 95 3X E01

Screw connection repair kit, 95 250/280/315A/320, Models from 2025

🔴 95 3X E02

Movable spare blade for 95 31 250 / 95 36 250, Models from 2025

🔴 95 250 E01

Movable spare blade for 95 31 280 / 95 36 280, Models from 2025

🔴 95 280 E01

Pivot cutter repair kit for 95 32 320 and 95 36 320, Models from 2025

🔴 95 320 E01

Feed pawl for 95 3 250/280, Models until 2024

95 39 04

Barrel spring, for 95 31 250/280, Models until 2024

95 39 08

Tension spring set for lateral mounting 95 36 25/28, Models until 2024

95 39 08 S

95 36 250	250	026884	284,15	1	Ø 32 mm / 240 mm ²	500
95 36 280	280	026891	377,80	1	Ø 52 mm / 380 mm ²	750
95 36 320	320	075189	456,80	1	Ø 60 mm / 600 mm ²	1,200
95 3X E01		075738	45,05	1		
95 3X E02		075738	32,90	1		
95 250 E01		089537	63,70	1		
95 280 E01		089544	112,25	1		
95 320 E01		089568	185,60	1		
95 39 04		039167	4,35	1		
95 39 08		039204	3,25	1		
95 39 08 S		039211	4,85	1		

97

Crimping Pliers for wire ferrules, with trapezoid crimp

DIN EN 60900, IEC 60900
reliable crimping in marked trapezoidal dies

head polished, handles insulated with multi-component grips, VDE-tested



⚡ 1000 V 📦

97 68 145 A	145	071754	37,15	1	0.25 – 2.5 mm ²	24 - 14
-------------	-----	--------	-------	---	----------------------------	---------

97

Crimping Pliers for wire ferrules, with mandrel crimp

DIN EN 60900, IEC 60900
light and slim design; reliable crimping in 9 marked half-round dies with conical side faces

head polished, handles insulated with multi-component grips, VDE-tested










⚡ 1000 V 📦

head polished, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V 📦

97 78 180	180	072003	47,40	1	0.25 – 16 mm ²	24 - 6
97 78 180 SB	180	083146	49,50	6	0.25 – 16 mm ²	24 - 6
97 78 180 T	180	081531	56,70	1	0.25 – 16 mm ²	24 - 6
97 78 180 T BK	180	081883	58,80	1	0.25 – 16 mm ²	24 - 6

		Article No.	↔ mm	EAN 4003773-	€		
Open-End Wrenches DIN EN 60900, IEC 60900 jaw 15° angled	 ⚡ 1000 V ○	98 00 07		019824	20,95	6	7 mm
		98 00 08		019831	21,20	6	8 mm
		98 00 09		019848	21,20	6	9 mm
		98 00 10		019893	22,80	6	10 mm
		98 00 11		019909	22,15	6	11 mm
		98 00 12		019923	23,55	6	12 mm
		98 00 13		019930	23,55	6	13 mm
		98 00 14		019947	23,85	6	14 mm
		98 00 15		019954	23,85	6	15 mm
		98 00 16		019961	25,75	6	16 mm
		98 00 17		019978	26,85	6	17 mm
		98 00 18		019985	29,80	6	18 mm
		98 00 19		019992	29,80	6	19 mm
		98 00 22		020004	31,95	6	22 mm
		98 00 24		020011	35,40	6	24 mm
		98 00 27		020028	38,75	6	27 mm
		98 00 1/4"		019886	23,35	6	1/4"
		98 00 5/16"		020073	23,25	6	5/16"
		98 00 3/8"		020042	23,15	6	3/8"
		98 00 7/16"		020097	23,75	6	7/16"
98 00 1/2"		019879	25,80	6	1/2"		
98 00 9/16"		020110	26,25	6	9/16"		
98 00 5/8"		020080	28,85	6	5/8"		
98 00 3/4"		020035	32,25	6	3/4"		
Box Wrenches DIN EN 60900, IEC 60900 cranked	 ⚡ 1000 V ○	98 01 07		020134	25,80	6	7 mm
		98 01 08		020141	25,90	6	8 mm
		98 01 09		020158	25,90	6	9 mm
		98 01 10		020196	27,15	6	10 mm
		98 01 11		020202	28,35	6	11 mm
		98 01 12		020226	28,60	6	12 mm
		98 01 13		020233	29,80	6	13 mm
		98 01 14		020240	34,00	6	14 mm
		98 01 15		020257	34,00	6	15 mm
		98 01 16		020264	34,65	6	16 mm
		98 01 17		020271	34,65	6	17 mm
		98 01 18		020288	37,70	6	18 mm
		98 01 19		020295	37,70	6	19 mm
		98 01 22		020301	43,90	6	22 mm
98 01 24		020318	46,95	6	24 mm		
Nut Drivers, with screwdriver handle DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force	tip burnished, insulating multi-component handle, VDE-tested  ⚡ 1000 V ○	98 03 04	232	071679	16,00	12	4 mm
		98 03 05	232	071686	16,00	12	5 mm
		98 03 055	232	026082	17,25	12	5.5 mm
		98 03 06	232	026099	17,25	12	6 mm
		98 03 07	237	026105	19,35	12	7 mm
		98 03 08	237	024095	19,35	12	8 mm
		98 03 09	237	026112	19,80	12	9 mm
		98 03 10	237	026129	20,20	12	10 mm
		98 03 11	237	026136	25,15	12	11 mm
		98 03 12	237	026143	26,55	12	12 mm
98 03 13	237	026150	28,45	12	13 mm		
Adjustable Wrench DIN EN 60900, IEC 60900 parallel smooth gripping jaws; variable gripping width	tool chrome-plated, handle plastic dipped insulated  ⚡ 1000 V ∠22° ○ ◻	98 07 250	260	071518	57,30	1	34 mm
Screwdrivers for Robertson screws DIN EN 60900, IEC 60900	tip burnished, insulating multi-component handle, VDE-tested  ⚡ 1000 V	98 12 01	185	086178	9,25	12	R1
		98 12 02	210	086185	11,60	12	R2
Screwdrivers for hexagon socket screws DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force	tip burnished, insulating multi-component handle, VDE-tested  ⚡ 1000 V ○	98 13 20	175	071693	8,75	12	2.0 mm
		98 13 25	177	026334	8,90	12	2.5 mm
		98 13 30	182	026341	8,90	12	3.0 mm
		98 13 40	182	026358	9,05	12	4.0 mm
		98 13 50	187	026365	10,50	12	5.0 mm
		98 13 60	212	026372	12,10	12	6.0 mm
Screwdriver for slotted screws DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force	tip burnished, insulating multi-component handle, VDE-tested  ⚡ 1000 V ◐	98 20 10	320	026396	21,10	12	10 mm
		98 20 25	177	062325	7,00	12	2.5 mm
		98 20 30	202	062332	7,40	12	3.0 mm
		98 20 35	202	024217	7,65	12	3.5 mm
		98 20 40	202	026402	8,30	12	4.0 mm
		98 20 55	232	024224	9,85	12	5.5 mm
		98 20 65	262	026419	12,05	12	6.5 mm
98 20 80	295	024231	15,55	12	8.0 mm		

98
0

98
0

98
0










98
0

98
12

98
1

98
2

INSULATED TOOLS

			Article No.	↔ mm	EAN 4003773-	€		
98 20	Screwdrivers (Slim) for slotted screws DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force; reduced blade insulation diameter	 tip burnished, insulating multi-component handle, VDE-tested ⚡ 1000 V	98 20 35 SL	202	079712	9,85	12	3.5 mm
			98 20 40 SL	202	079729	10,70	12	4.0 mm
			98 20 55 SL	232	079736	12,70	12	5.5 mm
			98 20 65 SL	262	079743	15,55	12	6.5 mm
98 2	Screwdriver for slotted screws DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force	 tip burnished, insulating multi-component handle, VDE-tested, for meter assembly, blade length 180 mm ⚡ 1000 V	98 21 45	287	026426	10,70	12	4.5 mm
98 2	Screwdrivers for cross-recessed screws, Phillips® DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force	 tip burnished, insulating multi-component handle, VDE-tested ⚡ 1000 V	98 24 00	162	026433	7,80	12	PH0
			98 24 01	187	026440	9,25	12	PH1
			98 24 02	212	026457	11,60	12	PH2
			98 24 03	270	026464	15,45	12	PH3
			98 24 04	320	026471	20,75	12	PH4
98 24	Screwdrivers (Slim) for cross-recessed screws, Phillips® DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force; reduced blade insulation diameter	 tip burnished, insulating multi-component handle, VDE-tested ⚡ 1000 V	98 24 01 SL	187	079750	12,15	12	PH1
			98 24 02 SL	212	079767	15,00	12	PH2
98 2	Screwdrivers (Slim) Plus/Minus, Phillips® DIN EN 60900, IEC 60900 driving tips for PlusMinus profile screws; use with electronics installation components, e.g. automatic circuit breakers	 tip burnished, insulating multi-component handle, VDE-tested ⚡ 1000 V	98 24 01 SLS	187	081036	12,15	12	PH/S 1
			98 24 02 SLS	212	081043	15,00	12	PH/S 2
98 2	Screwdrivers for cross-recessed screws, Pozidriv® DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force	 tip burnished, insulating multi-component handle, VDE-tested ⚡ 1000 V	98 25 00	162	062370	7,55	12	PZ 0
			98 25 01	187	031260	9,25	12	PZ 1
			98 25 02	212	031277	11,60	12	PZ 2
			98 25 03	270	031284	15,90	12	PZ 3
			98 25 04	320	062387	21,25	12	PZ 4
98 25	Screwdrivers (Slim) for cross-recessed screws, Pozidriv® DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force; reduced blade insulation diameter	 tip burnished, insulating multi-component handle, VDE-tested ⚡ 1000 V	98 25 01 SL	187	079774	12,15	12	PZ 1
			98 25 02 SL	212	079781	15,00	12	PZ 2
98 2	Screwdrivers (Slim) Plus/Minus, Pozidriv® DIN EN 60900, IEC 60900 driving tips for PlusMinus profile screws; use with electronics installation components, e.g. automatic circuit breakers	 tip burnished, insulating multi-component handle, VDE-tested ⚡ 1000 V	98 25 01 SLS	187	081050	12,15	12	PZ/S 1
			98 25 02 SLS	212	081067	15,00	12	PZ/S 2
98 2	Screwdrivers for Torx® screws DIN EN 60900, IEC 60900 ergonomically optimised handle for fatigue reduced work and optimum transmission of force	 tip burnished, insulating multi-component handle, VDE-tested ⚡ 1000 V	98 26 10	160	071709	8,55	12	TX10
			98 26 15	185	071716	9,25	12	TX15
			98 26 20	185	071723	9,40	12	TX20
			98 26 25	185	071730	9,85	12	TX25
			98 26 30	210	071747	10,60	12	TX30

		Article No.	↔ mm	EAN 4003773-	€			
Reversible Ratchets, with driving square 3/8" or 1/2" DIN EN 60900, IEC 60900 for clockwise and anti-clockwise directions; extremely smooth action; quick, easy and reliable locking		98 31	190	026495	116,75	1		
		98 41	265	026518	128,70	1		
Extension Bars, with internal and driving square 3/8" or 1/2" DIN EN 60900, IEC 60900 quick, easy and reliable locking		98 35 125	125	020530	41,05	6		
		98 35 250	250	020547	47,40	6		
		98 45 125	125	020813	45,75	6		
		98 45 250	250	020820	50,90	6		
Hexagon Sockets for hexagonal screws, for internal square 3/8" or 1/2" DIN EN 60900, IEC 60900 for metric hexagonal head screws		98 37 10	42	020578	20,60	6	10 mm	
		98 37 11	43	020585	20,60	6	11 mm	
		98 37 12	44	020608	20,60	6	12 mm	
		98 37 13	45	020615	21,05	6	13 mm	
		98 37 14	46	020622	21,05	6	14 mm	
		98 37 15	47	089490	22,35	6	15 mm	
		98 37 16	46	027263	23,25	6	16 mm	
		98 37 17	46	020639	23,25	6	17 mm	
		98 37 18	49	089506	23,25	6	18 mm	
		98 37 19	49	020646	23,25	6	19 mm	
	98 37 22	49	089513	28,55	6	22 mm		
		98 47 10	54	020882	21,05	6	10 mm	
		98 47 11	54	020899	21,05	6	11 mm	
		98 47 12	55	020912	21,05	6	12 mm	
		98 47 13	55	020929	21,05	6	13 mm	
		98 47 14	55	020943	21,05	6	14 mm	
		98 47 16	55	027287	22,35	6	16 mm	
		98 47 17	55	020967	22,35	6	17 mm	
		98 47 18	55	027294	23,05	6	18 mm	
		98 47 19	54	020974	23,85	6	19 mm	
		98 47 22	58	020981	28,55	6	22 mm	
		98 47 24	61	020998	28,90	6	24 mm	
98 47 27		63	021001	30,50	6	27 mm		
12-Point Sockets, for internal square 3/8" or 1/2" DIN EN 60900, IEC 60900 for imperial hexagonal head screws		98 37 5/16"	42	020684	22,45	6	5/16"	
		98 37 3/8"	42	020677	21,35	6	3/8"	
		98 37 7/16"	43	020707	21,85	6	7/16"	
		98 37 1/2"	45	020554	21,85	6	1/2"	
		98 37 9/16"	47	020721	23,80	6	9/16"	
		98 37 5/8"	46	020691	23,80	6	5/8"	
		98 37 3/4"	49	020660	24,30	6	3/4"	
			98 47 1/2"	55	020875	22,45	6	1/2"
			98 47 9/16"	55	021094	22,45	6	9/16"
			98 47 5/8"	55	021063	23,45	6	5/8"
98 47 11/16"	55		020905	23,45	6	11/16"		
98 47 3/4"	55		021018	24,80	6	3/4"		
98 47 7/8"	58		021087	27,80	6	7/8"		
98 47 1"	61	020868	28,55	6	1"			
Hexagon Sockets for hexagonal socket screws, for internal square 3/8" or 1/2" DIN 7422, DIN EN 60900, IEC 60900 for metric hexagonal head screws		98 39 025	92	089520	43,20	6	2,5 mm	
		98 39 03	92	089605	43,20	6	3 mm	
		98 39 05	75	020776	43,20	6	5 mm	
		98 39 06	75	020783	43,20	6	6 mm	
		98 39 08	75	020790	43,20	6	8 mm	
		98 49 05	75	021155	37,95	6	5 mm	
		98 49 06	75	021162	37,95	6	6 mm	
		98 49 08	75	021179	37,95	6	8 mm	
Sockets for Torx® screws, with internal square 3/8" DIN EN 60900, IEC 60900		98 29 25	123	084600	43,50	6	TX25	
		98 29 27	123	084617	43,50	6	TX27	
		98 29 30	123	084624	43,50	6	TX30	
		98 29 40	123	084631	43,50	6	TX40	
		98 29 45	117	084648	43,50	6	TX45	
		98 29 50	117	084655	44,65	6	TX50	
		98 52	190	035565	16,60	6		
Cable Knives DIN EN 60900, IEC 60900 insulating multi-component handle, VDE-tested with protecting cap		98 52 SB	190	030287	18,70	6		
insulating multi-component handle, VDE-tested		98 54	190	026563	16,65	6		
		98 54 SB	190	052210	18,75	6		

98

98

98

98

98

98
29

98
5

INSULATED TOOLS

98
5

Stripping Knife

DIN EN 60900, IEC 60900
with semi-insulated blade, guide
shoe and protective cap

insulating multi-compo-
nent handle, VDE-tested



⚡ 1000 V



⚡ 1000 V



⚡ 1000 V

Spare Protective Cap, for 98 52 / 98 54 / 98 53 XX

Spare Protective Cap, for 98 55

98
5

Cable Knives, with replaceable blade

DIN EN 60900, IEC 60900
with semi-insulated exchangeable
blade; captive hinged blade guard



⚡ 1000 V

Spare blade for 98 56

98
6

Plastic Flat Nose Pliers, insulating

DIN EN 60900, IEC 60900

pliers made of glass fibre
reinforced plastic, handles
with soft plastic zone



⚡ 1000 V

98
6

Plastic Snipe Nose Pliers, insulating

DIN EN 60900, IEC 60900

pliers made of glass fibre
reinforced plastic, handles
with soft plastic zone



⚡ 1000 V

98
6

Insulating clamps, plastic

DIN VDE 0680-1
for holding insulating mats in place;
with integrated spring; insulating
construction reduces risk of short
circuits



⚡ 1000 V

98
6

Self-Clamping Slip-On Caps, conical

DIN VDE 0680-1
for protection against bare live
cable ends



⚡ 1000 V

98
6

Plastic Slip-On Caps, conical

DIN VDE 0680-1
for protection against bare live
cable ends



⚡ 1000 V

Article No.	↔ mm	EAN 4003773-	€	
98 53 03	170	026549	18,70	6
98 53 13	190	026556	18,45	6
98 55	180	022558	43,25	6
98 55 SB	180	030294	45,35	6
98 59 01		084396	3,55	1
98 59 02		084402	3,55	1
98 56	190	026570	26,70	6
98 56 SB	190	033516	28,80	6
98 56 09	115	030829	11,25	1
98 62 01	180	073956	25,15	6
98 62 02	220	073963	25,15	6
98 64 02	150	021193	12,90	6
98 66 10	80	084181	14,05	6
98 66 20	100	084198	14,60	6
98 66 30	110	084204	15,60	6
98 66 40	135	083498	15,95	6
98 66 45	130	083382	17,45	6
98 66 50	135	083504	18,45	6
98 66 60	140	084419	20,30	3
98 66 01	80	084150	6,25	6
98 66 02	80	084167	6,25	6
98 66 03	80	084174	6,25	6

Insulating Gloves

DIN EN 60903, IEC 60903

for added protection when working live or close to live parts; Note expiry date: see label on product



⚡ 1000 V



⚡ 1000 V

Protective bag for insulating gloves

Article No.	↔ mm	EAN 4003773-	€	📦	Size	Class
98 65 40	410	021285	74,55	1	9	0
98 65 41	410	021292	74,55	1	10	0
98 65 42	410	077862	74,55	1	11	0
98 65 43	360	077879	94,70	1	9	1
98 65 46	360	077909	100,95	1	9	2
▼ 98 65 49	360	077930	131,45	1	9	3
98 65 44	360	077886	94,70	1	10	1
98 65 47	360	077916	100,95	1	10	2
▼ 98 65 50	360	077947	131,45	1	10	3
▼ 98 65 45	360	077893	94,70	1	11	1
▼ 98 65 48	360	077923	100,95	1	11	2
▼ 98 65 51	360	077954	131,45	1	11	3
98 65 00 LE	470	089834	20,90	1		

Electrical Safety Cover, from rubber

DIN/EN IEC 61112

for added protection when working live or close to live parts; Note expiry date: see label on product



⚡ 1000 V

Protective bag for electrically insulating cloth or mat

Article No.	↔ mm	EAN 4003773-	€	📦	
98 67 05	500	026600	68,00	1	500 x 500 x 1 mm
98 67 10	1,000	026617	238,90	1	1000 x 1000 x 1 mm
98 67 01 LE	1,060	089896	28,90	1	

00
61

ColorCode Clips

ColorCode Clips for personal identification; For all tools with KNIPEXTend; 10 pieces each

			Article No.	↔ mm	EAN 4003773-	€		RAL colour
anthracite		N	00 61 10 CA	21	089643	6,15	1	7016
blue		N	00 61 10 CB	21	089636	6,15	1	5002
green		N	00 61 10 CG	21	089674	6,15	1	1003
magenta		N	00 61 10 CM	21	089704	6,15	1	4010
orange		N	00 61 10 CO	21	089667	6,15	1	2000
red		N	00 61 10 CR	21	089629	6,15	1	3020
grey		N	00 61 10 CS	21	089698	6,15	1	7000
violet		N	00 61 10 CV	21	089711	6,15	1	4008
white		N	00 61 10 CW	21	089681	6,15	1	9016
yellow		N	00 61 10 CY	21	089650	6,15	1	1003

00
61

ColorCode Clips Color mix

ColorCode Clips for personal identification; For all tools with KNIPEXTend

			Article No.	↔ mm	EAN 4003773-	€		Contents
2x clips each in 5 colors: blue, gray, red, yellow, magenta		N	00 61 10 C V01		089728	6,15	1	2 x 00 61 10 CM / 2 x 00 61 10 CS / 2 x 00 61 10 CB / 2 x 00 61 10 CR / 2 x 00 61 10 CY
2x clips each in 5 colors: anthracite, orange, white, purple, green		N	00 61 10 C V02		089735	6,15	1	2 x 00 61 10 CA / 2 x 00 61 10 CG / 2 x 00 61 10 CO / 2 x 00 61 10 CV / 2 x 00 61 10 CW

00
62

TetheredTool Clips

ANSI/ISEA 121-compliant; For all tools with KNIPEXTend









		N	00 62 10 TR	30	089742	17,45	1	10 x 00 62 10 TR
--	--	----------	-------------	----	--------	-------	---	------------------

00
63


















TetheredTool & ColorCode Clips

ColorCode Clips and TetheredTool Clips for anti-fall devices; For all tools with KNIPEXTend


TetheredTool Clips + ColorCode Clips red, 3 pieces each		N	00 63 06 TCR		089759	7,65	1	3 x 00 61 10 CR / 3 x 00 62 10 TR
---	--	----------	--------------	--	--------	------	---	--------------------------------------








			Article No.	↔ mm	EAN 4003773- 081357	€		Content	
Lanyard strong and sturdy. Versatile.	max. 1.5 kg / 3.3 lbs		00 50 01 T BK	1,000	081357	20,75	1	1 x lanyard	00 50
Adapter Straps effective protection against accidents caused by falling tools	max. 1.5 kg / 3.3 lbs		00 50 02 T BK	270	081364	23,25	1	3 x adapter straps	00 50
Tethering System Set for diverse ways of attaching KNIPEX Tethered Tools	max. 1.5 kg / 3.3 lbs		00 50 04 T BK		081388	67,85	1	1 x lanyard, 3 x adapter strap and 2 x carabiner	00 50
Lanyard with fixated carabiner for diverse ways of attaching KNIPEX Tethered Tools	max. 1.5 kg / 3.3 lbs		00 50 05 T BK	900	086048	35,15	1	1 x lanyard and 1 x carabiner	00 50
Adapter Straps with fixated carabiner for diverse ways of attaching KNIPEX Tethered Tools	max. 1.5 kg / 3.3 lbs		00 50 06 T BK	340	086055	45,85	1	2 x adapter strap and 2 x carabiner	00 50
Lanyard effective protection against accidents caused by falling tools	max. 6 kg / 13 lbs		00 50 10 T BK	900	088004	44,45	1	1 x lanyard	00 50
Adapter Straps, with fastening eyelet effective protection against accidents caused by falling tools	max. 6 kg / 13 lbs		00 50 11 T BK	400	088011	29,10	1	1 x adapter strap	00 50

TOOLS WITH TETHERING

00 50	Lanyard with fixated carabiner max. 6 kg / 13 lbs for diverse ways of attaching KNIPEX Tethered Tools		Article No.	↔ mm	EAN 4003773-	€		Content
			00 50 12 T BK	900	088028	53,45	1	1 x lanyard, 1 x carabiner
00 50	Adapter Straps with fixated carabiner max. 6 kg / 13 lbs effective protection against accidents caused by falling tools		Article No.	↔ mm	EAN 4003773-	€		Content
			00 50 13 T BK	186	088035	37,60	1	1 x adapter strap, 1 x carabiner
00 50	Carabiners for attaching lanyard and adapter straps to equipment		Article No.	↔ mm	EAN 4003773-	€		Content
			00 50 03 T BK	82	081371	31,50	1	2 x carabiners
00 50	Tool bags for working at heights, empty for working at heights; suitable for KNIPEX Tethered Tools system		Article No.	↔ mm	EAN 4003773-	€		Content
			00 50 50 T LE	300	089032	112,10	1	300 x 250 x 150 mm
	max. payload: 15 kg		00 50 51 T LE	470	089049	119,90	1	470 x 250 x 150 mm
03	Combination Pliers, with fastening eyelet DIN ISO 5746, DIN EN 60900, IEC 60900 with gripping zones for flat and round material	 	Article No.	↔ mm	EAN 4003773-	€		 Ø mm  Ø mm  Ø mm  Ø mm  mm ²
			03 06 180 T 03 06 180 T BK	180 180	081395 081746	40,60 42,70	1 1	3.4 3.4

The TetheredTool range is growing:

KNIPEX is gradually updating all pliers with red-blue two-component handles to comfort handles. They can be extended with their KNIPEXtend interface and TetheredTool Clips for tool protection and are no longer listed separately here. Items labelled  here will also be updated in the future. Further information can be found on page 23.

		Article No.	↔ mm	EAN 4003773-	€		∅ mm	∅ mm	∅ mm	∅ mm	mm ²
Needle-Nose Combination Pliers, with fastening eyelet DIN ISO 5746 universal pliers for all common repair jobs; narrow head style for use in confined areas (PATENTED)	pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System 	08 22 145 T	145	080640	38,10	1	3.0	2.0		8.0	16.0
		08 22 145 T BK	145	080657	40,20	1	3.0	2.0		8.0	16.0
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether DIN EN 60900, IEC 60900  ⚡ 1000 V	08 26 145 T	145	081401	43,65	1	3.0	2.0		8.0	16.0
		08 26 145 T BK	145	081753	45,75	1	3.0	2.0		8.0	16.0
Insulation Strippers, universal, with fastening eyelet DIN EN 60900, IEC 60900 for single, multiple and fine stranded conductors with plastic or rubber insulation	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether  ⚡ 1000 V	11 06 160 T	160	081418	45,40	1	5	10		8	
		11 06 160 T BK	160	081760	47,50	1	5	10		8	
		Set of spare parts (screw and nut), for 11 XX 160	11 09 01		052326	2,30	1				
Electricians' Pliers, with fastening eyelet the ideal pliers for cable work; for gripping, bending, cutting wire and crimping of wire ferrules	pliers chrome-plated, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System 	13 05 160 T	160	079965	61,45	1					
		13 05 160 T BK	160	080398	63,55	1					
KNIPEX StriX®, Insulation strippers with cable shears, with fastening eyelet DIN EN 60900, IEC 60900 for stripping single, multiple and fine stranded conductors with plastic and rubber insulation; with cable shears for cutting Cu and Al cables (PATENTED)	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether  ⚡ 1000 V	13 66 180 T	180	081906	75,55	1	15	50		8	
		13 66 180 T BK	180	081982	77,65	1	15	50		8	
Pliers for Electrical Installation, Multi-Tool for Electricians, with fastening eyelet to grip flat and round material, for bending, deburring, cutting cable, stripping and crimping wire ferrules (PATENTED)	pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System 	13 82 200 T	200	079972	67,30	1	15	50		1/0	
		13 82 200 T BK	200	080404	69,40	1	15	50		1/0	
	pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether DIN EN 60900, IEC 60900  ⚡ 1000 V	13 96 200 T	200	081425	78,75	1	15	50		1/0	
		13 96 200 T BK	200	081777	80,85	1	15	50		1/0	

08

11

13

13
6

13


TOOLS WITH TETHERING

25

Snipe Nose Side Cutting Pliers, (Radio Pliers), with fastening eyelet

DIN ISO 5745, DIN EN 60900, IEC 60900
for gripping and cutting work in precision mechanics; pointed, half-round jaws

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V ⊖


Article No.	↔ mm	EAN 4003773-	€	📦	⊙ mm	◐ mm	◑ mm
25 06 160 T BK	160	081784	43,65	1		2.5	1.6
25 06 160 T	160	081432	41,55	1		2.5	1.6

26

Snipe Nose Side Cutting Pliers, (Stork Beak Pliers), with fastening eyelet


DIN ISO 5745, DIN EN 60900, IEC 60900
highly loadable, elastic precision tips; half-round, long jaws

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V ⊖

Article No.	↔ mm	EAN 4003773-	€	📦	⊙ mm	◐ mm	◑ mm	● mm
26 16 200 T	200	081449	48,55	1		3.2	2.2	
26 16 200 T BK	200	081791	50,65	1		3.2	2.2	
26 26 200 T	200	081456	53,45	1		3.2	2.2	
26 26 200 T BK	200	081807	55,55	1		3.2	2.2	




⚡ 1000 V ∠40° ⊖

70

Diagonal Cutters, with fastening eyelet

narrow head style for use in confined areas; clean cutting also at cutting edge tips


pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V

Article No.	↔ mm	EAN 4003773-	€	📦	⊙ mm	◐ mm	◑ mm	● mm
70 06 160 T	160	081463	45,05	1	4.0	3.0	2.0	
70 06 160 T BK	160	081814	47,15	1	4.0	3.0	2.0	

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether
DIN ISO 5749, DIN EN 60900, IEC 60900



⚡ 1000 V

70 06 180 T	180	081470	47,55	1	4.0	3.0	2.5	
70 06 180 T BK	180	081821	49,65	1	4.0	3.0	2.5	

71

KNIPEX CoBolt, Compact Bolt Cutters, with fastening eyelet

efficient joint design ensures exceptional cutting performance with little effort

pliers black atramentized, handles with slim multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



▶▶


▼ 71 02 200 T	200	080046	56,90	1	6.0	5.2	4.0	3.6
▼ 71 02 200 T BK	200	080473	59,00	1	6.0	5.2	4.0	3.6



PATENTED ∠20°

▼ 71 22 200 T	200	080053	75,85	1	6.0	5.2	4.0	3.6
▼ 71 22 200 T BK	200	080480	77,95	1	6.0	5.2	4.0	3.6

pliers black atramentized, handles with slim multi-component grips, with recess for easier cutting of thicker wires, Integrated tether attachment point for use with KNIPEX Tethered Tool System



▶▶

▼ 71 32 200 T	200	080060	63,90	1	6.0	5.2	4.0	3.6
▼ 71 32 200 T BK	200	080497	66,00	1	6.0	5.2	4.0	3.6

The TetheredTool range is growing:

KNIPEX is gradually updating all pliers with red-blue two-component handles to comfort handles. They can be extended with their KNIPEXtend interface and TetheredTool Clips for tool protection and are no longer listed separately here. Items labelled ▼ here will also be updated in the future. Further information can be found on page 23.

KNIPEX X-Cut®, Compact Diagonal Cutters, high lever transmission, with fastening eyelet
DIN ISO 5749

for very tough, continuous use, high cutting performance with less effort; large opening width for thicker cable; also for fine wire; compact, weight-saving design


PATENTED

pliers chrome-plated, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



Article No.	↔ mm	EAN 4003773-	€					
					Ø mm	Ø mm	Ø mm	Ø mm
73 05 160 T	160	080077	62,15	1	4.8	3.8	2.7	2.2
73 05 160 T BK	160	080503	64,25	1	4.8	3.8	2.7	2.2

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether
DIN EN 60900, IEC 60900




73 06 160 T	160	081487	63,30	1	4.8	3.8	2.7	2.2
73 06 160 T BK	160	081838	65,40	1	4.8	3.8	2.7	2.2

High Leverage Diagonal Cutters, with fastening eyelet
DIN ISO 5749


for heavy duty; high cutting performance with minimum effort

pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System




74 02 250 T	250	080091	52,80	1		4.6	3.5	3.0
74 02 250 T BK	250	080527	54,90	1		4.6	3.5	3.0

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether
DIN EN 60900, IEC 60900



74 06 200 T	200	081494	58,15	1		4.2	3.0	2.5
74 06 200 T BK	200	081845	60,25	1		4.2	3.0	2.5
74 06 250 T	250	081500	71,75	1		4.6	3.5	3.0
74 06 250 T BK	250	081852	73,85	1		4.6	3.5	3.0

pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



74 22 250 T	250	080114	56,25	1		4.6	3.5	3.0
74 22 250 T BK	250	080541	58,35	1		4.6	3.5	3.0

Pliers Wrenches, pliers and a wrench in a single tool, with fastening eyelet

for careful installation of finished-surface components; parallel smooth jaws; push-button adjustment

pliers chrome-plated, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



Article No.	↔ mm	EAN 4003773-	€				
					Inch	Inch	mm
86 05 180 T	180	080121	74,85	1		1 1/2	40
86 05 180 T BK	180	080558	76,95	1		1 1/2	40
86 05 250 T	250	080138	85,20	1		2	52
86 05 250 T BK	250	080565	87,30	1		2	52
Assortment of spare parts for adjustment for 86/87 XX 250/300 (without 87 2X XXX)	87 09 01	074724	5,50	1			
Assortment of spare parts Adjustment, for 86 XX 180	86 09 180	037514	5,45	1			

KNIPEX Cobra®, High-Tech Water Pump Pliers, with fastening eyelet
DIN ISO 8976

push the button for adjustment on the workpiece; self-locking on pipes and nuts

pliers grey atramentized, head polished, handles with slim multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



87 02 250 T	250	080152	45,75	1	2	1 3/4	46
87 02 250 T BK	250	080589	47,85	1	2	1 3/4	46
87 02 180 T	180	080145	43,20	1	1 1/2	1 1/2	36
87 02 180 T BK	180	080572	45,30	1	1 1/2	1 1/2	36
87 02 300 T	300	080169	60,70	1	2 3/4	2 1/4	60
87 02 300 T BK	300	080596	62,80	1	2 3/4	2 1/4	60

pliers grey atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



TOOLS WITH TETHERING

87
26


KNIPEX Cobra® VDE, High-Tech Water Pump Pliers, with fastening eyelet

DIN ISO 8976, DIN EN 60900, IEC 60900

adjustment by sliding one jaw directly on to the workpiece: fast, reliable and comfortable handling

PATENTED

pliers chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V

Article No.	↔ mm	EAN 4003773-	€	📦	📏 Inch	📏 Inch	📏 mm
Assortment of spare parts for adjustment for 86/87 XX 250/300 (without 87 2X XXX)	87 09 01	074724	5,50	1			
Assortment of spare parts Adjustment, for 87 180	87 09 180	034360	5,10	1			

87 26 250 T	250	081517	64,35	1	2	1 3/4	46
87 26 250 T BK	250	081869	66,45	1	2	1 3/4	46

88

KNIPEX Alligator®, Water Pump Pliers, with fastening eyelet

DIN ISO 8976

self-locking on pipes and nuts; box-joint design

pliers black atramentized, head polished, handles with slim multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



🔧

88 02 250 T	250	080176	39,25	1	2		46
88 02 250 T BK	250	080602	41,35	1	2		46

pliers black atramentized, head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



🔧

88 02 300 T	300	080183	50,20	1	2 3/4		60
88 02 300 T BK	300	080619	52,30	1	2 3/4		60

95

Cable Shears, with fastening eyelet

DIN EN 60900, IEC 60900

precision-ground, hardened blades: clean and smooth cut without crushing

tool chrome-plated, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether



⚡ 1000 V

Article No.	↔ mm	EAN 4003773-	€	📦	⚡	AWG
95 16 165 T	165	081524	64,30	1	Ø 15 mm / 50 mm ²	1 / 0
95 16 165 T BK	165	081876	66,40	1	Ø 15 mm / 50 mm ²	1 / 0

95
6

Wire Rope Cutters, forged, with fastening eyelet

blade geometry prevents the wire rope fanning out; little handforce required due to very high transmission ratio; with two crimping dies for end caps on Bowden cable sheaths and end ferrules for traction cables

head polished, handles with multi-component grips, Integrated tether attachment point for use with KNIPEX Tethered Tool System



🔧

95 62 190 T	190	080206	64,70	1	Ø 7 mm / Ø 5 mm / Ø 4 mm / Ø 2.5 mm	8
95 62 190 T BK	190	080633	66,80	1	Ø 7 mm / Ø 5 mm / Ø 4 mm / Ø 2.5 mm	8

97

Crimping Pliers for wire ferrules, with mandrel crimp, with fastening eyelet

DIN EN 60900, IEC 60900

light and slim design; reliable crimping in 9 marked half-round dies with conical side faces

head polished, handles insulated with multi-component grips, VDE-tested, with integrated insulated tether attachment point for a tool tether








⚡ 1000 V

97 78 180 T	180	081531	56,70	1	0.25 – 16 mm ²	24 - 6
97 78 180 T BK	180	081883	58,80	1	0.25 – 16 mm ²	24 - 6

The TetheredTool range is growing:

KNIPEX is gradually updating all pliers with red-blue two-component handles to comfort handles. They can be extended with their KNIPEXtend interface and TetheredTool Clips for tool protection and are no longer listed separately here. Items labelled **▼** here will also be updated in the future.

Further information can be found on page 23.

	Article No.	↔ mm	EAN 4003773- 074670	€		 mm	 mm	 mm	 mm	
KNIPEX TwinKey®, The most universal control cabinet key multifunctional key for the actuation of locking systems from the areas of facilities engineering (heating and plumbing, air conditioning, electrical technology), gas and water supply, and shut-off- systems (PATENTED)	00 11 01	92	074670	34,95	1	5/ 6-7/ 8-9/ 10-11	7-8/ 9-10/ 11-12	3-5	6-10	00 11
Control Cabinet Keys, for all standard cabinets and shut-off systems Standard key for technical installations in buildings, e.g. air conditioning and ventilation systems, shut-off valves, main switchboards, etc.	00 11 02	44	048947	26,10	1	5/6/ 7-8	7/ 8-9	3-5		00 11
	00 11 03	76	041658	25,65	1	5/6/ 7-8	7/ 8-9	3-5		
Profi-Key, The key for applications in building technology for heating, air condition, plumbing and building engineering; square for air bleeding heaters	00 11 04	89	048954	20,90	1	5/ 7/8	9-10		6-10	00 11
Universal Key Compact key for locking systems in electrical engineering, the supply of gas and water, air conditioning and ventilation systems, industry, technical installations in buildings, etc.	00 11 06	96	071334	43,40	1	5/6/ 7-8/ 9-10	7-8/ 9-10/ 11	3-5		00 11
Universal Key "Construction" for locking systems in electrical engineering, the supply of gas and water, air conditioning and ventilation systems, industry, technical installations in buildings, etc.; also for locks with cylinder lock perforation	00 11 06 V01	96	075394	51,60	1	5/6/ 7-8/ 9-10	7-8/ 9-10/ 11	3-5	6/7/ 8/9	00 11
Control Cabinet Key "Double-Joint", the foldable control cabinet key Universal swivel head wrench with four different, rotatable closing heads; three closing heads with double function	00 11 06 V03	62	083085	22,55	1	5/6/ 7-8	7/ 8-9	3-5		00 11
Universal swivel head wrench with eight dif- ferent, rotatable closing heads; for 10 different key profiles	00 11 06 V04	63	084389	26,50	1	5/ 6-7/ 8-9	5/ 6-7/ 8-9/ 10	3-5		

CONTROL CABINET KEYS









00
11

Pen-Style Control Cabinet Key

easy to carry; four different key profiles can be utilised by swivelling the key holder; with 2 reversible bits



Article No.	↔ mm	EAN 4003773- 063018	€		 mm	 mm	 mm	 mm
00 11 07	145	063018	27,70	1	5/ 6/8	9	3-5	mm

	Article No.	↔ mm	EAN 4003773- 024729	€		Contents
<p>Tool Roll for telecommunications and electrical engineers; hard-wearing polyester fabric</p> 	00 19 41	290		306,15	1	1 x 03 05 160 / 1 x 11 05 160 / 1 x 25 05 160 / 1 x 30 15 160 / 1 x 30 35 160 / 1 x 31 15 160 / 1 x 67 05 140 / 1 x 70 05 140 / 1 x 98 20 25 / 1 x 98 20 40 / 1 x 98 24 01
Tool Roll, empty, 13 pockets	00 19 41 LE	450	035930	24,45	1	
<p>Set of Pliers Wrenches, All-purpose tool in a set: pliers in space-saving roll-up bag in tool roll made of hard-wearing polyester fabric</p> 	00 19 55 54	340	077817	354,60	1	1 x 86 03 125 / 1 x 86 03 150 / 1 x 86 03 180 / 1 x 86 03 250 / 1 x 86 03 300
	00 19 55 56	330	086505	208,25	1	1 x 86 03 125 / 1 x 86 03 180 / 1 x 86 03 250
	00 19 55 57	330	086512	239,65	1	1 x 86 03 150 / 1 x 86 03 300 / 1 x 86 03 250
	N 00 19 55 511	330	092100	218,60	1	1 x 86 01 180 / 1 x 86 01 250 / 1 x 86 01 300
Tool roll for pliers wrenches, empty, 6 compartments	00 19 55 54 LE	340	077824	25,40	1	
Tool roll for pliers wrenches, empty, 4 compartments	00 19 55 56 LE	330	086482	24,60	1	
<p>KNIPEX Cobra® Set in tool roll made of hard-wearing polyester fabric</p> 	00 19 55 55	430	082613	190,50	1	1 x 87 01 125 / 1 x 87 01 300 / 1 x 87 01 150 / 1 x 87 01 180 / 1 x 87 01 250
	00 19 55 58	330	086529	115,80	1	1 x 87 01 125 / 1 x 87 01 180 / 1 x 87 01 250

00
19
41

00
19
55

00
19
55

TOOL KITS

00
19
55

KNIPEX Cobra® Set
in tool roll made of hard-wearing polyester fabric













Article No.	↔ mm	EAN 4003773-	€	📦	Contents
00 19 55 S9	330	086536	130,85	1	1 x 87 01 150 / 1 x 87 01 250 / 1 x 87 01 300
Tool roll for KNIPEX Cobra®, empty, 6 compartments	00 19 55 S5 LE	440 082620	25,40	1	
Tool roll for KNIPEX Cobra®, empty, 4 compartments	00 19 55 S8 LE	330 086499	24,60	1	

00
19

Circlip Pliers Sets in roll case
tool roll made of hard-wearing polyester fabric



00 19 56		030973	93,15	1	1 x 44 11 J2 / 1 x 44 21 J21 / 1 x 46 11 A2 / 1 x 46 21 A21
00 19 56 V01		081548	87,25	1	1 x 44 11 J1 / 1 x 44 11 J2 / 1 x 46 11 A1 / 1 x 46 11 A2
00 19 57		050056	108,75	1	1 x 48 11 J1 / 1 x 48 11 J2 / 1 x 49 11 A1 / 1 x 49 11 A2
00 19 57 V01		081555	116,95	1	1 x 48 11 J2 / 1 x 48 21 J21 / 1 x 49 11 A2 / 1 x 49 21 A21
00 19 58 V01		081562	167,90	1	1 x 44 11 J1 / 1 x 44 11 J2 / 1 x 44 21 J11 / 1 x 44 21 J21 / 1 x 46 11 A1 / 1 x 46 11 A2 / 1 x 46 21 A11 / 1 x 46 21 A21
00 19 58 V02		081579	213,95	1	1 x 48 11 J1 / 1 x 48 11 J2 / 1 x 48 21 J11 / 1 x 48 21 J21 / 1 x 49 11 A1 / 1 x 49 11 A2 / 1 x 49 21 A11 / 1 x 49 21 A21
Tool Bag, empty, 4 compartments	00 19 56 LE	315 035954	16,40	1	
Tool Bag, empty, 8 compartments	00 19 58 LE	615 081920	19,45	1	

	Article No.	↔ mm	EAN 4003773-	€		Contents
KNIPEX TwinGrip-Set in tool roll tool roll made of hard-wearing polyester fabric	 N 00 19 61 V01	330	092063	111,15	1	1 x 82 01 200 / 1 x 82 01 150 / 1 x 82 01 250
	 N 00 19 61 V02	330	092094	84,15	1	1 x 82 01 150 / 1 x 82 01 250
	Tool roll for KNIPEX TwinGrip, empty, 4 compartments N 00 19 61 LE	330	092056	24,60	1	
Pliers Sets, in a foam tray for workbench and tool trolleys; with recesses for holding the pliers; foam tray dimensions (W x H x D): 335 x 165 x 33 mm	Circlip Pliers Set "SRZ"  00 20 01 V02		069652	161,85	1	1 x 48 11 J1 / 1 x 48 11 J2 / 1 x 48 21 J21 / 1 x 49 11 A1 / 1 x 49 11 A2 / 1 x 49 21 A21
	Circlip Pliers Set "SRZ II"  00 20 01 V09		073291	117,55	1	1 x 48 11 J2 / 1 x 48 21 J21 / 1 x 49 11 A2 / 1 x 49 21 A21
	Pliers Set "Basic"  00 20 01 V15		081586	134,50	1	1 x 03 02 180 / 1 x 26 12 200 / 1 x 74 02 180 / 1 x 87 01 250
	Pliers Set "Automotive"  00 20 01 V16		081593	145,80	1	1 x 08 21 145 / 1 x 74 01 180 / 1 x 28 71 280 / 1 x 28 81 280
	Pliers Set "Basic Chrome"  00 20 01 V17		081944	167,60	1	1 x 03 05 180 / 1 x 26 15 200 / 1 x 74 05 180 / 1 x 87 05 250
Precision Circlip Pliers Sets sturdy plastic retail packaging	 00 20 03 SB		050100	101,20	1	1 x 48 11 J1 / 1 x 48 11 J2 / 1 x 49 11 A1 / 1 x 49 11 A2
	 00 20 04 SB		062417	203,35	1	1 x 48 11 J1 / 1 x 48 11 J2 / 1 x 49 11 A1 / 1 x 49 11 A2 / 1 x 48 21 J11 / 1 x 48 21 J21 / 1 x 49 21 A11 / 1 x 49 21 A21

00
19

00
20

00
20

TOOL KITS

00
20

Circclip Pliers Sets
sturdy plastic retail packaging



Article No.	↔ mm	EAN 4003773- 077640	€	📦	Contents
00 20 03 V02			79,70	1	1 x 44 11 J1 / 1 x 44 11 J2 / 1 x 46 11 A1 / 1 x 46 11 A2
00 20 04 V01		077633	157,30	1	1 x 44 11 J1 / 1 x 44 11 J2 / 1 x 44 21 J11 / 1 x 44 21 J21 / 1 x 46 11 A1 / 1 x 46 11 A2 / 1 x 46 21 A11 / 1 x 46 21 A21
00 20 09 V01		073994	80,45	1	1 x 70 02 160 / 1 x 03 02 180 / 1 x 87 01 250
00 20 09 V02		074793	107,70	1	1 x 87 01 180 / 1 x 87 01 250 / 1 x 87 01 300
00 20 09 V03		074809	84,75	1	1 x 88 01 180 / 1 x 88 01 250 / 1 x 88 01 300
00 20 10		010388	80,90	1	1 x 02 01 180 / 1 x 74 01 160 / 1 x 87 01 250
00 20 11		012405	77,95	1	1 x 03 02 180 / 1 x 26 12 200 / 1 x 70 02 160

00
20

Tool Kits

Bestseller Set



KNIPEX Cobra® Set



KNIPEX Alligator® Set










Power Set



Assembly Set, with
comfort handles



Tool Kits	Assembly Set	Article No.	↔ mm	EAN 4003773- 064091	€	📦	Contents	00 20
		00 20 11 V01			102,80	1	1 x 03 05 180 / 1 x 26 15 200 / 1 x 74 05 180	
								
	Electro Set	00 20 12		012412	106,30	1	1 x 03 06 180 / 1 x 26 16 200 / 1 x 70 06 160	
								
	Screwdriver Set	00 20 12 V01		075523	58,45	1	1 x 98 20 30 / 1 x 98 20 40 / 1 x 98 20 55 / 1 x 98 20 65 / 1 x 98 24 01 / 1 x 98 24 02	
								
	VDE Screwdriver Set, Slotted / Phillips®	00 20 12 V02		082538	73,50	1	1 x 98 20 30 / 1 x 98 20 40 SL / 1 x 98 20 55 SL / 1 x 98 20 65 SL / 1 x 98 24 01 SL / 1 x 98 24 02 SL	
								
	VDE Screwdriver Set, Slotted / Phillips® / Pozidriv®	00 20 12 V03		082545	69,65	1	1 x 98 24 00 / 1 x 98 24 01 SL / 1 x 98 24 02 SL / 1 x 98 25 00 / 1 x 98 25 01 SL / 1 x 98 25 02 SL	
								
		00 20 12 V04		082552	72,00	1	1 x 98 20 25 / 1 x 98 20 40 SL / 1 x 98 24 01 SL / 1 x 98 24 02 SL / 1 x 98 25 01 SL / 1 x 98 25 02 SL	
								
	VDE Screwdriver Set, PlusMinus / Slotted	00 20 12 V05		082569	72,00	1	1 x 98 20 25 / 1 x 98 20 40 SL / 1 x 98 24 01 SLS / 1 x 98 24 02 SLS / 1 x 98 25 01 SLS / 1 x 98 25 02 SLS	
								

TOOL KITS

00
20

Tool Kits

VDE Tool Set with 3 WERA screwdrivers



Article No.	↔ mm	EAN	€	📦	Contents
00 20 13		4003773-043287	125,15	1	1 x 26 16 200 / 1 x 70 06 160

00
20

Electronics Pliers Sets, with tools for work on electronic components

case made of hard-wearing polyester fabric



00 20 16	215	022619	330,20	1	1 x 35 12 115 / 1 x 35 22 115 / 1 x 35 32 115 / 1 x 64 32 120 / 1 x 77 02 115 / 1 x 77 42 115 / 1 x 92 34 36
----------	-----	--------	--------	---	--



00 20 16 P	215	063223	401,50	1	1 x 34 12 130 / 1 x 34 22 130 / 1 x 34 32 130 / 1 x 79 02 120 / 1 x 79 02 125 / 1 x 79 42 125
------------	-----	--------	--------	---	---



00 20 16 P ESD	215	063230	416,45	1	1 x 34 12 130 ESD / 1 x 34 22 130 ESD / 1 x 34 32 130 ESD / 1 x 79 02 120 ESD / 1 x 79 02 125 ESD / 1 x 79 42 125 ESD
----------------	-----	--------	--------	---	---



00 20 17	215	031222	331,85	1	1 x 35 12 115 ESD / 1 x 35 22 115 ESD / 1 x 35 42 115 ESD / 1 x 64 32 120 ESD / 1 x 77 32 115 ESD / 1 x 77 02 155 ESD /
----------	-----	--------	--------	---	---



storage box, shock-resistant plastic; with foam insert; with 2 KNIPEX electronics pliers and 6 WERA screwdrivers











00 20 18	215	033073	174,40	1	1 x 35 22 115 / 1 x 77 02 115
----------	-----	--------	--------	---	-------------------------------



00 20 18 ESD	200	051848	188,65	1	1 x 35 22 115 ESD / 1 x 77 02 115 ESD
--------------	-----	--------	--------	---	---------------------------------------



	Article No.	↔ mm	EAN 4003773- 072768	€	 1	Contents
Cable Tie Cutting Set, in belt tool pouch for mobile use 	00 19 72 V01	175	072768	174,95	1	1 x 79 02 125 S1 / 1 x 86 05 150 S02
Mini Pliers Set XS in Belt Pouch, in belt tool pouch for mobile use 	00 20 72 V04 XS	150	087328	94,35	1	1 x 86 04 100 / 1 x 87 00 100
Mini Pliers Sets, in belt tool pouch for mobile use 	00 20 72 V01	160	070832	98,75	1	1 x 86 03 150 / 1 x 87 01 125
	00 20 72 V02	160	075851	65,70	1	1 x 74 01 160 / 1 x 87 01 150
	00 20 72 V04	160	078920	93,10	1	1 x 86 03 125 / 1 x 87 01 125
	 00 20 72 V06	160	081937	68,75	1	1 x 08 22 145 / 1 x 87 01 150

00
19

00
20
72

00
20
72

TOOL KITS

00
20
90

Extension Sets Electro



Article No.	↔ mm	EAN 4003773-	€	📦	Contents
00 20 90 V01		084693	275,25	1	1 x 00 11 01 / 1 x 16 80 125 SB / 1 x 26 26 200 / 1 x 74 06 200 / 1 x 87 01 180 / 1 x 95 16 165 / 1 x 98 25 01 SLS / 1 x 98 25 02 SLS



00 20 90 V02		084709	417,00	1	1 x 00 11 01 / 1 x 12 62 180 / 1 x 16 95 01 SB / 1 x 26 26 200 / 1 x 74 06 200 / 1 x 78 06 125 / 1 x 87 01 180 / 1 x 95 16 165 / 1 x 98 25 01 SLS / 1 x 98 25 02 SLS / 1 x 97 78 180
--------------	--	--------	--------	---	--

00
21

Tool Bag
"Classic" Electric,
23 parts

with 23 KNIPEX tools and other brand tools; light design made of hard-wearing, reinforced polyester fabric; with front pouch, adjustable hold loops and carry belts; galvanised base tray



00 21 02 EL	180	081951	550,85	1	1 x 03 06 180 / 1 x 11 06 160 / 1 x 16 95 01 SB / 1 x 26 16 200 / 1 x 70 06 160 / 1 x 98 20 25 / 1 x 98 20 35 SL / 1 x 98 20 55 SL / 1 x 98 20 65 SL / 1 x 98 24 01 SL / 1 x 98 24 02 SL / 1 x 98 52
-------------	-----	--------	--------	---	--

Tool Bag "Classic", empty

00 21 02 LE	180	057499	156,85	1	
-------------	-----	--------	--------	---	--

00
21

Tool Case
"Basic" E-Mobility,
34 parts

with 30 KNIPEX tools, foam inlay, three warning signs and safety note for electric vehicles



00 21 05 EV	410	089025	1.347,40	1	1 x 26 16 200 / 1 x 70 06 160 / 1 x 86 06 250 / 1 x 98 20 35 / 1 x 98 20 65 / 1 x 98 24 01 / 1 x 98 24 02 / 1 x 98 24 03 / 1 x 98 31 / 1 x 98 35 125 / 1 x 98 35 250 / 1 x 98 37 10 / 1 x 98 37 11 / 1 x 98 37 12 / 1 x 98 37 13 / 1 x 98 29 25 / 1 x 98 29 27 / 1 x 98 29 30 / 1 x 98 29 40 / 1 x 98 29 45 / 1 x 98 29 50 / 1 x 98 00 08 / 1 x 98 00 09 / 1 x 98 00 10 / 1 x 98 00 11 / 1 x 98 00 12 / 1 x 98 00 13 / 1 x 98 66 30 / 1 x 98 66 40 / 1 x 98 66 50 / 1 x 98 65 41 / 1 x 98 62 01 / 1 x 98 62 02
-------------	-----	--------	----------	---	--

Tool Case "Basic", empty

00 21 05 LE	410	056904	168,05	1	
-------------	-----	--------	--------	---	--

00
21
06

Tool Case
"BIG Basic Move" ElectricPlus,
68 parts

with 27 KNIPEX tools and other brand tools (Wera, Stabila, Picard, Rennsteig); hard-shell case of ABS-material, with base tray, document compartment, cover plate, with surrounding aluminium frame



00 21 06	515	086260	1.461,05	1	1x00 11 01/1x98 24 01 SL/ 1x98 24 02 SL/1x98 25 01 / 1x98 25 02 SL/1x98 26 10 / 1x98 26 15/1x98 26 20 / 1x98 26 25/1x98 26 30 / 1x98 25 01 SLS/1x98 25 02 SLS/ 1x98 20 25/1x98 20 35 SL / 1x98 20 40 SL/1x98 20 55 SL/ 1x12 52 195/1x13 86 200 / 1x16 95 01 SB/1x70 06 160 / 1x74 06 200/1x78 06 125 / 1x97 53 18/1x26 26 200 / 1x08 26 145/1x87 01 180
----------	-----	--------	----------	---	---

Tool Case "BIG Basic Move", empty

00 21 06 LE	515	057512	351,65	1	
-------------	-----	--------	--------	---	--

	Article No.	↔ mm	EAN 4003773- 086222	€		Contents	
<p>Tool Case "BIG Basic Move" Mechanic, 90 parts</p> <p>with 12 KNIPEX tools and other brand tools (Wera, Stabila, Picard, Rennsteig, Heyco); hard-shell case of ABS-material, with base tray, document compartment, cover plate, with surrounding aluminium frame; with integrated wheels and telescopic handle</p> 	00 21 06 M	515	086222	1.562,95	1	1 x 00 11 01 / 1 x 86 01 250 / 1 x 16 20 50 SB / 1 x 16 95 01 SB / 1 x 71 31 200 / 1 x 70 02 160 / 1 x 74 02 200 / 1 x 78 61 140 / 1 x 26 12 200 / 1 x 26 22 200 / 1 x 87 01 250	00 21 06
Tool Case "BIG Basic Move", empty	00 21 06 LE	515	057512	351,65	1		
<p>Tool Case "BIG Basic Move" Plumbing, 31 parts</p> <p>with 4 KNIPEX tools and other brand tools (Wera, Stabila, Picard, Rennsteig, Heyco); hard-shell case of ABS-material, with base tray, document compartment, cover plate, with surrounding aluminium frame</p> 	00 21 06 HK S	515	084266	731,70	1	1 x 86 03 250 / 1 x 70 06 160 / 1 x 88 01 250 / 1 x 88 01 300	00 21 06
Tool Case "BIG Basic Move", empty	00 21 06 LE	515	057512	351,65	1		
<p>Tool Case "BIG Basic Move" Electric, 24 parts</p> <p>with 6 KNIPEX tools and other brand tools (Wera, Picard, Rennsteig, Nölle); hard-shell case of ABS-material, with base tray, document compartment, cover plate, with surrounding aluminium frame</p> 	00 21 06 HL S	515	084235	663,75	1	1 x 03 06 180 / 1 x 11 06 160 / 1 x 16 20 165 / 1 x 26 26 200 / 1 x 70 06 160 / 1 x 98 52	00 21 06
Tool Case "BIG Basic Move", empty	00 21 06 LE	515	057512	351,65	1		
<p>Tool Bag "Compact"</p> <p>for service technicians; with compartments and tool loops; fits into common tool cases</p> 	00 21 11	290	084532	638,85	1	1 x 12 40 200 / 1 x 13 86 200 / 1 x 16 95 01 SB / 1 x 70 06 160 / 1 x 78 06 125 / 1 x 87 01 250 7 / 1 x 97 53 04 / 1 x 98 20 35 SL / 1 x 98 24 02 SL / 1 x 98 25 01 SL / 1 x 98 25 02 SL / 1 x 98 52	00 21
Tool Bag "Compact", empty	00 21 11 LE	290	077718	60,45	1		
<p>Tool Box "RED" Electric Set 1, 4 parts</p> 	00 20 15	275	024804	169,75	1	1 x 03 06 180 / 1 x 11 06 160 / 1 x 26 16 200 / 1 x 70 06 160	00 20 15
<p>Tool Box "RED" Electric Set 2, 7 parts</p> <p>with 4 KNIPEX pliers and 3 WERA screwdrivers</p> 	00 21 15	275	042853	193,50	1	1 x 03 06 180 / 1 x 26 16 200 / 1 x 70 06 160 / 1 x 88 03 180	00 21 15
Tool Box "RED", empty	00 21 15 LE	275	045175	27,35	1		

TOOL KITS

00
21
25

Tool Box "SRZ", 8 parts

high-quality, impact-resistant plastic case



00
21

KNIPEX L-BOXX® Electric, 63 parts

with 14 KNIPEX tools and other brand tools; strong box made of impact- and shock-proof ABS plastic; for mobile use



00
21

KNIPEX L-BOXX® Plumbing, 52 parts

with 13 KNIPEX tools and other brand tools; strong box made of impact- and shock-proof ABS plastic, for mobile deployment



00
21
20

Tool Case "Vision24" Electric, 20 parts

hard-shell case of ABS-material, with base tray, document compartment, cover plate, with surrounding aluminium frame



00
21

Tool Case "Vision27" Plumbing, 52 parts

with 6 KNIPEX tools and other brand tools (Wera, Stabila, Picard, Rennsteig, Heyco); hard-shell case of ABS-material, with base tray, document compartment, cover plate, with surrounding aluminium frame



00
21

Tool Case "Robust26 Move" Electric, 22 parts

with 11 KNIPEX tools and other brand tools; fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards



Article No.	↔ mm	EAN 4003773-	€		Contents
00 21 25	270	050131	245,05	1	1 x 48 11 J1 / 1 x 48 11 J2 / 1 x 48 21 J11 / 1 x 48 21 J21 / 1 x 49 11 A1 / 1 x 49 11 A2 / 1 x 49 21 A11 / 1 x 49 21 A21
00 21 19 LB E	357	081623	1.309,90	1	1 x 00 11 01 / 1 x 08 26 145 / 1 x 12 52 195 / 1 x 13 86 200 / 1 x 16 95 01 / 1 x 26 26 200 / 1 x 70 06 160 / 1 x 74 06 200 / 1 x 86 03 180 / 1 x 87 01 180 / 1 x 97 53 04 / 1 x 98 52 / 1 x 98 25 01 SL / 1 x 98 20 35 SL
KNIPEX L-BOXX®, empty					
00 21 19 LB LE	357	081975	91,55	1	
00 21 19 LB S	357	081630	893,40	1	1 x 00 11 01 / 1 x 26 16 200 / 1 x 74 06 180 / 1 x 86 03 250 / 1 x 87 01 250 / 1 x 87 01 400 / 1 x 98 20 35 / 1 x 98 20 55 / 1 x 98 26 15 / 1 x 98 26 20 / 1 x 98 26 25 / 1 x 98 24 01 / 1 x 98 24 02
KNIPEX L-BOXX®, empty					
00 21 19 LB LE	357	081975	91,55	1	
00 21 20	180	052166	937,80	1	1x03 06 180/1x12 40 200 / 1x16 95 01 5B/1x26 16 200 / 1x26 26 200/1x70 06 160 / 1x74 06 200/1x86 03 180 / 1x87 03 250/1x95 16 200 / 1x98 20 25/1x98 20 40 SL / 1x98 20 55 SL/1x98 20 65 SL/ 1x98 24 01 SL/1x98 24 02 SL/ 1x98 25 01 SL/1x98 25 02 SL/ 1x98 52
Tool Case "Vision24", empty					
00 21 20 LE	370	044567	293,95	1	
00 21 21 HK S	200	080671	1.057,45	1	1 x 00 11 01 / 1 x 26 16 200 / 1 x 74 06 180 / 1 x 86 03 250 / 1 x 87 01 250 / 1 x 87 01 400
Tool Case "Vision27", empty					
00 21 33 E	550	089094	1.320,50	1	1 x 00 11 01 / 1 x 08 26 185 / 1 x 12 52 195 / 1 x 13 96 200 / 1 x 26 26 200 / 1 x 74 06 180 / 1 x 78 06 125 / 1 x 90 22 10 / 1 x 97 53 14 / 1 x 98 20 35 SL / 1 x 98 20 55 SL / 1 x 98 24 01 SL / 1 x 98 24 02 SL / 1 x 98 26 15 / 1 x 98 26 20 / 1 x 98 26 25 / 1 x 98 52
Tool Case "Robust26 Move", empty					
00 21 33 LE	225	057543	493,70	1	

	Article No.	↔ mm	EAN 4003773- 089100	€		Contents
<p>Tool Case "Robust26 Move" Plumbing, 17 parts</p> <p>with 8 KNIPEX tools and other brand tools; fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards</p> 	00 21 33 S			998,90	1	1 x 00 11 01 / 1 x 74 06 180 / 1 x 86 03 300 / 1 x 87 01 180 / 1 x 87 01 300 / 1 x 90 10 165 BK / 1 x 98 20 35 SL / 1 x 98 20 55 SL / 1 x 90 22 10 / 1 x 98 24 01 SL / 1 x 98 24 02 SL / 1 x 90 31 02 SB
Tool Case "Robust26 Move", empty	00 21 33 LE	225	057543	493,70	1	
<p>Tool Case "Robust23 Start" Electric, 24 parts</p> <p>Equipped with 6 KNIPEX tools, a total of 24 brand tools; fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards</p> 	00 21 34 HL S2		087366	568,00	1	1 x 11 06 160 / 1 x 16 20 165 SB / 1 x 16 95 01 SB / 1 x 70 06 160 / 1 x 97 78 180
Tool Case "Robust23", empty	00 21 35	370	084365	863,30	1	1 x 12 40 200 / 1 x 16 95 01 SB / 1 x 70 06 160 / 1 x 87 01 180 / 1 x 97 53 04 / 1 x 98 52
<p>Tool Case "Robust23" Electric, 25 parts</p> <p>fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards</p> 	00 21 35 LE	370	077596	329,55	1	
<p>Tool Case "Robust34" Electric, 26 parts</p> <p>with 9 KNIPEX tools and other brand tools; fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards</p> 	00 21 36	419	082583	1.134,80	1	1 x 00 11 01 / 1 x 08 26 145 / 1 x 12 40 200 / 1 x 13 86 200 / 1 x 16 95 01 SB / 1 x 70 06 160 / 1 x 87 01 180 / 1 x 97 53 04 / 1 x 98 52
Tool Case "Robust34", empty	00 21 36 LE	419	082576	455,15	1	
<p>Tool Case "Robust45 Move" Electric, 63 parts</p> <p>with 14 KNIPEX tools and other brand tools; fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards</p> 	 00 21 37		082606	1.792,20	1	1 x 00 11 01 / 1 x 86 03 180 / 1 x 98 52 / 1 x 98 25 01 SL / 1 x 98 20 35 SL / 1 x 12 52 195 SB / 1 x 13 86 200 / 1 x 16 95 01 SB / 1 x 70 06 160 / 1 x 74 06 200 / 1 x 97 53 04 / 1 x 26 26 200 / 1 x 08 26 145 / 1 x 87 01 180
Tool Case "Robust45 Move", empty	00 21 37 LE	428	082590	645,70	1	
<p>Tool Case "Robust45 Move" Mechanic, 90 parts</p> <p>with 12 KNIPEX tools and other brand tools; fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards</p> 	00 21 37 M	428	086239	1.834,85	1	1 x 00 11 01 / 1 x 86 01 250 / 1 x 16 20 50 SB / 1 x 16 95 01 SB / 1 x 71 31 200 / 1 x 70 02 160 / 1 x 74 02 200 / 1 x 78 61 140 / 1 x 26 12 200 / 1 x 26 22 200 / 1 x 87 01 250
Tool Case "Robust45 Move", empty	00 21 37 LE	428	082590	645,70	1	

00
21

00
21

00
21

00
21

00
21

00
21

TOOL KITS

00
21

**Tool Case
"BIG Twin Move" Electric,
63 parts**

with 14 KNIPEX tools and other brand tools; hard-wearing ABS hard shell construction; can be opened one or both sides



Tool Case "BIG Twin Move", empty

00
21

**Tool Case
"BIG Twin" Electric,
63 parts**

with 14 KNIPEX tools and other brand tools; hard-wearing ABS hard shell construction; can be opened one or both sides



Tool Case "BIG Twin", empty

00
21

**Tool backpack
Modular X18 Electric,
22 parts**

with 11 KNIPEX tools and other brand tools; with two separate compartments for tools, notebook and documents, loadable with 12 kg, individually expandable



00
21

**Tool backpack
Modular X18 Plumbing,
17 parts**

with 8 KNIPEX tools and other brand tools; with two separate compartments for tools, notebook and documents, loadable with 12 kg, individually expandable



00
31

Pliers Sets

with KNIPEX Cobra®
87 01 180 and
87 01 250



with KNIPEX Alligator®
88 01 180 and
88 01 250



	Article No.	↔ mm	EAN 4003773-	€	📦	Contents
	00 21 41	290	082118	1.568,20	1	1 x 70 06 160 / 1 x 00 11 01 / 1 x 86 03 180 / 1 x 98 52 / 1 x 12 52 195 / 1 x 13 86 200 / 1 x 16 95 01 SB / 1 x 74 06 200 / 1 x 97 53 04 / 1 x 26 26 200 / 1 x 08 26 145 / 1 x 87 01 180
	00 21 41 LE	290	071549	467,35	1	
	00 21 42	290	084228	1.500,10	1	1 x 00 11 01 / 1 x 86 03 180 / 1 x 98 52 / 1 x 98 25 01 SL / 1 x 98 20 35 SL / 1 x 12 52 195 SB / 1 x 13 86 200 / 1 x 16 95 01 SB / 1 x 70 06 160 / 1 x 74 06 200 / 1 x 97 53 04 / 1 x 26 26 200 / 1 x 08 26 145 / 1 x 87 01 180
	00 21 42 LE	290	084211	401,25	1	
	00 21 50 E	530	089063	1.157,75	1	1 x 00 11 01 / 1 x 08 26 185 / 1 x 12 52 195 / 1 x 13 86 200 / 1 x 16 95 01 / 1 x 26 26 200 / 1 x 70 06 160 / 1 x 78 06 125 / 1 x 90 22 10 / 1 x 97 53 14 / 1 x 98 20 35 SL / 1 x 98 20 55 SL / 1 x 98 25 01 SL / 1 x 98 25 01 SLS / 1 x 98 25 02 SL / 1 x 98 52
	00 21 50 S	530	089070	836,15	1	1 x 00 11 01 / 1 x 74 06 180 / 1 x 86 03 300 / 1 x 87 01 180 / 1 x 87 01 300 / 1 x 90 10 165 BK / 1 x 90 22 10 / 1 x 90 31 02 SB / 1 x 98 20 35 SL / 1 x 98 20 55 SL / 1 x 98 24 01 SL / 1 x 98 24 02 SL
	00 21 50 LE	530	089056	315,00	1	
	00 31 20 V01		077251	62,85	3	1 x 87 01 180 / 1 x 87 01 250
	00 31 20 V02		077268	47,90	3	1 x 88 01 180 / 1 x 88 01 250

			Article No.	↔ mm	EAN 4003773- 078104	€		Contents	
Pliers Sets	with Pliers Wrench 86 03 180 and KNIPEX Cobra® 87 01 250		00 31 20 V03			93,05	3	1 x 86 03 180 / 1 x 87 01 250	00 31
Electrical Installations Set			00 31 30 BK V01		086574	147,95	1	1 x 13 86 200 / 1 x 16 95 01 SB / 1 x 70 06 160	00 30
Electrical Cutting Set			00 31 30 BK V02		087892	124,25	1	1 x 70 06 160 / 1 x 78 06 125 / 1 x 95 16 160	00 31
Electrical Set			00 31 30 BK V03		087885	111,05	1	1 x 11 06 160 / 1 x 26 16 200 / 1 x 70 06 160	00 31
Photovoltaic Installations Set			 00 31 31 V01 SB		092780	197,60	1	1 x 16 95 03 SB / 1 x 97 52 42	00 31
Universal Tweezers Set ESD, 5 parts	stainless steel DIN EN 61340 -5-1 in tool roll made of hard-wearing polyester fabric		92 00 01 ESD	90	087038	122,95	1	1 x 92 28 69 ESD / 1 x 92 28 70 ESD / 1 x 92 28 71 ESD / 1 x 92 38 75 ESD / 1 x 92 58 74 ESD	92 00
	Tool Roll, for tweezers, 7 compartments		00 19 92 V02 LE	90	087236	16,00	1		
Precision Tweezers Set, 5 parts	premium stainless steel in tool roll made of hard-wearing polyester fabric		92 00 02	90	087021	197,80	1	1 x 92 21 01 / 1 x 92 21 02 / 1 x 92 21 03 / 1 x 92 31 01 / 1 x 92 51 01	92 00
	Tool Roll, for tweezers, 7 compartments		00 19 92 V02 LE	90	087236	16,00	1		

TOOL KITS

92
00

SMD Precision Tweezers Set, 5 parts

in tool roll made of hard-wearing polyester fabric

premium stainless steel



Article No.
92 00 03

↔
mm
90

EAN
4003773-
087045

€
169,15

1

Contents

1 x 92 01 01 / 1 x 92 01 02 /
1 x 92 01 03 / 1 x 92 01 04 /
1 x 92 02 54

Tool Roll, for tweezers, 7 compartments

00 19 92 V02 LE

90

087236

16,00

1

92
00

Universal Tweezers Set, insulated, 5 parts

DIN EN 60900, IEC 60900
in tool roll made of hard-wearing polyester fabric; tested protection against electrical voltage up to 1000 V

stainless steel



1000 V

92 00 04

90

087052

153,90

1

1 x 92 27 61 / 1 x 92 27 62 /
1 x 92 37 64 / 1 x 92 47 01 /
1 x 92 67 63

Tool Roll, for insulated tweezers, 5 compartments

00 19 92 V01 LE

90

087229

16,00

1

92
00

Plastic Tweezers Set ESD, 5 parts

DIN EN 61340 -5-1
in tool roll made of hard-wearing polyester fabric

carbon fibre reinforced plastic



92 00 05 ESD

90

087069

45,25

1

1 x 92 09 01 ESD /
1 x 92 09 02 ESD /
1 x 92 09 03 ESD /
1 x 92 09 04 ESD /
1 x 92 09 05 ESD

Tool Roll, for tweezers, 7 compartments

00 19 92 V02 LE

90

087236

16,00

1

98
9

Compact Tool Case, 17 parts

DIN EN 60900, IEC 60900
impact-resistant plastic case; with insulated tools for works on electrical installations



1000 V

98 99 11

380

026624

648,20

1

1 x 03 07 200 / 1 x 70 07 160 /
1 x 98 20 35 / 1 x 98 20 40 /
1 x 98 20 55 / 1 x 98 24 00 /
1 x 98 42 / 1 x 98 45 125 /
1 x 98 45 250 / 1 x 98 47 10 /
1 x 98 47 11 / 1 x 98 47 12 /
1 x 98 47 13 / 1 x 98 47 14 /
1 x 98 47 17 / 1 x 98 47 19 /
1 x 98 52

98
9

Compact Tool Case, 26 parts

DIN EN 60900, IEC 60900
with insulated tools for works on electrical installations; IEC 60900; impact-resistant plastic case; with insulated tools for works on electrical installations



1000 V

98 99 12

385

026631

792,10

1

1 x 03 07 200 / 1 x 70 07 160 /
1 x 98 00 10 / 1 x 98 00 11 /
1 x 98 00 12 / 1 x 98 00 13 /
1 x 98 00 14 / 1 x 98 00 17 /
1 x 98 00 19 / 1 x 98 53 03 /
1 x 98 20 25 / 1 x 98 20 35 /
1 x 98 20 40 / 1 x 98 20 55 /
1 x 98 24 00 / 1 x 98 24 01 /
1 x 98 24 02 / 1 x 98 40 /
1 x 98 47 10 / 1 x 98 47 11 /
1 x 98 47 12 / 1 x 98 47 13 /
1 x 98 47 14 / 1 x 98 47 17 /
1 x 98 47 19 / 1 x 98 52

98
9

Tool Roll

DIN EN 60900, IEC 60900
of hard-wearing polyester fabric; with practical, adjustable quick release fastener



Tool Roll, empty, 15 pockets

98 99 13

805

026648

462,35

1

1 x 03 07 200 / 1 x 11 07 160 /
1 x 26 17 200 / 1 x 70 07 160 /
1 x 95 17 200 / 1 x 98 00 10 /
1 x 98 00 13 / 1 x 98 00 14 /
1 x 98 00 17 / 1 x 98 00 19 /
1 x 98 20 25 / 1 x 98 20 40 /
1 x 98 20 55 / 1 x 98 20 65 /
1 x 98 52


98 99 13 LE

850

028888

33,15

1

	Article No.	↔ mm	EAN 4003773- 084341	€	📦	Contents
<p>Toolbox "BIG Twin Move RED" Electric Competence, 42 parts</p> 	<p>98 99 15</p>	<p>290</p>	<p>084341</p>	<p>2.137,45</p>	<p>1</p>	<p>1 x 08 26 145 / 1 x 11 06 160 / 1 x 70 06 160 / 1 x 87 26 250 / 1 x 95 16 200 / 1 x 98 00 10 / 1 x 98 00 13 / 1 x 98 00 14 / 1 x 98 00 17 / 1 x 98 00 19 / 1 x 98 00 22 / 1 x 98 01 10 / 1 x 98 01 13 / 1 x 98 01 14 / 1 x 98 01 17 / 1 x 98 01 19 / 1 x 98 01 22 / 1 x 98 20 25 / 1 x 98 20 55 SL / 1 x 98 20 65 SL / 1 x 98 24 01 SL / 1 x 98 24 02 SL / 1 x 98 25 01 SL / 1 x 98 25 02 SL / 1 x 98 25 02 SLS / 1 x 98 20 40 SL / 1 x 98 40 / 1 x 98 42 / 1 x 98 45 125 / 1 x 98 45 250 / 1 x 98 47 10 / 1 x 98 47 11 / 1 x 98 47 12 / 1 x 98 47 13 / 1 x 98 47 14 / 1 x 98 47 17 / 1 x 98 47 19 / 1 x 98 47 22 / 1 x 98 47 24 / 1 x 98 64 02 / 1 x 98 52 / 1 x 98 53 03</p>
	<p>Tool Case "BIG Twin Move RED", empty</p>	<p>98 99 15 LE</p>	<p>290</p>	<p>084334</p>	<p>458,20</p>	<p>1</p>

TOOL BAGS AND TOOL CASES

00
19

Tool Roll, empty

ideal for electricians network engineers; tool loops inside

13 pockets



Article No.
00 19 41 LE

↔
mm
450

EAN
4003773-
035930

€
24,45


1

Module bag, empty

N 00 19 50 LE

190

090076

30,85

1



00
19

Tool Roll, for pliers wrench, empty

tool roll made of hard-wearing polyester fabric

5 compartments



00 19 55 S4 LE

340

077824

25,40

1

3 compartments



00 19 55 S6 LE

330

086482

24,60

1

00
19

Tool Roll, for Cobra®, empty

tool roll made of hard-wearing polyester fabric

5 compartments



00 19 55 S5 LE

440

082620

25,40

1

3 compartments



00 19 55 S8 LE

330

086499

24,60

1

			Article No.	↔ mm	EAN 4003773- 035954	€		
Tool Bag, empty tool roll made of hard-wearing polyester fabric	4 compartments		00 19 56 LE	315	035954	16,40	1	
	8 compartments		00 19 58 LE	615	081920	19,45	1	
Tool roll for KNIPEX TwinGrip, empty	4 compartments		N 00 19 61 LE	330	092056	24,60	1	
Belt Pouch XS, for KNIPEX Cobra® XS and Pliers Wrench XS, empty with practical belt loop			00 19 72 XS LE	40	087335	10,85	1	
Belt Pouch, for two pliers, empty for two pliers up to 150 mm length; With practical belt clip			00 19 72 LE	55	070191	11,30	1	
Belt Tool Pouch, empty with practical belt loop			00 19 75 LE	40	088158	12,20	1	
Tool Roll, for tweezers of hard-wearing polyester fabric; with practical, adjustable quick release fastener	for insulated tweezers, 5 compartments		00 19 92 V01 LE	90	087229	16,00	1	
	for tweezers, 7 compartments		00 19 92 V02 LE	90	087236	16,00	1	

00
19

00
19

00
19

00
19

00
19

00
19

TOOL BAGS AND TOOL CASES

00
20

Tool Bag, empty, with 6 elastic loops
made of hard-wearing polyester fabric



Article No.	↔ mm	EAN 4003773-	€	
00 20 16 LE	215	022411	50,85	1

00
21

Tool Bag "Classic", empty
light design: made of tough, reinforced polyester fabric; with front pouch, adjustable hold loops and carry belts; galvanised base tray



00 21 02 LE	180	057499	156,85	1
-------------	-----	--------	--------	---

00
21

Tool Case "Basic", empty
ABS hard-shell construction, 15 kg maximum load



00 21 05 LE	410	056904	168,05	1
-------------	-----	--------	--------	---

Spare handle, for 00 21 XX / 98 99 XX

00 21 99 V02	079132	6,90	1
--------------	--------	------	---

Spare handle, for 00 21 05

00 21 99 V03	079149	6,70	1
--------------	--------	------	---

Spare tilting lock, for 00 21 XX / 98 99 15, (2x)

00 21 99 V06	084723	12,35	1
--------------	--------	-------	---

Spare key, for 00 21 XX / 98 99 15, (2x)

00 21 99 V07	084730	3,55	1
--------------	--------	------	---

Spare combination lock, for 00 21 XX / 98 99 XX

00 21 99 V08	084747	4,00	1
--------------	--------	------	---

Spare rotating swivel, for 00 21 0X, (2x)

00 21 99 V10	086079	2,95	1
--------------	--------	------	---

Spare separators, for 00 21 05, (4x)

00 21 99 V11	086314	24,55	1
--------------	--------	-------	---

Spare tool boards, for 00 21 05, (2x)

00 21 99 V15	087434	49,35	1
--------------	--------	-------	---

00
21

Tool Case "BIG Basic Move", empty
ABS hard-shell construction, 15 kg maximum load



00 21 06 LE	515	057512	351,65	1
-------------	-----	--------	--------	---

Spare handle, for 00 21 XX / 98 99 XX

00 21 99 V02	079132	6,90	1
--------------	--------	------	---

Spare tilting lock, for 00 21 XX / 98 99 15, (2x)

00 21 99 V06	084723	12,35	1
--------------	--------	-------	---

Spare key, for 00 21 XX / 98 99 15, (2x)

00 21 99 V07	084730	3,55	1
--------------	--------	------	---

Spare combination lock, for 00 21 XX / 98 99 XX

00 21 99 V08	084747	4,00	1
--------------	--------	------	---

Spare wheels, for 00 21 XX / 98 99 XX, (2x)

00 21 99 V09	084754	18,75	1
--------------	--------	-------	---

Spare rotating swivel, for 00 21 0X, (2x)

00 21 99 V10	086079	2,95	1
--------------	--------	------	---

Spare separators, for 00 21 06, (4x)

00 21 99 V12	087427	30,75	1
--------------	--------	-------	---

Spare tool boards, for 00 21 06, (3x)

00 21 99 V16	087441	74,00	1
--------------	--------	-------	---

00
21

Tool Bag "Stretched", empty



00 21 07 LE	555	071358	75,95	1
-------------	-----	--------	-------	---


	Article No.	↔ mm	EAN 4003773- 077787	€		
<p>Tool Bag "LightPack", empty can be opened from both sides; plastic base tray</p> 	00 21 08 LE	300	077787	199,05	1	00 21
<p>Tool Bag "Service", empty for service technicians; interior pocket for laptop; document compartment and tool boards</p> 	00 21 10 LE	320	074472	125,85	1	00 21
<p>Tool Bag "Compact", empty for service technicians; with compartments and tool loops; fits into common tool cases</p> 	00 21 11 LE	290	077718	60,45	1	00 21
<p>KNIPEX L-BOXX®, empty strong box made of impact- and shock-proof ABS plastic; for mobile use</p> 	00 21 19 LB LE	357	081975	91,55	1	00 21
<p>with tool boards</p> 	00 21 19 LB	357	081616	194,90	1	
<p>Tool board</p> 	00 21 19 LB WK	310	081609	73,90	1	
<p>Tool Case "Vision24", empty hard-shell case of ABS-material, with base tray, document compartment, cover plate, with surrounding aluminium frame</p> 	00 21 20 LE	370	044567	293,95	1	00 21

00
21

Tool Case "Robust26 Move", empty

fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards; 25 kg maximum load



Article No.	↔ mm	EAN 4003773-	€	
00 21 33 LE	225	057543	493,70	1
Spare separators, for 00 21 3X/ 00 21 42, (3x)	00 21 99 V14	087410	61,65	1
Spare tilting clasp front, for 00 21 3X, (2x)	00 21 99 V30	084761	5,20	1
Spare handle, for 00 21 3X	00 21 99 V32	084785	5,90	1
Spare wheels, for 00 21 37, (2x)	00 21 99 V36	084822	23,00	1
Spare rotating swivel, for 00 21 3X, (2x)	00 21 99 V37	086062	2,95	1
Spare hinge, for 00 21 3X, (2x)	00 21 99 V38	086338	4,95	1
Spare clip for tool board, for 00 21 3X, (2x)	00 21 99 V39	086345	4,95	1
Spare tool board fastener, for 00 21 3X, (2x)	00 21 99 V40	086352	4,95	1

00
21

Tool Case "Robust23", empty

fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards; 30 kg maximum load



00 21 35 LE	370	077596	329,55	1
Spare separators, for 00 21 3X/ 00 21 42, (3x)	00 21 99 V14	087410	61,65	1
Spare tilting clasp front, for 00 21 3X, (2x)	00 21 99 V30	084761	5,20	1
Spare handle, for 00 21 3X	00 21 99 V32	084785	5,90	1
Spare shoulder strap, for 00 21 35 / 00 21 36	00 21 99 V35	084815	15,20	1
Spare rotating swivel, for 00 21 3X, (2x)	00 21 99 V37	086062	2,95	1
Spare hinge, for 00 21 3X, (2x)	00 21 99 V38	086338	4,95	1
Spare clip for tool board, for 00 21 3X, (2x)	00 21 99 V39	086345	4,95	1
Spare tool board fastener, for 00 21 3X, (2x)	00 21 99 V40	086352	4,95	1
Spare tool boards, for 00 21 35, (2x)	00 21 99 V41	087472	86,35	1





00
21

Tool Case "Robust34" Electric, empty

fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards; 25 kg maximum load



00 21 36 LE	419	082576	455,15	1
Spare separators, for 00 21 3X/ 00 21 42, (3x)	00 21 99 V14	087410	61,65	1
Spare tilting clasp front, for 00 21 3X, (2x)	00 21 99 V30	084761	5,20	1
Spare handle, for 00 21 3X	00 21 99 V32	084785	5,90	1
Spare shoulder strap, for 00 21 35 / 00 21 36	00 21 99 V35	084815	15,20	1
Spare rotating swivel, for 00 21 3X, (2x)	00 21 99 V37	086062	2,95	1
Spare hinge, for 00 21 3X, (2x)	00 21 99 V38	086338	4,95	1
Spare clip for tool board, for 00 21 3X, (2x)	00 21 99 V39	086345	4,95	1
Spare tool board fastener, for 00 21 3X, (2x)	00 21 99 V40	086352	4,95	1
Spare tool boards, for 00 21 36, (2x)	00 21 99 V42	087489	98,75	1

	Article No.	↔ mm	EAN 4003773-	€	
<p>Tool Case "Robust45 Move", empty, with integrated wheels and telescopic handle fit-to-fly case, made from impact-resistant polypropylene; dustproof and watertight; document compartment and tool boards; 35 kg maximum load</p> 	00 21 37 LE	428	082590	645,70	1
Spare separators, for 00 21 3X/ 00 21 42, (3x)	00 21 99 V14		087410	61,65	1
Spare tilting clasp front, for 00 21 3X, (2x)	00 21 99 V30		084761	5,20	1
Spare tilting clasp side, for 00 21 37, (2x)	00 21 99 V31		084778	10,15	1
Spare handle, for 00 21 3X	00 21 99 V32		084785	5,90	1
Spare gas spring, for 00 21 37, (2x)	00 21 99 V33		084792	36,45	1
Spare telescopic handle, for 00 21 37	00 21 99 V34		084808	28,65	1
Spare wheels, for 00 21 37, (2x)	00 21 99 V36		084822	23,00	1
Spare rotating swivel, for 00 21 3X, (2x)	00 21 99 V37		086062	2,95	1
Spare hinge, for 00 21 3X, (2x)	00 21 99 V38		086338	4,95	1
Spare clip for tool board, for 00 21 3X, (2x)	00 21 99 V39		086345	4,95	1
Spare tool board fastener, for 00 21 3X, (2x)	00 21 99 V40		086352	4,95	1
Spare tool boards, for 00 21 37, (3x)	00 21 99 V43		087496	160,55	1
<p>Tool Case "BIG Twin Move", empty, with integrated wheels and telescopic handle ABS hard-shell construction; aluminium frame; 30 kg maximum load; can be opened on one or both sides in an up-right position; with locks</p> 	00 21 41 LE	290	071549	467,35	1
Spare handle, for 00 21 XX / 98 99 XX	00 21 99 V02		079132	6,90	1
Spare telescopic handle, for 00 21 41 / 98 99 15	00 21 99 V04		080732	27,65	1
Spare tilting lock, for 00 21 XX / 98 99 15, (2x)	00 21 99 V06		084723	12,35	1
Spare key, for 00 21 XX / 98 99 15, (2x)	00 21 99 V07		084730	3,55	1
Spare combination lock, for 00 21 XX / 98 99 XX	00 21 99 V08		084747	4,00	1
Spare wheels, for 00 21 XX / 98 99 XX, (2x)	00 21 99 V09		084754	18,75	1
Spare separators, for 00 21 XX/ 98 99 XX, (2x)	00 21 99 V13		087403	55,45	1
Spare tool boards, for 00 21 41, (2x)	00 21 99 V18		087465	86,35	1
<p>Tool Case "BIG Twin", empty heavy duty ABS material, black; circumferential aluminium frame with securely mounted, sturdy centre wall that can be fitted on both sides, with versatile inserting options due to elasticated loops and twelve small pockets</p> 	00 21 42 LE	290	084211	401,25	1
Spare handle, for 00 21 XX / 98 99 XX	00 21 99 V02		079132	6,90	1
Spare tilting lock, for 00 21 XX / 98 99 15, (2x)	00 21 99 V06		084723	12,35	1
Spare key, for 00 21 XX / 98 99 15, (2x)	00 21 99 V07		084730	3,55	1
Spare combination lock, for 00 21 XX / 98 99 XX	00 21 99 V08		084747	4,00	1
Spare wheels, for 00 21 XX / 98 99 XX, (2x)	00 21 99 V09		084754	18,75	1
Spare separators, for 00 21 XX/ 98 99 XX, (2x)	00 21 99 V13		087403	55,45	1
Spare separators, for 00 21 3X/ 00 21 42, (3x)	00 21 99 V14		087410	61,65	1
Spare tool boards, for 00 21 42, (2x)	00 21 99 V17		087458	86,35	1

00
21

00
21

00
21
42

TOOL BAGS AND TOOL CASES

00
21

KNIPEX Modular X18, empty

with two separate compartments for tools, notebook and documents, loadable with 12 kg, individually expandable



Article No.	↔ mm	EAN 4003773-	€		
00 21 50 LE	530	089056	315,00	1	530 x 340 x 210 mm
Module bag, empty	N 00 19 50 LE	190 090076	30,85	1	
Set with module adapters, 4 parts	N 00 21 50 V01	20 074656	12,80	1	

00
50

Tool bags for working at heights, empty

for working at heights; suitable for KNIPEX Tethered Tools system

max. payload: 10 kg



max. payload: 15 kg



00 50 50 T LE	300	089032	112,10	1	300 x 250 x 150 mm
00 50 51 T LE	470	089049	119,90	1	470 x 250 x 150 mm

97
91

Tool sets for photovoltaics, empty

with recesses for items 12 12 XX, 95 16 165, 97 43 200



97 91 01 LE	280	088813	66,75	1	
-------------	-----	--------	-------	---	--

98
6

Protective bag for insulating gloves

To protect insulating materials during transport and storage



N 98 65 00 LE	470	089834	20,90	1	
---------------	-----	--------	-------	---	--

98
6

Protective bag for electrically insulating cloth or mat

To protect insulating materials during transport and storage




N 98 67 01 LE	1,060	089896	28,90	1	
---------------	-------	--------	-------	---	--

98
99

Toolbox "BIG Twin Move RED" Electric Competence, empty



98 99 15 LE	290	084334	458,20	1	
Spare handle, for 00 21 XX / 98 99 XX	00 21 99 V02	079132	6,90	1	

	Article No.	↔ mm	EAN 4003773-	€	
Spare telescopic handle, for 00 21 41 / 98 99 15	00 21 99 V04		080732	27,65	1
Spare tilting lock, for 00 21 XX / 98 99 15, (2x)	00 21 99 V06		084723	12,35	1
Spare key, for 00 21 XX / 98 99 15, (2x)	00 21 99 V07		084730	3,55	1
Spare combination lock, for 00 21 XX / 98 99 XX	00 21 99 V08		084747	4,00	1
Spare wheels, for 00 21 XX / 98 99 XX, (2x)	00 21 99 V09		084754	18,75	1
Spare separators, for 00 21 XX/ 98 99 XX, (2x)	00 21 99 V13		087403	55,45	1

Counter Displays

Universal display for
blisters

Article No.	↔ mm	EAN 4003773-	€		Contents
00 18 01 LE01	305	082781	0,00	1	
00 18 01 V27	305	082750	462,00	1	10 x 16 95 01 SB
00 18 01 V27 LE	305	083986	0,00	1	
00 18 01 V28	305	082767	349,50	1	10 x 00 11 01
00 18 01 V28 LE	305	083993	0,00	1	
00 18 01 V30	305	083153	390,00	1	10 x 90 22 02 SB
00 18 01 V30 LE	305	084013	0,00	1	
00 18 01 V43	305	087595	229,60	1	8 x 90 22 10 BK
00 18 01 V43 LE	305	087601	0,00	1	
00 18 01 V44	305	087670	261,50	1	10 x 90 10 165 BK
00 18 01 V44 LE	305	087625	0,00	1	
N 00 18 01 V51 LE	309	092025	0,00	1	

Universal display for
pliers finish 1/2/3/5/6

00 18 01 LE02	200	083207	0,00	1	
00 18 01 V10	200	082880	213,50	1	10 x 68 01 200
00 18 01 V10 LE	200	083818	0,00	1	
00 18 01 V11	200	082897	323,50	1	10 x 87 01 250
00 18 01 V11 LE	200	083825	0,00	1	
00 18 01 V12	200	082903	245,50	1	10 x 88 01 250
00 18 01 V12 LE	200	083832	0,00	1	
00 18 01 V13	200	082927	314,25	1	5 x 87 01 180 / 5 x 87 01 250
00 18 01 V13 LE	200	083849	0,00	1	
00 18 01 V14	200	082934	386,00	1	5 x 87 01 250 / 5 x 87 01 300
00 18 01 V14 LE	200	083856	0,00	1	
00 18 01 V17	200	082965	368,50	1	10 x 88 01 300
00 18 01 V17 LE	200	083887	0,00	1	
00 18 01 V18	200	082972	305,00	1	10 x 87 01 180
00 18 01 V18 LE	200	083894	0,00	1	
00 18 01 V19	200	082989	448,50	1	10 x 87 01 300
00 18 01 V19 LE	200	083900	0,00	1	
00 18 01 V24	200	083030	239,50	1	5 x 88 01 180 / 5 x 88 01 250
00 18 01 V24 LE	200	083955	0,00	1	
00 18 01 V39	200	086147	349,80	1	12 x 87 00 100
00 18 01 V39 LE	200	086208	0,00	1	
00 18 01 V41	200	087656	287,50	1	5 x 82 01 200 / 5 x 82 02 200
00 18 01 V41 LE	200	087694	0,00	1	
N 00 18 01 V53 LE	200	092568	0,00	1	

Universal display for
pliers finish 0/4

00 18 01 LE03	200	083214	0,00	1	
00 18 01 V20	200	082996	164,50	1	10 x 99 00 200
00 18 01 V20 LE	200	083917	0,00	1	
00 18 01 V21	200	083009	180,00	1	10 x 99 00 250
00 18 01 V21 LE	200	083924	0,00	1	
00 18 01 V22	200	083016	197,50	1	10 x 99 00 280
00 18 01 V22 LE	200	083931	0,00	1	
00 18 01 V23 LE	200	083948	0,00	1	
00 18 01 V26	200	083054	172,25	1	5 x 99 00 220 / 5 x 99 00 250
00 18 01 V26 LE	200	083979	0,00	1	
N 00 18 01 V50 LE	203	090106	0,00	1	

Counter Displays



N 00 18 01 V47	350	089841	200,95	1	3 x 00 61 10 CM/3 x 00 61 10 CS/ 3 x 00 61 10 CB/3 x 00 61 10 CR/ 3 x 00 61 10 CY/3 x 00 62 10 TR/ 3 x 00 63 06 TCR
N 00 18 01 V48	350	089858	200,95	1	4 x 00 61 10 CA/4 x 00 61 10 CG/ 4 x 00 61 10 CO/4 x 00 61 10 CV/ 4 x 00 61 10 CW/4 x 00 62 10 TR/ 4 x 00 63 06 TCR
N 00 18 01 V47 LE	350	089865	0,00	1	










		Article No.	↔ mm	EAN 4003773- 024637	€	 1	Dimensions	
Test Supports	for pliers 87 / 88, without pliers	00 19 20	295	024637	48,85	1	230 x 150 x 295 mm	00 19
								
	with KNIPEX Cobra® 87 01 250 secured by a chain	00 19 20 S1	295	028949	81,20	1	230 x 150 x 295 mm	
								
	for pliers 87 / 88, without pliers	00 19 20 T	235	031192	59,10	1	160 x 125 x 235 mm	
								
with pliers wrench 86 03 250 secured by a chain	00 19 21 S1	150	039525	138,90	1	110 x 85 x 150 mm		
								
for pliers 86, without pliers	00 19 21 T	150	027461	69,40	1	110 x 85 x 150 mm		
								
Test Supports without pliers	for pliers 85 / 86 / 87, without pliers	00 40 04	170	069348	22,55	1	30 x 30 x 170 mm	00 19
								
Demonstration Kit, without pliers		00 40 01	70	050735	29,70	1	70 x 30 x 70 mm	00 40
								
Sales Display for pliers wrenches, empty suitable for attachment to tool bars or as counter display; for up to 6 pliers wrenches per suspension device		00 19 23 V01	280	077732	203,80	1	480 x 395 x 280 mm	00 19
								

		Article No.	↔ mm	EAN 4003773-	€		Dimensions
00 19	Sales Display 	00 19 23 V02	380	086369	49,30	1	160 x 140 x 380 mm
00 19	Rotary Sales Stand, empty for 16 x 3 pliers; assortment on request; with 16 tool bar hooks; when ordering, do always ask for product detail labels; without pliers 	00 19 28	360	032083	231,80	1	360 x 440 x 360 mm
00 19	KNIPEX Cobra® range in sales display promotional presentation of KNIPEX Cobra® pliers 	00 19 29 LE	255	054375	100,00	1	600 x 460 x 260 mm
00 19	Electronics Pliers Displays, empty for 4 x 6 precision electronics pliers; assortment on request; without pliers header and scanner strip with German text 	00 19 34 2 V01	212	077015	132,40	1	410 x 230 x 212 mm
	header and scanner strip neutral 	00 19 34 2 V02	212	077022	132,40	1	410 x 230 x 212 mm
00 19	Sales Display for pipe wrenches, empty for attachment to tool bars, also as counter stand-alone display; filled with 3 pipe pliers per holder 	00 19 37	500	024699	105,40	1	300 x 150 x 500 mm
00 19	Floor Display, empty for 6 bolt cutters and concrete mesh cutters 	00 19 37 1	165	069775	142,40	1	645 x 370 x 165 mm


	Article No.	↔ mm	EAN 4003773- 054450	€	 1	Dimensions			
Sales Display, for wall or counter presentation	for pliers with finish 0/1/3			00 19 34 3	290	054450	114,50	1	240 x 320 x 290 mm
	for pliers with finish 2/5/6			00 19 34 4	290	054467	114,50	1	240 x 320 x 290 mm
Tool Bars (Pegboards) and Accessories, without pliers	with illuminated fascia; 230 V; without hooks			00 19 30	500	024644	859,30	1	1000 x 2200 x 500 mm
	without illuminated fascia panel			00 19 30 3	500	052524	442,40	1	1000 x 2200 x 500 mm
	without illuminated fascia panel			00 19 30 23	500	084440	539,55	1	1250 x 2200 x 500 mm
	without illuminated fascia panel			00 19 30 66	500	055211	545,45	1	660 x 2200 x 500 mm

00
1900
19

00
19Tool Bars (Pegboards) and
Accessories, without pliers

	Article No.	↔ mm	EAN 4003773-	€	 1	Dimensions
Illuminated fascia panel, to affix to tool bar systems	00 19 30 2	400	046783	419,05	1	1000 x 200 x 400 mm
						
	00 19 30 24	400	084464	701,60	1	1250 x 200 x 400 mm
						
Magnetic label for tool bar	00 19 30 15	980	071891	7,95	1	980 x 100 mm
	00 19 30 25	1,230	084495	28,25	1	1230 x 100 mm
						
Magnetic label for tool bar	00 19 30 16		071907	7,95	1	980 x 100 mm
	00 19 30 25 V01		084501	28,25	1	1230 x 100 mm
						
	00 19 30 19		071938	16,45	1	980 x 200 mm
						
Magnetic label for tool bar 00 19 30 66	00 19 30 17		071914	5,80	1	650 x 100 mm
						
	00 19 30 18		071921	5,80	1	650 x 100 mm
						
	00 19 30 20		071945	11,40	1	650 x 200 mm
						

00
19Tool Bars (Pegboards) and
Accessories












Magnetic label for tool bar	L220 00011			0,00	1	660 x 160 mm
	L220 00011 EN			0,00	1	660 x 160 mm
	L220 00011 ES			0,00	1	660 x 160 mm
	L220 00011 FR			0,00	1	660 x 160 mm
	L220 00011 IT			0,00	1	660 x 160 mm
	L220 00011 NL			0,00	1	660 x 160 mm
	L220 00011 PT			0,00	1	660 x 160 mm
						












00
19Show Cabinets
for product presentation,
for assembly to tool bars

lockable, with illumination 230 V, can only be used in combination with article 00 19 30 3	00 19 30 VIT	400	034186	2.754,55	1	1000 x 1200 x 400 mm
						
lockable, with illumination 230 V, can only be used in combination with article 00 19 30 3	00 19 30 VIT 1	400	048978	1.770,10	1	1000 x 2000 x 400 mm
						

	Article No.	↔ mm	EAN 4003773- 077589	€	 1	Dimensions	
Show Cabinets for product presentation, for assembly to tool bars	Twin show cabinet, lockable, with illumination 230 V, can only be used in combination with article 00 19 30 3 (2x)	00 19 30 VIT 3	400	077589	3.585,05	1	2000 x 2000 x 400 mm
							
lockable		00 19 30 VIT 4	150	084259	460,00	1	500 x 375 x 150 mm
							
	lockable, with illumination 230 V, can only be used in combination with article 00 19 30 23	00 19 30 VIT 5	520	084457	2.131,70	1	1280 x 2160 x 520 mm
							
Triangle Shelf Stopper, empty for eye-catching product presentation		00 19 30 V02	430	078050	148,70	1	430 x 155 x 800 mm
							
Shelf Stopper, empty for eye-catching product presentation		00 19 30 V03	460	078067	170,30	1	260 x 780 mm
							
Secondary Placement, 3-sided, empty to extend the product range		00 19 30 V05	390	078081	529,05	1	390 x 390 x 1800 mm
							

00
1900
1900
1900
19

		Article No.	↔ mm	EAN 4003773-	€		Dimensions
00 19	Gondola Cover, empty for the presentation of KNIPEX Cobra®, KNIPEX Alligator® and Pliers Wrenches	00 19 30 V06	75	078098	98,25	1	995 x 15 x 75 mm
							
00 19	Centre Gondola, 2-sided, empty without cover	00 19 30 V07	1.000	078166	626,35	1	1000 x 1450 x 1000 mm
							
00 19	Shelf Bottom for tool bar, empty	00 19 30 V08		078203	35,80	1	300 x 200 mm
							
		00 19 30 V10	470	084914	42,45	1	1000 x 470 x 34 mm
		00 19 30 V11	470	084921	49,55	1	1250 x 470 x 34 mm
		00 19 30 V12	650	084938	31,05	1	650 x 470 x 34 mm
							
00 19	Wall Attachment for perforated tool bar system for the presentation of KNIPEX Tethered Tools	00 19 30 V09	150	082255	118,85	1	260 x 100 x 150 mm
							
00 19	Hook for pegboard	00 19 31	165	014874	8,00	1	70 x 100 x 160 mm
	with sign board for labels 70 x 30 mm; length 160 mm						
							
	00 19 33	90	014881	7,05	1	70 x 100 x 90 mm	
	with sign board for labels 70 x 30 mm; length 90 mm						
							
	00 19 33 2	205	042112	9,65	1	40 x 85 x 205 mm	
	robust version for pipe wrench, water pump pliers etc.; length 200 mm						
							
	00 19 33 3	125	082187	2,65	1	35 x 45 x 125 mm	
							
	00 19 35 1	205	045168	5,25	1	28 x 110 x 205 mm	
	for self-service packs; for hole spacing 25 mm; length 200 mm						
							

			Article No.	↔ mm	EAN 4003773- 028284	€	 1	Dimensions	
Hook for pegboard	for self-service packs; length 50 mm		00 19 35 2	55	028284	2,65	1	30 x 25 x 55 mm	00 19
	for self-service packs; length 200 mm		00 19 35 3	205	051787	5,25	1	30 x 110 x 205 mm	
	Hook lock for 00 19 35 1 + 00 19 35 3		00 19 35 4	40	078340	2,05	1	40 x 35 x 40 mm	
Wall Attachment for perforated tool bar system	Wire hook for TANOS MINI-systainer®		00 19 33 4	175	084075	11,65	1	250 x 110 x 175 mm	00 19
	Box for wire holder		00 19 36 V01	170	084082	41,00	1	265 x 50 x 170 mm	
Wall Display, without pliers the space saving presentation of pliers on tool bar systems			00 19 34 V01	135	083122	35,90	1	121 x 125 x 135 mm	00 19
	For KNIPEX Cobra® XS		00 19 34 V02	135	086321	10,95	1	155 x 68 x 60 mm	
	for 3 x 6 pliers		00 19 32		024651	29,25	1	200 x 185 mm	
for 5 x 6 pliers		00 19 34		024668	40,15	1	330 x 185 mm		
for 5 x 6 carded pliers		00 19 34 1	225	051824	42,30	1	480 x 195 x 225 mm		
for 15 x 6 pliers		00 19 34 2		052364	72,10	1	1000 x 185 mm		

SALES AIDS

00
19

Wall Display, without pliers

for 18 x 6 pliers

the space saving presentation of pliers on tool bar systems



Article No.
00 19 34 7

↔
mm

EAN
4003773-
079217

€

96,40



1

Dimensions

1250 x 185 mm

00
19

Screwdriver Display, empty

for assembly to tool bar systems; assortment on request



00 19 34 6

075509

44,90

1

280 x 190 mm

00
19

Brochure Holder

A4



00 19 36

45

024682

20,25

1

225 x 230 x 45 mm

Re-Order Card

please order corresponding re-order card when ordering carded self-service products



C332 01419

068389

0,00

1

Self-Adhesive Labels



L221 00011

50

0,00

1

50 x 24 mm

L221 00022

75

0,00

1

75 x 36 mm

L221 00033

120

0,00

1

120 x 57 mm

L221 00044

320

0,00

1

320 x 152 mm

L221 00055

400

0,00

1

400 x 190 mm

L221 00066

150

0,00

1

150 x 100 mm



INDEX ARTICLE NUMBER

00 11 01	123	00 19 30 V03	153	00 20 01 V09	127	00 21 37 LE	135	00 21 99 V40	144
00 11 02	123	00 19 30 V05	153	00 20 01 V15	127	00 21 37 LE	145	00 21 99 V40	144
00 11 03	123	00 19 30 V06	154	00 20 01 V16	127	00 21 37 M	135	00 21 99 V40	145
00 11 04	123	00 19 30 V07	154	00 20 01 V17	127	00 21 41	136	00 21 99 V41	144
00 11 06	123	00 19 30 V08	154	00 20 03 SB	127	00 21 41 LE	136	00 21 99 V42	144
00 11 06 V01	123	00 19 30 V09	154	00 20 03 V02	128	00 21 41 LE	145	00 21 99 V43	145
00 11 06 V03	123	00 19 30 V10	154	00 20 04 SB	127	00 21 42	136	00 31 20 V01	136
00 11 06 V04	123	00 19 30 V11	154	00 20 04 V01	128	00 21 42 LE	136	00 31 20 V02	136
00 11 07	124	00 19 30 V12	154	00 20 09 V01	128	00 21 42 LE	145	00 31 20 V03	137
00 11 V79	65	00 19 30 VIT	152	00 20 09 V02	128	00 21 50 E	136	00 31 30 BK V01	137
00 11 V79	75	00 19 30 VIT 1	152	00 20 09 V03	128	00 21 50 LE	136	00 31 30 BK V02	137
00 18 01 LE01	148	00 19 30 VIT 3	153	00 20 10	128	00 21 50 LE	146	00 31 30 BK V03	137
00 18 01 LE02	148	00 19 30 VIT 4	153	00 20 11	128	00 21 50 S	136	00 40 01	149
00 18 01 LE03	148	00 19 30 VIT 5	153	00 20 11 V01	129	00 21 50 V01	146	00 40 04	149
00 18 01 V10	148	00 19 31	154	00 20 12	129	00 21 99 V02	142	00 50 01 T BK	117
00 18 01 V10 LE	148	00 19 32	155	00 20 12 V01	129	00 21 99 V02	142	00 50 02 T BK	117
00 18 01 V11	148	00 19 33	154	00 20 12 V02	129	00 21 99 V02	145	00 50 03 T BK	118
00 18 01 V11 LE	148	00 19 33 2	154	00 20 12 V03	129	00 21 99 V02	145	00 50 04 T BK	117
00 18 01 V12	148	00 19 33 3	154	00 20 12 V04	129	00 21 99 V02	146	00 50 05 T BK	117
00 18 01 V12 LE	148	00 19 33 4	155	00 20 12 V05	129	00 21 99 V03	142	00 50 06 T BK	117
00 18 01 V13	148	00 19 34	155	00 20 13	130	00 21 99 V04	145	00 50 10 T BK	117
00 18 01 V13 LE	148	00 19 34 1	155	00 20 15	133	00 21 99 V04	147	00 50 11 T BK	117
00 18 01 V14	148	00 19 34 2	155	00 20 16	130	00 21 99 V06	142	00 50 12 T BK	118
00 18 01 V14 LE	148	00 19 34 2 V01	150	00 20 16 LE	142	00 21 99 V06	142	00 50 13 T BK	118
00 18 01 V17	148	00 19 34 2 V02	150	00 20 16 P	130	00 21 99 V06	145	00 50 50 T LE	118
00 18 01 V17 LE	148	00 19 34 3	151	00 20 16 P ESD	130	00 21 99 V06	145	00 50 50 T LE	146
00 18 01 V18	148	00 19 34 4	151	00 20 17	130	00 21 99 V06	147	00 50 51 T LE	118
00 18 01 V18 LE	148	00 19 34 6	156	00 20 18	130	00 21 99 V07	142	00 50 51 T LE	146
00 18 01 V19	148	00 19 34 7	156	00 20 18 ESD	130	00 21 99 V07	142	00 61 10 C V01	116
00 18 01 V19 LE	148	00 19 34 V01	155	00 20 72 V01	131	00 21 99 V07	145	00 61 10 C V02	116
00 18 01 V20	148	00 19 34 V02	155	00 20 72 V02	131	00 21 99 V07	145	00 61 10 CA	116
00 18 01 V20 LE	148	00 19 35 1	154	00 20 72 V04	131	00 21 99 V07	147	00 61 10 CB	116
00 18 01 V21	148	00 19 35 2	155	00 20 72 V04 XS	131	00 21 99 V08	142	00 61 10 CG	116
00 18 01 V21 LE	148	00 19 35 3	155	00 20 72 V06	131	00 21 99 V08	142	00 61 10 CM	116
00 18 01 V22	148	00 19 35 4	155	00 20 90 V01	132	00 21 99 V08	145	00 61 10 CO	116
00 18 01 V22 LE	148	00 19 36	156	00 20 90 V02	132	00 21 99 V08	145	00 61 10 CR	116
00 18 01 V23 LE	148	00 19 36 V01	155	00 21 02 EL	132	00 21 99 V08	147	00 61 10 CS	116
00 18 01 V24	148	00 19 37	150	00 21 02 LE	132	00 21 99 V09	142	00 61 10 CV	116
00 18 01 V24 LE	148	00 19 37 1	150	00 21 02 LE	142	00 21 99 V09	145	00 61 10 CW	116
00 18 01 V26	148	00 19 41	125	00 21 05 EV	132	00 21 99 V09	145	00 61 10 CY	116
00 18 01 V26 LE	148	00 19 41 LE	125	00 21 05 LE	132	00 21 99 V09	147	00 62 10 TR	116
00 18 01 V27	148	00 19 41 LE	140	00 21 05 LE	142	00 21 99 V10	142	00 63 06 TCR	116
00 18 01 V27 LE	148	00 19 50 LE	140	00 21 06	132	00 21 99 V10	142	01 06 160	24
00 18 01 V28	148	00 19 50 LE	146	00 21 06 HK S	133	00 21 99 V11	142	01 06 160	104
00 18 01 V28 LE	148	00 19 55 S11	125	00 21 06 HL S	133	00 21 99 V12	142	01 06 190	24
00 18 01 V30	148	00 19 55 S4	125	00 21 06 LE	132	00 21 99 V13	145	01 06 190	104
00 18 01 V30 LE	148	00 19 55 S4 LE	125	00 21 06 LE	133	00 21 99 V13	145	01 06 190 SB	24
00 18 01 V39	148	00 19 55 S4 LE	140	00 21 06 LE	133	00 21 99 V13	147	01 06 190 SB	104
00 18 01 V39 LE	148	00 19 55 S5	125	00 21 06 LE	133	00 21 99 V14	144	02 01 180	24
00 18 01 V41	148	00 19 55 S5 LE	126	00 21 06 LE	142	00 21 99 V14	144	02 01 180 SB	24
00 18 01 V41 LE	148	00 19 55 S5 LE	140	00 21 06 M	133	00 21 99 V14	144	02 01 200	24
00 18 01 V43	148	00 19 55 S6	125	00 21 07 LE	142	00 21 99 V14	145	02 01 200 SB	24
00 18 01 V43 LE	148	00 19 55 S6 LE	125	00 21 08 LE	143	00 21 99 V14	145	02 01 225	24
00 18 01 V44	148	00 19 55 S6 LE	140	00 21 10 LE	143	00 21 99 V15	142	02 01 225 SB	24
00 18 01 V44 LE	148	00 19 55 S7	125	00 21 11	133	00 21 99 V16	142	02 02 180	24
00 18 01 V47	148	00 19 55 S8	125	00 21 11 LE	133	00 21 99 V17	145	02 02 180 SB	24
00 18 01 V47 LE	148	00 19 55 S8 LE	126	00 21 11 LE	143	00 21 99 V18	145	02 02 200	24
00 18 01 V48	148	00 19 55 S8 LE	140	00 21 15	133	00 21 99 V30	144	02 02 200 SB	24
00 18 01 V50 LE	148	00 19 55 S9	126	00 21 15 LE	133	00 21 99 V30	144	02 02 225	24
00 18 01 V51 LE	148	00 19 56	126	00 21 19 LB	143	00 21 99 V30	144	02 02 225 SB	24
00 18 01 V53 LE	148	00 19 56 LE	126	00 21 19 LB E	134	00 21 99 V30	145	02 05 180	24
00 19 20	149	00 19 56 LE	141	00 21 19 LB LE	134	00 21 99 V31	145	02 05 200	24
00 19 20 S1	149	00 19 56 V01	126	00 21 19 LB LE	134	00 21 99 V32	144	02 05 225	24
00 19 20 T	149	00 19 57	126	00 21 19 LB LE	143	00 21 99 V32	144	02 06 180	24
00 19 21 S1	149	00 19 57 V01	126	00 21 19 LB S	134	00 21 99 V32	144	02 06 180	104
00 19 21 T	149	00 19 58 LE	126	00 21 19 LB WK	143	00 21 99 V32	145	02 06 180 SB	24
00 19 23 V01	149	00 19 58 LE	141	00 21 20	134	00 21 99 V33	145	02 06 200	24
00 19 23 V02	150	00 19 58 V01	126	00 21 20 LE	134	00 21 99 V34	145	02 06 200	104
00 19 28	150	00 19 58 V02	126	00 21 20 LE	143	00 21 99 V35	144	02 06 200 SB	24
00 19 29 LE	150	00 19 61 LE	127	00 21 21 HK S	134	00 21 99 V35	144	02 06 225	24
00 19 30	151	00 19 61 LE	141	00 21 25	134	00 21 99 V36	144	02 06 225	104
00 19 30 15	152	00 19 61 V01	127	00 21 33 E	134	00 21 99 V36	145	03 01 140	24
00 19 30 16	152	00 19 61 V02	127	00 21 33 LE	134	00 21 99 V37	144	03 01 140 EAN	24
00 19 30 17	152	00 19 72 LE	141	00 21 33 LE	135	00 21 99 V37	144	03 01 160	24
00 19 30 18	152	00 19 72 V01	131	00 21 33 LE	144	00 21 99 V37	144	03 01 160 EAN	24
00 19 30 19	152	00 19 72 XS LE	141	00 21 33 S	135	00 21 99 V37	145	03 01 160 SB	24
00 19 30 2	152	00 19 75 LE	141	00 21 34 HL S2	135	00 21 99 V38	144	03 01 180	24
00 19 30 20	152	00 19 92 V01 LE	138	00 21 35	135	00 21 99 V38	144	03 01 180 EAN	24
00 19 30 23	151	00 19 92 V01 LE	141	00 21 35 LE	135	00 21 99 V38	144	03 01 180 SB	24
00 19 30 24	152	00 19 92 V02 LE	137	00 21 35 LE	144	00 21 99 V38	145	03 01 200	24
00 19 30 25	152	00 19 92 V02 LE	137	00 21 36	135	00 21 99 V39	144	03 01 200 EAN	24
00 19 30 25 V01	152	00 19 92 V02 LE	137	00 21 36 LE	135	00 21 99 V39	144	03 01 200 SB	24
00 19 30 3	151	00 19 92 V02 LE	138	00 21 36 LE	144	00 21 99 V39	144	03 01 250	24
00 19 30 66	151	00 19 92 V02 LE	141	00 21 37	135	00 21 99 V39	145	03 01 250 EAN	24
00 19 30 V02	153	00 20 01 V02	127	00 21 37 LE	135	00 21 99 V40	144	03 02 160	24

03 02 160 SB	24	11 05 160 SB	27	13 46 165	30	16 50 145 SB	33	26 21 200 SB	37
03 02 180	24	11 06 160	27	13 46 165	105	16 60 05 SB	33	26 22 200	37
03 02 180 SB	24	11 06 160	104	13 46 165 SB	30	16 60 06 SB	33	26 22 200 SB	37
03 02 200	24	11 06 160 SB	27	13 46 165 SB	105	16 60 100 SB	33	26 25 200	37
03 02 200 SB	24	11 06 160 SB	104	13 62 180	30	16 64 125 SB	33	26 25 200 SB	37
03 03 110	25	11 06 160 T	27	13 62 180 SB	30	16 65 125 SB	33	26 26 200	37
03 05 140	24	11 06 160 T	104	13 66 180	30	16 69 06 01	33	26 26 200	106
03 05 160	24	11 06 160 T	119	13 66 180	105	16 80 125 SB	33	26 26 200 SB	37
03 05 160 SB	24	11 06 160 T BK	27	13 66 180 SB	30	16 80 175 SB	33	26 26 200 SB	106
03 05 180	24	11 06 160 T BK	104	13 66 180 SB	105	16 85 125 SB	33	26 26 200 T	37
03 05 180 SB	24	11 06 160 T BK	119	13 66 180 T	30	16 90 130 SB	34	26 26 200 T	106
03 05 200	24	11 09 01	27	13 66 180 T	105	16 95 01 SB	34	26 26 200 T	120
03 05 200 SB	24	11 09 01	104	13 66 180 T	119	16 95 02 SB	34	26 26 200 T BK	37
03 06 160	24	11 09 01	119	13 66 180 T BK	30	16 95 03 SB	34	26 26 200 T BK	106
03 06 160	104	11 12 160	27	13 66 180 T BK	105	19 01 130	35	26 26 200 T BK	120
03 06 160 SB	24	11 82 130	27	13 66 180 T BK	119	19 01 130 SB	35	26 27 200	38
03 06 160 SB	104	11 92 140	27	13 71 200 ME	31	19 03 130	35	26 27 200	106
03 06 180	24	12 11 180	27	13 71 200 ME SB	31	20 01 125	35	28 01 200	38
03 06 180	104	12 11 180 EAN	27	13 71 8	31	20 01 140	35	28 21 200	38
03 06 180 SB	24	12 12 02	28	13 72 200 ME	31	20 01 160	35	28 71 280	38
03 06 180 SB	104	12 12 06	28	13 72 200 ME SB	31	20 01 180	35	28 71 280 SB	38
03 06 180 T	25	12 12 10	28	13 72 8	31	20 02 140	35	28 81 280	38
03 06 180 T	104	12 12 11	28	13 76 200 ME	31	20 02 160	35	28 81 280 SB	38
03 06 180 T	118	12 12 12	28	13 76 200 ME	105	20 05 140	35	29 11 160	38
03 06 180 T BK	25	12 12 13	28	13 76 200 ME SB	31	20 05 160	35	29 21 160	38
03 06 180 T BK	104	12 12 14	28	13 76 200 ME SB	105	20 06 160	35	29 25 160	38
03 06 180 T BK	118	12 19 02	28	13 81 200	31	20 06 160	105	30 11 140	38
03 06 200	24	12 19 06	28	13 81 200 SB	31	22 01 125	35	30 11 140 SB	38
03 06 200	104	12 19 10	28	13 82 200	31	22 01 140	35	30 11 160	38
03 06 200 SB	24	12 19 11	28	13 82 200 SB	31	22 01 140 SB	35	30 11 160 SB	38
03 06 200 SB	104	12 19 12	28	13 82 200 T	31	22 01 160	35	30 13 140	38
03 07 180	25	12 19 13	28	13 82 200 T	119	22 02 140	35	30 13 160	38
03 07 180	104	12 19 14	28	13 82 200 T BK	31	22 02 160	35	30 15 140	38
03 07 200	25	12 19 180	27	13 82 200 T BK	119	22 05 140	35	30 15 160	38
03 07 200	104	12 19 180 E01	27	13 86 200	31	22 05 160	35	30 16 160	38
08 05 110	25	12 19 180 E01	28	13 86 200	105	22 06 160	35	30 16 160	106
08 21 145	25	12 19 90	28	13 86 200 SB	31	22 06 160	105	30 16 160 SB	38
08 21 145 SB	25	12 19 91	28	13 86 200 SB	105	25 01 125	36	30 16 160 SB	106
08 21 185	25	12 21 180	27	13 91 200	31	25 01 140	36	30 21 140	38
08 21 185 SB	25	12 21 180 EAN	27	13 91 200 SB	31	25 01 140 SB	36	30 21 140 SB	38
08 22 145	25	12 21 180 SB	27	13 92 200	31	25 01 160	36	30 21 160	38
08 22 145 SB	25	12 29 180	27	13 92 200 SB	31	25 01 160 SB	36	30 21 160 SB	38
08 22 145 T	25	12 29 180	28	13 96 200	31	25 02 140	36	30 23 140	39
08 22 145 T	119	12 40 200	28	13 96 200	105	25 02 140 SB	36	30 25 140	39
08 22 145 T BK	25	12 40 200 EAN	28	13 96 200 SB	31	25 02 160	36	30 25 160	39
08 22 145 T BK	119	12 42 195	28	13 96 200 SB	105	25 02 160 SB	36	30 31 160	39
08 22 185	25	12 42 195 SB	28	13 96 200 T	32	25 03 125	36	30 31 160 SB	39
08 22 185 SB	25	12 49 01	28	13 96 200 T	105	25 05 140	36	30 33 160	39
08 25 145	25	12 49 04	28	13 96 200 T	119	25 05 160	36	30 35 140	39
08 25 145 SB	25	12 49 05	28	13 96 200 T BK	32	25 05 160 SB	36	30 35 160	39
08 25 185	25	12 49 21	28	13 96 200 T BK	105	25 06 160	36	30 36 160	39
08 25 185 SB	25	12 49 21	29	13 96 200 T BK	119	25 06 160	106	30 36 160	106
08 26 145	25	12 49 23	28	14 22 160	32	25 06 160 SB	36	31 11 160	39
08 26 145	104	12 49 23	28	14 22 160 SB	32	25 06 160 SB	106	31 11 160 SB	39
08 26 145 SB	25	12 49 23	29	14 25 160	32	25 06 160 T	36	31 15 160	39
08 26 145 SB	104	12 49 23	29	14 26 160	32	25 06 160 T	106	31 21 160	39
08 26 145 T	25	12 49 31	29	14 26 160	105	25 06 160 T	120	31 21 160 SB	39
08 26 145 T	104	12 49 32	29	14 26 160 SB	32	25 06 160 T BK	36	31 25 160	39
08 26 145 T	119	12 52 195	29	15 11 120	32	25 06 160 T BK	106	32 11 135	39
08 26 145 T BK	25	12 52 195 SB	29	15 11 120	76	25 06 160 T BK	120	32 21 135	39
08 26 145 T BK	104	12 62 180	29	15 19 005	32	25 21 160	36	32 31 135	40
08 26 145 T BK	119	12 64 180	29	15 19 005	76	25 21 160 SB	36	33 01 160	40
08 26 185	25	12 64 180 E01	29	15 19 006	32	25 25 160	36	33 03 160	40
08 26 185	104	12 69 21	29	15 19 006	76	25 26 160	36	34 12 130	40
08 26 185 SB	25	12 69 23	29	15 19 008	32	25 26 160	106	34 12 130 ESD	40
08 26 185 SB	104	12 72 190	29	15 19 008	76	26 11 200	37	34 22 130	40
09 01 240	26	12 72 190 SB	29	15 19 010	32	26 11 200 SB	37	34 22 130 ESD	40
09 01 240 SB	26	12 74 180	29	15 19 010	76	26 12 200	37	34 32 130	40
09 02 240	26	12 74 180 E01	29	15 51 160	32	26 12 200 SB	37	34 32 130 ESD	40
09 02 240 SB	26	12 80 040 SB	29	15 61 160	32	26 13 200	37	34 42 130	40
09 05 240	26	12 80 100 SB	29	15 81 160	32	26 15 200	37	34 42 130 ESD	40
09 11 240	26	12 82 130 SB	29	16 20 16 SB	32	26 15 200 SB	37	34 52 130	40
09 11 240 SB	26	12 85 110 SB	29	16 20 165 SB	32	26 16 200	37	34 52 130 ESD	40
09 12 240	26	13 01 160	30	16 20 28 SB	32	26 16 200	106	35 11 115	41
09 12 240 SB	26	13 01 160 SB	30	16 20 50 SB	33	26 16 200 SB	37	35 12 115	41
09 15 240	26	13 02 160	30	16 29 165	32	26 16 200 SB	106	35 12 115 ESD	42
10 98 I220	74	13 02 160 SB	30	16 30 135 SB	32	26 16 200 T	37	35 12 115 SB	41
10 98 I220 SB	74	13 05 160	30	16 30 145 SB	32	26 16 200 T	106	35 21 115	41
10 99 I220	74	13 05 160 T	30	16 39 135	32	26 16 200 T	120	35 22 115	41
10 99 I220 SB	74	13 05 160 T	119	16 40 150	32	26 16 200 T BK	37	35 22 115 ESD	42
11 01 160	27	13 05 160 T BK	30	16 40 150 SB	32	26 16 200 T BK	106	35 22 115 ESD SB	42
11 01 160 SB	27	13 05 160 T BK	119	16 49 150	32	26 16 200 T BK	120	35 22 115 SB	41
11 02 160	27	13 200 E01	32	16 49 150 01	32	26 17 200	37	35 31 115	41
11 02 160 SB	27	13 42 165	30	16 50 145 E01	33	26 17 200	106	35 32 115	41
11 05 160	27	13 45 165	30	16 50 145 E02	33	26 21 200	37	35 32 115 ESD	42

INDEX ARTICLE NUMBER

35 32 115 SB	41	44 21 J21	46	48 21 J41 SB	48	67 01 200 SB	52	71 02 200 T	54
35 41 115	41	44 21 J21 SB	46	48 31 J0	48	67 03 140	52	71 02 200 T	120
35 42 115	41	44 21 J31	46	48 31 J1	48	68 01 160	52	71 02 200 T BK	54
35 42 115 ESD	42	44 21 J31 SB	46	48 31 J2	48	68 01 160 EAN	52	71 02 200 T BK	120
35 42 115 SB	41	44 21 J41	46	48 31 J3	48	68 01 160 SB	52	71 12 200	54
35 52 145	41	44 21 J41 SB	46	48 41 J01	48	68 01 180	52	71 12 200 SB	54
35 52 145 ESD	42	44 23 J11	46	48 41 J11	48	68 01 180 EAN	52	71 19 200 01	55
35 62 145	41	44 23 J21	46	48 41 J21	48	68 01 180 SB	52	71 19 200 01	57
35 62 145 ESD	42	44 23 J31	46	48 41 J31	48	68 01 200	52	71 21 200	54
35 62 145 SB	41	44 29 J51	46	49 11 A0	49	68 01 200 EAN	52	71 21 200 SB	54
35 82 145	41	44 29 J61	46	49 11 A0 SB	49	68 01 200 SB	52	71 22 200	54
35 82 145 ESD	42	44 31 J02	46	49 11 A1	49	68 01 280	52	71 22 200 SB	54
35 82 145 SB	41	44 31 J12	46	49 11 A1 SB	49	68 01 280 EAN	52	71 22 200 T	54
35 99 01	40	44 31 J22	46	49 11 A2	49	68 01 280 SB	52	71 22 200 T	120
35 99 01	41	44 31 J32	46	49 11 A2 SB	49	70 01 110	53	71 22 200 T BK	54
35 99 01	42	44 31 J42	46	49 11 A3	49	70 01 110 EAN	53	71 22 200 T BK	120
35 99 01	61	45 11 170	47	49 11 A3 SB	49	70 01 110 SB	53	71 31 160	54
35 99 01	61	45 11 170 SB	47	49 11 A4	49	70 01 125	53	71 31 160 SB	54
36 12 130	42	45 21 200	47	49 11 A4 SB	49	70 01 125 EAN	53	71 31 200	55
36 22 125	42	46 10 100	46	49 21 A01	49	70 01 125 SB	53	71 31 200 SB	55
36 32 125	42	46 10 A5	47	49 21 A01 SB	49	70 01 140	53	71 31 250	55
37 11 125	42	46 10 A6	47	49 21 A11	49	70 01 140 EAN	53	71 31 250 SB	55
37 13 125	42	46 11 A0	47	49 21 A11 SB	49	70 01 140 SB	53	71 32 200	55
37 21 125	43	46 11 A0 SB	47	49 21 A21	49	70 01 160	53	71 32 200 SB	55
37 23 125	43	46 11 A1	47	49 21 A21 SB	49	70 01 160 EAN	53	71 32 200 T	55
37 31 125	43	46 11 A1 SB	47	49 21 A31	49	70 01 160 SB	53	71 32 200 T	120
37 31 125 SB	43	46 11 A2	47	49 21 A31 SB	49	70 01 180	53	71 32 200 T BK	55
37 33 125	43	46 11 A2 SB	47	49 21 A41	49	70 01 180 EAN	53	71 32 200 T BK	120
37 41 125	43	46 11 A3	47	49 21 A41 SB	49	70 01 180 SB	53	71 41 200	55
37 43 125	43	46 11 A3 SB	47	49 31 A0	49	70 02 125	53	71 41 200 SB	55
38 11 200	43	46 11 A4	47	49 31 A1	49	70 02 125 SB	53	71 42 200	55
38 11 200 SB	43	46 11 A4 SB	47	49 31 A2	49	70 02 140	53	71 72 460	55
38 15 200	43	46 11 G0	48	49 31 A3	49	70 02 140 SB	53	71 72 610	55
38 21 200	43	46 11 G1	48	49 41 A01	49	70 02 160	53	71 72 760	56
38 25 200	43	46 11 G2	48	49 41 A11	49	70 02 160 SB	53	71 72 910	56
38 31 200	43	46 11 G3	48	49 41 A21	49	70 02 180	53	71 79 460	56
38 35 200	43	46 11 G4	48	49 41 A31	49	70 02 180 SB	53	71 79 610	56
38 71 200	43	46 13 A0	47	50 00 160	50	70 05 125	53	71 79 760	56
38 91 200	44	46 13 A1	47	50 00 160 SB	50	70 05 140	53	71 79 910	56
38 95 200	44	46 13 A2	47	50 00 180	50	70 05 160	53	71 82 950	56
40 04 180	45	46 13 A3	47	50 00 180 SB	50	70 05 160 SB	53	71 89 950	56
40 04 180 EAN	45	46 19 A5	47	50 00 210	50	70 05 180	53	72 01 140	56
40 04 250	45	46 19 A6	47	50 00 210 SB	50	70 05 180 SB	53	72 01 160	56
40 04 250 EAN	45	46 20 A51	48	50 00 225	50	70 06 125	53	72 01 160 KA	56
40 04 250 SB	45	46 20 A61	48	50 00 225 SB	50	70 06 125	107	72 01 160 SB	56
40 14 250	45	46 21 A01	47	50 00 250	50	70 06 140	53	72 01 180	56
41 04 180	45	46 21 A01 SB	47	50 01 160	50	70 06 140	107	72 02 125	56
41 04 180 EAN	45	46 21 A11	47	50 01 160 SB	50	70 06 140 SB	53	72 09 01	56
41 04 250	45	46 21 A11 SB	47	50 01 180	50	70 06 140 SB	107	72 11 160	56
41 04 250 EAN	45	46 21 A21	47	50 01 180 SB	50	70 06 160	53	72 11 160 SB	56
41 04 250 SB	45	46 21 A21 SB	47	50 01 210	50	70 06 160	107	72 21 160	56
41 04 300	45	46 21 A31	47	50 01 210 SB	50	70 06 160 SB	53	72 51 160	56
41 14 250	45	46 21 A31 SB	47	50 01 225	50	70 06 160 SB	107	72 62 200	57
41 24 225	45	46 21 A41	47	50 01 225 SB	50	70 06 160 T	53	73 02 160	57
41 34 165	45	46 21 A41 SB	47	50 01 250	50	70 06 160 T	107	73 02 160 SB	57
41 44 200	45	46 23 A01	47	50 01 250 SB	50	70 06 160 T	120	73 05 160	57
42 14 280	45	46 23 A11	47	51 01 210	50	70 06 160 T BK	53	73 05 160 SB	57
42 24 280	45	46 23 A21	47	51 01 210 SB	50	70 06 160 T BK	107	73 05 160 T	57
42 34 280	45	46 23 A31	47	55 00 300	50	70 06 160 T BK	120	73 05 160 T	121
42 44 280	45	46 29 A51	48	55 00 300 SB	50	70 06 180	53	73 05 160 T BK	57
44 10 J5	46	46 29 A61	48	61 01 200	51	70 06 180	107	73 05 160 T BK	121
44 10 J6	46	46 31 A02	47	61 01 200 SB	51	70 06 180 SB	53	73 06 160	57
44 11 J0	46	46 31 A12	47	61 02 200	51	70 06 180 SB	107	73 06 160	107
44 11 J0 SB	46	46 31 A22	47	62 12 120	51	70 06 180 T	53	73 06 160 SB	57
44 11 J1	46	46 31 A32	47	64 01 115	51	70 06 180 T	107	73 06 160 SB	107
44 11 J1 SB	46	46 31 A42	47	64 02 115	51	70 06 180 T	120	73 06 160 T	57
44 11 J2	46	48 11 J0	48	64 02 115 ESD	52	70 06 180 T BK	53	73 06 160 T	107
44 11 J2 SB	46	48 11 J0 SB	48	64 11 115	51	70 06 180 T BK	107	73 06 160 T	121
44 11 J3	46	48 11 J1	48	64 12 115	51	70 06 180 T BK	120	73 06 160 T BK	57
44 11 J3 SB	46	48 11 J1 SB	48	64 12 115 ESD	52	70 07 160	53	73 06 160 T BK	107
44 11 J4	46	48 11 J2	48	64 22 115	51	70 07 160	107	73 06 160 T BK	121
44 11 J4 SB	46	48 11 J2 SB	48	64 22 115 ESD	52	70 07 180	53	73 71 180	57
44 13 J0	46	48 11 J3	48	64 32 120	51	70 07 180	107	73 72 180	57
44 13 J1	46	48 11 J3 SB	48	64 32 120 ESD	52	70 11 110	54	73 72 180 BK	57
44 13 J2	46	48 11 J4	48	64 42 115	51	70 15 110	54	73 72 180 F	57
44 13 J3	46	48 11 J4 SB	48	64 42 115 SB	51	70 26 160	54	74 01 140	58
44 13 J4	46	48 21 J01	48	64 52 115	51	70 26 160	107	74 01 140 SB	58
44 19 J5	46	48 21 J01 SB	48	64 62 120	52	71 01 160	54	74 01 160	58
44 19 J6	46	48 21 J11	48	64 62 120 ESD	52	71 01 160 SB	54	74 01 160 SB	58
44 20 J51	46	48 21 J11 SB	48	64 72 120	52	71 01 200	54	74 01 180	58
44 20 J61	46	48 21 J21	48	67 01 140	52	71 01 200 SB	54	74 01 180 SB	58
44 21 J01	46	48 21 J21 SB	48	67 01 140 SB	52	71 01 250	55	74 01 200	58
44 21 J01 SB	46	48 21 J31	48	67 01 160	52	71 01 250 SB	55	74 01 200 SB	58
44 21 J11	46	48 21 J31 SB	48	67 01 160 SB	52	71 02 200	54	74 01 250	58
44 21 J11 SB	46	48 21 J41	48	67 01 200	52	71 02 200 SB	54	74 01 250 SB	58

74 02 140	58	77 11 115	60	81 03 250	66	86 04 100 BK	67	87 09 400	70
74 02 140 SB	58	77 12 115	60	81 03 250 SB	66	86 05 150	68	87 09 560	70
74 02 160	58	77 12 115 ESD	61	81 11 250	66	86 05 150 S02	68	87 11 250	70
74 02 160 SB	58	77 12 115 ESDSB	61	81 11 250 SB	66	86 05 150 SB	68	87 11 250 SB	70
74 02 180	58	77 12 115 SB	60	81 13 250	66	86 05 180	68	87 19 250	70
74 02 180 SB	58	77 21 115 N	60	81 13 250 SB	66	86 05 180 SB	68	87 21 250	70
74 02 200	58	77 22 115	60	81 19 250 V01	66	86 05 180 T	68	87 21 250 SB	70
74 02 200 SB	58	77 22 115 ESD	61	81 19 250 V02	66	86 05 180 T	121	87 21 300	70
74 02 250	58	77 22 115 SB	60	82 01 150	66	86 05 180 T BK	68	87 21 300 SB	70
74 02 250 SB	58	77 32 115	60	82 01 150 SB	66	86 05 180 T BK	121	87 22 250	70
74 02 250 T	58	77 32 115 ESD	61	82 01 200	66	86 05 250	68	87 22 250 SB	70
74 02 250 T BK	121	77 32 115 SB	60	82 01 200 SB	66	86 05 250 SB	68	87 26 250	70
74 02 250 T BK	121	77 32 120 H	62	82 01 250	66	86 05 250 T	68	87 26 250	108
74 05 140	58	77 32 120 H ESD	62	82 01 250 SB	66	86 05 250 T	121	87 26 250 SB	70
74 05 160	58	77 32 130	60	82 02 150	66	86 05 250 T BK	68	87 26 250 SB	108
74 05 180	58	77 32 130 ESD	61	82 02 150 SB	66	86 05 250 T BK	121	87 26 250 T BK	70
74 05 180 SB	58	77 41 115	60	82 02 200	66	86 06 250	68	87 26 250 T	108
74 05 200	58	77 42 115	60	82 02 200 SB	66	86 06 250	108	87 26 250 T	122
74 05 200 SB	58	77 42 115 ESD	61	82 02 250	66	86 06 250 SB	68	87 26 250 T BK	70
74 05 250	58	77 42 115 SB	60	82 02 250 SB	66	86 06 250 SB	108	87 26 250 T BK	108
74 06 160	58	77 42 130	60	82 150 E01	66	86 09 150	68	87 26 250 T BK	122
74 06 160	108	77 42 130 ESD	61	82 200 E01	66	86 09 180	68	87 29 01	70
74 06 160 SB	58	77 52 115	61	82 250 E01	66	86 09 180	121	87 29 300	70
74 06 160 SB	108	77 52 115 ESD	61	83 10 010	66	86 09 180 V01	68	87 41 250	70
74 06 180	58	77 72 115	61	83 10 015	66	86 09 250 V01	68	87 41 250 SB	70
74 06 180	108	77 72 115 ESD	61	83 10 020	66	86 09 300 V01	68	87 51 180	70
74 06 180 SB	58	77 72 115 SB	61	83 10 030	66	87 00 100	69	87 51 180 SB	70
74 06 180 SB	108	77 82 130	61	83 10 040	66	87 00 100 BK	69	87 51 250	70
74 06 200	58	77 82 130 ESD	61	83 20 010	66	87 01 125	69	87 51 250 SB	70
74 06 200	108	78 03 125	62	83 20 015	66	87 01 125 SB	69	88 01 180	71
74 06 200 SB	58	78 03 125 ESD	63	83 20 020	66	87 01 150	69	88 01 180 SB	71
74 06 200 SB	108	78 03 125 ESDSB	63	83 30 005	66	87 01 150 SB	69	88 01 250	71
74 06 200 T	58	78 03 125 SB	62	83 30 010	66	87 01 180	69	88 01 250 SB	71
74 06 200 T	108	78 03 140	63	83 30 015	66	87 01 180 SB	69	88 01 300	71
74 06 200 T BK	58	78 03 140 ESD	63	83 30 020	66	87 01 250	69	88 01 300 SB	71
74 06 200 T BK	108	78 03 140 ESDSB	63	83 30 030	66	87 01 250 SB	69	88 01 400	71
74 06 200 T BK	121	78 03 140 SB	63	83 60 010	66	87 01 300	69	88 01 400 SB	71
74 06 250	58	78 06 125	62	83 60 015	66	87 01 300 SB	69	88 02 180	71
74 06 250	108	78 06 125 SB	108	83 60 020	66	87 01 400	70	88 02 180 SB	71
74 06 250 T	58	78 06 125 SB	62	83 61 010	66	87 01 400 SB	70	88 02 250	71
74 06 250 T	108	78 13 125	62	83 61 015	66	87 01 560	70	88 02 250 SB	71
74 06 250 T	121	78 13 125 ESD	63	83 61 020	66	87 02 180	69	88 02 250 T	71
74 06 250 T BK	58	78 13 125 SB	62	83 99 005	66	87 02 180 SB	69	88 02 250 T	122
74 06 250 T BK	108	78 23 125	62	83 99 010	66	87 02 180 T	69	88 02 250 T BK	71
74 06 250 T BK	108	78 31 125	62	83 99 015	66	87 02 180 T	121	88 02 250 T BK	122
74 06 250 T BK	121	78 41 125	62	83 99 020	66	87 02 180 T BK	69	88 02 300	71
74 07 200	58	78 61 125	62	83 99 030	66	87 02 180 T BK	121	88 02 300 T	71
74 07 200	108	78 61 125 ESD	63	83 99 040	66	87 02 250	69	88 02 300 T	122
74 07 250	58	78 61 125 ESDSB	63	84 11 200	67	87 02 250 SB	69	88 02 300 T BK	71
74 07 250	108	78 61 125 SB	62	84 21 200	67	87 02 250 T	69	88 02 300 T BK	122
74 12 160	58	78 61 140	63	85 01 250	67	87 02 250 T BK	121	88 03 180	71
74 12 160 SB	58	78 61 140 ESD	63	85 01 250 SB	67	87 02 250 T BK	69	88 03 250	71
74 12 180	58	78 61 140 ESDSB	63	85 51 180 A	67	87 02 300	69	88 05 180	71
74 12 180 SB	58	78 61 140 SB	63	85 51 180 A SB	67	87 02 300 SB	69	88 05 250	71
74 21 200	59	78 71 125	62	85 51 180 C	67	87 02 300 T	69	88 05 300	71
74 21 200 SB	59	78 71 125 ESD	63	85 51 180 C SB	67	87 02 300 T	69	88 06 250	71
74 21 250	59	78 71 125 SB	62	85 51 250 A	67	87 02 300 T	121	88 06 250	108
74 22 200	59	78 81 125	63	85 51 250 A SB	67	87 02 300 T BK	69	88 06 250 SB	70
74 22 250	59	78 81 125 SB	63	85 51 250 AF	67	87 02 300 T BK	121	88 06 250 SB	108
74 22 250 T	59	78 81 125 SB	63	85 51 250 C	67	87 03 125	69	88 07 250	71
74 22 250 T	121	78 91 125	63	85 51 250 C SB	67	87 03 180	69	88 07 250	108
74 22 250 T BK	59	79 02 120	63	85 59 250 A	67	87 03 250	69	90 10 165 BK	74
74 22 250 T BK	121	79 02 120 ESD	64	85 59 250 C	67	87 03 250 SB	69	90 10 165 E01	74
75 02 125	59	79 02 125	63	86 01 180	67	87 03 300	69	90 10 165 E02	74
75 02 125 SB	59	79 02 125 ESD	64	86 01 180 SB	67	87 03 300 SB	69	90 10 185	72
75 12 125	59	79 02 125 ESDSB	64	86 01 250	67	87 03 300 SB	69	90 10 185 SB	72
75 22 125	59	79 02 125 S1	63	86 01 250 SB	67	87 05 250	69	90 20 185	72
75 52 125	59	79 12 125	63	86 01 300	67	87 05 300	69	90 20 185 SB	72
76 01 125	59	79 12 125 ESD	64	86 01 300 SB	67	87 09 01	68	90 20 185 SB	72
76 03 125	59	79 22 120	64	86 02 180	67	87 09 01	69	90 22 01 SB	72
76 05 125	59	79 22 120 ESD	64	86 02 180 SB	67	87 09 01	70	90 22 02 SB	72
76 12 125	59	79 22 125	64	86 02 250	67	87 09 01	70	90 22 10 BK	72
76 22 125	60	79 22 125 ESD	65	86 02 250 SB	67	87 09 01	70	90 22 10 E01	72
76 81 125	60	79 32 125	64	86 03 125	68	87 09 01	121	90 23 01 BK	72
77 01 115	60	79 32 125 ESD	65	86 03 125 SB	68	87 09 100	68	90 23 01 E01	72
77 01 115 SB	60	79 42 125	64	86 03 150	68	87 09 100	69	90 23 01 E02	72
77 02 115	60	79 42 125 ESD	65	86 03 150 SB	68	87 09 100	69	90 23 02 BK	73
77 02 115 ESD	61	79 42 125 Z	64	86 03 180	68	87 09 125	68	90 23 02 E01	73
77 02 115 SB	60	79 42 125 Z ESD	65	86 03 180 SB	68	87 09 125	69	90 23 02 E01	73
77 02 120 H	62	79 52 125	64	86 03 250	68	87 09 150	69	90 25 185	73
77 02 120 H ESD	62	79 52 125 ESD	65	86 03 250 SB	68	87 09 180	69	90 25 185 SB	73
77 02 130	60	79 62 125	64	86 03 300	68	87 09 180	71	90 25 20	73
77 02 130 ESD	61	79 62 125 ESD	65	86 03 300 SB	68	87 09 180	122	90 25 20 E01	73
77 02 130 SB	60	81 01 250	66	86 03 400	68	87 09 180 V01	69	90 25 25	73
		81 01 250 SB	66	86 04 100	67	87 09 250 V01	69	90 25 25 E01	73
						87 09 300 V01	70	90 25 40	73

INDEX ARTICLE NUMBER

90 29 01	72	92 21 03 ESD	77	95 05 155 SB	81	95 36 315 A	85	97 49 06	89
90 29 01	73	92 21 04	76	95 05 165	82	95 36 315 A	110	97 49 06 PI	89
90 29 01	73	92 21 05	76	95 05 165 SB	82	95 36 320	84	97 49 07	89
90 29 02	73	92 21 06	76	95 05 185	81	95 36 320	110	97 49 08	89
90 29 15	73	92 21 07	76	95 05 190	82	95 39 038	85	97 49 09	89
90 29 185	72	92 21 08	77	95 05 190 SB	82	95 39 04	84	97 49 10	89
90 29 40	73	92 21 10 ESD	79	95 05 20 SB	81	95 39 04	110	97 49 14	89
90 31 01	73	92 21 11 ESD	79	95 05 E01	82	95 39 05	84	97 49 15	89
90 31 02 BK	73	92 21 12 ESD	79	95 05 E02	82	95 39 06	84	97 49 16	89
90 31 02 SB	73	92 21 13 ESD	79	95 06 230	82	95 39 07	84	97 49 18	89
90 31 03 BK	73	92 21 14 ESD	79	95 06 230	109	95 39 08	84	97 49 19	89
90 31 03 E01	73	92 22 04	77	95 06 230 SB	82	95 39 08	110	97 49 200 02	88
90 39 02 V01	73	92 22 06	77	95 06 230 SB	109	95 39 08 S	84	97 49 21	89
90 39 02 V01	73	92 22 07	77	95 09 21	81	95 39 08 S	110	97 49 23	90
90 39 02 V01	73	92 22 12	77	95 11 160	82	95 39 09	84	97 49 24	90
90 39 02 V02	73	92 22 13	77	95 11 160 SB	82	95 39 11	84	97 49 25	90
90 39 02 V03	73	92 22 35	77	95 11 165	82	95 39 12 97	84	97 49 25 1	91
90 39 02 V03	73	92 23 01	78	95 11 165 SB	82	95 39 13	84	97 49 26	90
90 39 02 V03	73	92 23 05	78	95 11 200	83	95 39 13 97	84	97 49 26 1	91
90 42 250	74	92 27 61	79	95 11 200 SB	83	95 39 315 A01	85	97 49 27	90
90 42 340	74	92 27 61	108	95 11 225	82	95 39 320 01	84	97 49 27 1	91
90 42 340 EAN	74	92 27 62	79	95 11 225 SB	82	95 39 320 03	84	97 49 28	90
90 49 340	74	92 27 62	108	95 12 160	82	95 39 320 04	84	97 49 28 1	90
90 49 340 M	74	92 28 69 ESD	77	95 12 160 SB	82	95 39 320 04	85	97 49 30	90
90 55 280	74	92 28 70 ESD	77	95 12 165	82	95 39 340 01	85	97 49 40	90
90 55 280 EAN	74	92 28 71 ESD	77	95 12 165 SB	82	95 39 720	85	97 49 50	90
90 59 280	74	92 28 72 ESD	77	95 12 200	83	95 39 870	85	97 49 54	90
90 59 280 02	74	92 31 01	76	95 12 200 SB	83	95 3X E01	84	97 49 59	90
90 61 16	74	92 31 10 ESD	79	95 12 225	82	95 3X E01	85	97 49 59 1	91
90 61 16 EAN	74	92 32 29	77	95 12 225 SB	82	95 3X E01	110	97 49 60	90
90 61 20	74	92 34 36	77	95 12 500	83	95 3X E02	84	97 49 61	90
90 61 20 EAN	74	92 34 37	77	95 16 160	82	95 3X E02	85	97 49 64	90
90 70 220	74	92 37 64	79	95 16 160	109	95 3X E02	110	97 49 66	90
90 70 220 EAN	74	92 37 64	109	95 16 160 SB	82	95 41 165	83	97 49 66 1	91
90 70 220 SB	74	92 38 75 ESD	78	95 16 160 SB	109	95 61 150	85	97 49 66 2	92
90 79 220 20	74	92 47 01	79	95 16 165	82	95 61 190	85	97 49 66 4	90
90 79 220 25	74	92 47 01	109	95 16 165	109	95 61 190 SB	85	97 49 66 6	90
90 79 220 30	74	92 51 01	76	95 16 165 SB	82	95 62 160	86	97 49 68	90
90 79 220 35	74	92 51 02	76	95 16 165 SB	109	95 62 160 SB	86	97 49 68 1	91
90 79 220 40	74	92 52 23	77	95 16 165 T	82	95 62 160 TC	86	97 49 69 2	90
90 79 220 50	74	92 58 74 ESD	78	95 16 165 T	109	95 62 190	85	97 49 70	90
91 00 200	74	92 61 01	77	95 16 165 T	122	95 62 190 SB	85	97 49 71	90
91 00 200 EAN	74	92 61 02	77	95 16 165 T BK	82	95 62 190 T	86	97 49 71 1	91
91 00 200 SB	74	92 64 43	77	95 16 165 T BK	109	95 62 190 T	122	97 49 74	90
91 13 250	74	92 67 63	79	95 16 165 T BK	122	95 62 190 T BK	86	97 49 90	91
91 13 250 SB	74	92 67 63	109	95 16 200	83	95 62 190 T BK	122	97 49 91	92
91 19 250 01	74	92 69 84	79	95 16 200	109	95 69 160 01	86	97 49 93	92
91 91 180	74	92 72 45	77	95 16 200 SB	83	95 69 190 03	84	97 49 94	92
91 92 180	74	92 78 77 ESD	78	95 16 200 SB	109	95 69 190 03	86	97 49 95	92
92 00 01 ESD	80	92 81 01	76	95 165 E01	83	97 21 215	87	97 50 01	92
92 00 01 ESD	137	92 81 02	76	95 17 200	83	97 21 215 B	87	97 51 10	92
92 00 02	80	92 81 03	76	95 17 200	109	97 21 215 B SB	87	97 51 10 SB	92
92 00 02	137	92 81 04	76	95 17 500	83	97 21 215 C	87	97 51 12	92
92 00 03	80	92 81 05	76	95 17 500	110	97 21 215 SB	87	97 51 12 SB	92
92 00 03	137	92 84 18	77	95 18 225	82	97 22 240	87	97 51 13	92
92 00 04	80	92 89 01	76	95 18 225	109	97 22 240 SB	87	97 51 13 SB	92
92 00 04	138	92 89 02	76	95 18 225 SB	82	97 32 240	87	97 51 E01	92
92 00 05 ESD	80	92 89 03	76	95 18 225 SB	109	97 32 240 SB	87	97 52 04	93
92 00 05 ESD	138	92 89 04	76	95 21 165	83	97 33 01	87	97 52 05	93
92 01 01	78	92 89 05	76	95 21 165 SB	83	97 33 02	87	97 52 05 SB	93
92 01 02	78	92 91 01	78	95 22 165	83	97 33 03	87	97 52 06	93
92 01 03	78	92 91 02	78	95 250 E01	84	97 33 LE	87	97 52 06 SB	93
92 01 04	78	92 91 03	78	95 250 E01	110	97 39 05	87	97 52 08	93
92 01 05	76	92 94 91	78	95 26 165	83	97 39 06	87	97 52 09	93
92 01 06	76	92 95 89	78	95 26 165	109	97 39 08	88	97 52 09 SB	93
92 01 07	78	92 95 90	79	95 26 165 SB	83	97 39 09	88	97 52 10	93
92 02 54	78	94 10 185	72	95 26 165 SB	109	97 39 13	88	97 52 13	93
92 08 78 ESD	78	94 15 215	81	95 280 E01	84	97 39 42	88	97 52 13 SB	93
92 08 79 ESD	78	94 15 215 EAN	81	95 280 E01	110	97 39 90	88	97 52 14	93
92 09 01 ESD	79	94 19 02	81	95 31 250	84	97 40 10	88	97 52 18	93
92 09 02 ESD	79	94 19 185	72	95 31 280	84	97 40 10 E01	88	97 52 19	93
92 09 03 ESD	79	94 19 185 02	72	95 315 E01	85	97 40 20 SB	88	97 52 20	93
92 09 04 ESD	79	94 19 215	81	95 315 E01	110	97 43 05	88	97 52 23	93
92 09 05 ESD	79	94 19 215	81	95 32 038	85	97 43 06	88	97 52 30	94
92 11 01	76	94 35 215	81	95 32 060	85	97 43 200	88	97 52 30 SB	94
92 11 01 ESD	76	94 35 215 EAN	81	95 32 100	85	97 43 200 A	88	97 52 33	94
92 11 02	78	94 39 215 01	81	95 32 315 A	85	97 43 66	88	97 52 33 SB	94
92 11 03	78	94 55 200	81	95 32 320	84	97 43 66 EVO	88	97 52 34	94
92 16 01 ESD	78	94 59 200 01	81	95 32 340 SR	85	97 43 E	89	97 52 34 SB	94
92 16 02 ESD	78	94 59 200 02	81	95 320 E01	84	97 43 E 01	89	97 52 35	94
92 21 01	76	95 02 21	81	95 320 E01	110	97 43 E AUS	89	97 52 35 SB	94
92 21 01 ESD	77	95 03 160 SB	81	95 36 250	84	97 43 E UK	89	97 52 36	94
92 21 02	76	95 05 10 SB	81	95 36 250	110	97 43 E US	89	97 52 36 SB	94
92 21 02 ESD	77	95 05 140	81	95 36 280	84	97 49 04	89	97 52 37	94
92 21 03	76	95 05 140 E01	82	95 36 280	110	97 49 05	89	97 52 38	94

97 52 38 SB	94	97 99 020	101	98 00 5/16"	111	98 37 10	113	98 66 50	114
97 52 42	94	97 99 021	101	98 00 5/8"	111	98 37 11	113	98 66 60	114
97 52 42 SB	94	97 99 022	101	98 00 7/16"	111	98 37 12	113	98 67 01 LE	115
97 52 50	94	97 99 030	101	98 00 9/16"	111	98 37 13	113	98 67 01 LE	146
97 52 50 SB	94	97 99 170	101	98 01 07	111	98 37 14	113	98 67 05	115
97 52 63	94	97 99 171	101	98 01 08	111	98 37 15	113	98 67 10	115
97 52 63 DG	94	97 99 172	101	98 01 09	111	98 37 16	113	98 99 11	138
97 52 65	94	97 99 173	101	98 01 10	111	98 37 17	113	98 99 12	138
97 52 65 A	95	97 99 174	101	98 01 11	111	98 37 18	113	98 99 13	138
97 52 65 DG	95	97 99 175	101	98 01 12	111	98 37 19	113	98 99 13 LE	138
97 52 65 DG A	95	97 99 176	101	98 01 13	111	98 37 22	113	98 99 15	139
97 52 67 DT	95	97 99 177	101	98 01 14	111	98 37 3/4"	113	98 99 15 LE	139
97 53 04	95	97 99 178	101	98 01 15	111	98 37 3/8"	113	98 99 15 LE	146
97 53 04 SB	95	97 99 179	101	98 01 16	111	98 37 5/16"	113	99 00 200	103
97 53 08	96	97 99 180	101	98 01 17	111	98 37 5/8"	113	99 00 200 EAN	103
97 53 08 SB	96	97 99 270	101	98 01 18	111	98 37 7/16"	113	99 00 220	103
97 53 09	96	97 99 271	101	98 01 19	111	98 37 9/16"	113	99 00 220 EAN	103
97 53 09 SB	96	97 99 272	101	98 01 22	111	98 39 025	113	99 00 220 K12	103
97 53 14	95	97 99 330	101	98 01 24	111	98 39 03	113	99 00 220 SB	103
97 53 14 SB	95	97 99 331	101	98 03 04	111	98 39 05	113	99 00 220K12EAN	103
97 53 18	96	97 99 332	101	98 03 05	111	98 39 06	113	99 00 250	103
97 53 18 SB	96	97 99 333	101	98 03 055	111	98 39 08	113	99 00 250 EAN	103
97 53 19	96	97 99 334	101	98 03 06	111	98 41	113	99 00 250 SB	103
97 53 19 SB	96	97 99 335	101	98 03 07	111	98 45 125	113	99 00 280	103
97 54 24	96	97 99 336	101	98 03 08	111	98 45 250	113	99 00 280 EAN	103
97 54 25	96	97 99 337	101	98 03 09	111	98 47 1/2"	113	99 00 280 SB	103
97 54 26	96	97 99 338	101	98 03 10	111	98 47 1"	113	99 00 300	103
97 55 04	95	97 99 339	101	98 03 11	111	98 47 10	113	99 00 300 EAN	103
97 55 04 SB	95	97 99 350	101	98 03 12	111	98 47 11	113	99 00 300 SB	103
97 55 14	96	97 99 351	101	98 03 13	111	98 47 11/16"	113	99 01 200	103
97 55 14 SB	96	97 99 352	101	98 07 250	111	98 47 12	113	99 01 200 EAN	103
97 59 14	93	97 99 353	101	98 12 01	111	98 47 13	113	99 01 200 SB	103
97 59 20	93	97 99 354	101	98 12 02	111	98 47 14	113	99 01 220	103
97 59 21	93	97 99 355	101	98 13 20	111	98 47 16	113	99 01 220 EAN	103
97 59 30	96	97 99 356	101	98 13 25	111	98 47 17	113	99 01 220 SB	103
97 59 30	96	97 99 357	101	98 13 30	111	98 47 18	113	99 01 250	103
97 59 31	96	97 99 358	101	98 13 40	111	98 47 19	113	99 01 250 EAN	103
97 59 31	96	97 99 359	101	98 13 50	111	98 47 22	113	99 01 250 SB	103
97 59 65 2	95	97 99 370	101	98 13 60	111	98 47 24	113	99 01 280	103
97 59 67 1	95	97 99 371	101	98 20 10	111	98 47 27	113	99 01 280 EAN	103
97 59 67 2	95	97 99 372	101	98 20 25	111	98 47 3/4"	113	99 01 280 SB	103
97 61 145 A	96	97 99 373	101	98 20 30	111	98 47 5/8"	113	99 01 300	103
97 61 145 A SB	96	97 99 374	101	98 20 35	111	98 47 7/8"	113	99 01 300 EAN	103
97 62 145 A	96	97 99 375	101	98 20 35 SL	112	98 47 9/16"	113	99 01 300 SB	103
97 68 145 A	97	97 99 376	101	98 20 40	111	98 49 05	113	99 04 220	103
97 68 145 A	110	97 99 377	101	98 20 40 SL	112	98 49 06	113	99 04 220 EAN	103
97 71 180	97	97 99 378	101	98 20 55	111	98 49 08	113	99 04 250	103
97 71 180 SB	97	97 99 390	102	98 20 55 SL	112	98 52	113	99 04 250 EAN	103
97 72 180	97	97 99 391	102	98 20 65	111	98 52 SB	113	99 04 280	103
97 78 180	97	97 99 392	102	98 20 65 SL	112	98 53 03	114	99 04 280 EAN	103
97 78 180	110	97 99 393	102	98 20 80	111	98 53 13	114	99 10 250	103
97 78 180 SB	97	97 99 394	102	98 21 45	112	98 54	113	99 10 250 EAN	103
97 78 180 SB	110	97 99 395	102	98 24 00	112	98 54 SB	113	99 10 250 SB	103
97 78 180 T	97	97 99 396	102	98 24 01	112	98 55	114	99 10 300	103
97 78 180 T	110	97 99 397	102	98 24 01 SL	112	98 55 SB	114	99 10 300 EAN	103
97 78 180 T	122	97 99 398	102	98 24 01 SLS	112	98 56	114	99 10 300 SB	103
97 78 180 T BK	97	97 99 399	102	98 24 02	112	98 56 09	114	99 11 250	103
97 78 180 T BK	110	97 99 500	102	98 24 02 SL	112	98 56 SB	114	99 11 250 SB	103
97 78 180 T BK	122	97 99 905	102	98 24 02 SLS	112	98 59 01	114	99 11 300	103
97 81 180	97	97 99 906	102	98 24 03	112	98 59 02	114	99 11 300 SB	103
97 90 00 LE	100	97 99 907	102	98 24 04	112	98 62 01	114	99 14 250	103
97 90 05	98	97 99 908	102	98 25 00	112	98 62 02	114	99 14 250 EAN	103
97 90 06	98	97 99 909	102	98 25 01	112	98 64 02	114	99 14 250 SB	103
97 90 09	99	97 99 910	102	98 25 01 SL	112	98 65 00 LE	115	99 14 300	103
97 90 10	99	97 99 911	102	98 25 01 SLS	112	98 65 00 LE	146	99 14 300 EAN	103
97 90 13	99	98 00 07	111	98 25 02	112	98 65 40	115	99 14 300 SB	103
97 90 14	99	98 00 08	111	98 25 02 SL	112	98 65 41	115	C332 01419	156
97 90 15	99	98 00 09	111	98 25 02 SLS	112	98 65 42	115	L220 00011	152
97 90 16	99	98 00 1/2"	111	98 25 03	112	98 65 43	115	L220 00011 EN	152
97 90 17	99	98 00 1/4"	111	98 25 04	112	98 65 44	115	L220 00011 ES	152
97 90 21	98	98 00 10	111	98 26 10	112	98 65 45	115	L220 00011 FR	152
97 90 22	98	98 00 11	111	98 26 15	112	98 65 46	115	L220 00011 IT	152
97 90 23	99	98 00 12	111	98 26 20	112	98 65 47	115	L220 00011 NL	152
97 90 25	98	98 00 13	111	98 26 25	112	98 65 48	115	L220 00011 PT	152
97 90 26	98	98 00 14	111	98 26 30	112	98 65 49	115	L221 00011	156
97 90 27	98	98 00 15	111	98 29 25	113	98 65 50	115	L221 00022	156
97 91 01	100	98 00 16	111	98 29 27	113	98 65 51	115	L221 00033	156
97 91 01 LE	100	98 00 17	111	98 29 30	113	98 66 01	114	L221 00044	156
97 91 01 LE	146	98 00 18	111	98 29 40	113	98 66 02	114	L221 00055	156
97 91 03	100	98 00 19	111	98 29 45	113	98 66 03	114	L221 00066	156
97 91 04 V01	100	98 00 22	111	98 29 50	113	98 66 10	114		
97 91 04 V02	100	98 00 24	111	98 31	113	98 66 20	114		
97 99 001	101	98 00 27	111	98 35 125	113	98 66 30	114		
97 99 010	101	98 00 3/4"	111	98 35 250	113	98 66 40	114		
97 99 011	101	98 00 3/8"	111	98 37 1/2"	113	98 66 45	114		

INDEX

ACSR Cable Cutter	85	Diagonal Insulation Strippers	32, 105
Adapter Strap for drop protection system	117-118	DP50	72
Adjustable Wrench, insulated	111	DPT50	73
Alligator®	71, 108, 122	Drop protection	117-118
Alligator® Set	128, 136	Drop Protection System	117
Anvil shears	81	Duckbill Pliers	40
Basic Tool Cases	132-133, 142	Ear Clamp Pliers	74
Battery for KNIPEX eCrimp	89	eCrimp	89
Belt Pouches	131, 141	Electricians Shears	81
BIG Twin Tool Cases	136, 139, 145, 147	Electricians' Gloves, insulating	115
BiX	72	Electricians' Pliers	30, 119
Bolt Cutters	54-56, 120	Electronic Super Knips / ESD	62-63, 108
Bowden Cable Cutter	85	Electronics Diagonal Cutters / ESD	59-65
Box Wrenches, insulated	111	Electronics End Cutting Nippers / ESD	51-52
Cable Connectors	101-102	Electronics Gripping Pliers / ESD	40-42
Cable Cutters (ratchet action)	84-85, 110	Electronics Mounting Pliers	42
Cable Knives, insulated	113	Electronics Oblique Cutting Nipper	51
Cable Shears	82-83, 109-110, 122	Electronics Pliers Sets	130
Cable Tie Cutter Set	131	Electronics Wire Stripper	27
Carabiners for drop protection system	117-118	Electronics Wire Stripping Shears	27
Carpenters' Pincers	50	E-Mobility	132
Circlip Pliers for grip rings on shafts	48	End Cutting Nippers	51-52
Circlip Pliers to assemble external circlips on shafts	47, 49	End Cutting Nippers for electronics / ESD	51-52
Circlip Pliers to assemble internal circlips into bores	46, 48	End Sleeves Assortments	101-102
Circlip Tool	46	ErgoStrip®	34
CoBolt	54-55, 120	ESD	40, 42, 52, 61-65, 76-80, 130, 137-138
Cobra®	69-70, 108, 121-122	EvoStrip	28
Cobra® Set	125-126, 128, 136-137, 149	Extension Bars, insulated	113
Cobra® XL / XXL	70	Extension sets Electro	132
Cobra® XS	69	Farriers' Pincers	50
ColorCode Clips	116	Flat Nose Pliers	35, 105
Combination Pliers	24-26	Flat Nose Pliers of plastic	114
Combination Shears	81-82	Folding Knife for Electricians	33
Compact Bolt Cutters	54-55, 120	Four-Mandrel Crimping Pliers for turned contacts	94-95
Compact Diagonal Cutters	57, 107, 121	Gloves, insulating	115
Composite Pipes Cutter	73	Grip Pliers	45
Compression Connector	102	Gripping Pliers	35-44
Compression Tool for coax connectors	88	Gripping Pliers for connectors	66
ComStrip	29	Gripping Pliers for electronics / ESD	40-42
Concrete Mesh Cutter	56	Gripping Pliers for precision mechanics	40-43
Concreters' Nippers	103	Hammerhead Style Carpenters' Pincers	50
Control Cabinet Keys	123-124	Hexagon Sockets, insulated	113
Corrugated Pipe Cutter	72	High Leverage Combination Pliers	24, 26, 104
Counter Displays	148	High Leverage Concreters' Nippers	103
Crimp System Pliers	88	High Leverage Diagonal Cutters	57-59, 108, 121
Crimping Dies	89-90	High Leverage End Cutting Nippers	52
Crimping Pliers	87-97	High Leverage Flush Cutter for soft metal and plastic	57
Crimping Pliers for end sleeves	95-97, 110, 122	Hose Clamp Pliers	67
Crimping Pliers for micro plugs	96	Insertion tool	88
Crimping Pliers for Scotchlok™ connectors	92	Insulated tools	104-115
Crimping Pliers for Western plugs	92	Insulating Clamp, of plastic	114
Cross Jaw Tweezers	78-79	Insulating Mats, from rubber	115
CutiX	74	Insulation Stripper with cable shear	30, 119
Cutter for plastic conduit pipes and hoses	72	Insulation Strippers	27, 28, 30, 32, 104, 105, 119
Cutter for ribbon cable	81	Insulation Strippers for electronics	27
Cutting Tweezers	76	Insulation Strippers with adapted blades	27-28
Cycle Pliers	67	Jewellers' Pliers	35
Diagonal Cutter for fibre optics	56	KNIPEXtend – Accessories	116
Diagonal Cutters	32, 53-54, 56-65, 105, 107-108, 120-121	L-BOXX®	134, 143
Diagonal Cutters for electromechanics	59-60	Lineman's Pliers	26
Diagonal Cutters for electronics / ESD	59-65	Locator	91-92
Diagonal Cutters for plastics	57	Long Nose Pliers	38-39, 106
Diagonal Cutters with high leverage	57-59, 108, 121	Long Reach Needle-Nose Pliers	38
Diagonal Cutters, insulated	32, 53-54, 56-65, 105, 107-108, 120-121	Material catch	75

Mechanics' Pliers.....	43-44	Stripping Knives	114
Mitre Shears for plastic and rubber sections.....	81	Stripping Tool for coax cables	33
Modular X18.....	136, 146	Stripping tool for fibre optics cable	29
Mounting Pliers for electronics.....	42	Stripping Tools	32-34
MultiCrimp.....	87	Stripping Tweezers for Coated Wire.....	32, 76
Multiple Slip Joint Spanner	70	StriX®	30, 105, 119
MultiStrip 10.....	28	TANOS MINI-systainer®.....	98-100, 155
Needle-Nose Combination Pliers.....	25, 104, 119	Tear-off Pliers for vehicle bodywork.....	50
Needle-Nose Pliers	25, 38-39, 104, 119	Telephone Pliers.....	38
NexStrip®.....	29	Tether for drop protection system	117-118
Notching Pliers.....	74	Tethered Tools.....	117-118
Nut Drivers with screwdriver handle.....	111	TetheredTool Clips	116
Nut Drivers, insulated	111	Tile Breaking Pliers.....	74
Oblique Cutting Nipper for electronics/ESD	51	Tile Nibbling Pincer.....	74
Open End Wrenches, insulated.....	111	Titanium Tweezers	78
Parrot Beak Pincer.....	74	Tool assortments	125-139
Pen-Style Control Cabinet Key.....	124	Tool backpack.....	136, 146
Pipe Cutter.....	72-73	Tool bags and tool cases	140-147
Pipe Wrenches	66	Tool Card for L-BOXX®.....	143
Plastic Flat Nose Pliers.....	114	Tool Case for Photovoltaics.....	100, 146
Plastic Tweezers/ESD	79, 80, 138	Tool Cases Basic.....	132-133, 142
PlastiCut®.....	72	Tool Cases BIG Twin	136, 139, 145, 147
Pliers for Electrical Installation	31-32, 105, 119	Tool Cases Robust.....	134-135, 144-145
Pliers Sets	125-131, 136-137	Tool cases, empty and equipped	100, 132-136, 138-139, 142-147
Pliers Wrenches.....	67-68, 108, 121, 125, 137	Tool kits.....	125-139
Positioning Tweezers	78	Tool Roll	80, 125-127, 137-138, 140-141
PreciForce	94	Tools for Photovoltaics	34, 100
Precision Circlip Pliers Sets	127-128	Tools with tethering	117-122
Precision Electronics Diagonal Cutters/ESD.....	63-65	Tower Pincers.....	103
Precision Electronics Gripping Pliers/ESD.....	40	TubiX®	73
Precision Insulation Strippers	28	Tweezer Sets	80, 137-138
Precision Tweezers.....	76-80	Tweezers.....	76-80, 108-109, 137-138, 141
PreciStrip16	29	Tweezers with interchangeable ESD tips.....	76
Profi-Key.....	123	TwinForce.....	57
Protective jaws.....	68-70	TwinGrip	66
Punch Lock Riveters.....	74	TwinKey®	123
Radio Pliers	36, 106, 120	TwistCut®.....	72
Ratchet Cable Cutters.....	84-85, 110	Twistor®.....	96
Relay Adjusting Pliers	39-40	Universal Grip Pliers	45
Reversible Ratchet, insulated	113	Universal Key	123
Revolving Punch Pliers.....	74	Universal Stripping Tools.....	33-34
Robust Tool Cases	134-135, 144-145	Universal Tweezers/ESD/insulated	77-80, 108-109, 137-138
Round Nose Pliers	35, 105	Upholstery Pliers	74
Sales Aids	148-156	VDE-Tools	104-114
Screwdrivers, insulated	111-112, 129	Vinyl Shears	81
Self-Clamping Slip-On Caps.....	114	Water Pump Pliers.....	69-71, 108, 121-122
Set of Circlip Pliers	126-128	Water Pump Pliers, insulated	70-71, 108, 122
Set of Mounting Tools for solar cable connectors MC4®.....	92	Welding Grip Pliers.....	45
Sets	125-139	Wire Rope Cutters.....	85-86, 122
Shears for KEVLAR® fibres	81	WireStripper.....	31
Sheet Metal Nibbler	74	X-Cut®.....	57, 107, 121
Siphon- and Connector Pliers.....	66		
Slip-on Caps, insulating	114		
SmartGrip	67		
SMD Precision Tweezers	78, 80, 137		
Snipe Nose Pliers of plastic.....	114		
Snipe Nose Side Cutting Pliers	36-38, 106, 120		
Solar Tools	34, 87-88, 94, 100		
Special Retaining Ring Pliers for retaining rings on shafts.....	47		
Spring Hose Clamp Pliers.....	67		
Steel Fixers' Nippers.....	103		
StepCut®.....	82, 109		
StepCut® XL.....	82, 109		
Stork Beak Pliers	37-38, 106, 120		

1. Application

1.1 These General Terms & Conditions of Delivery (hereinafter referred to as **"Terms"**) shall apply to all contracts, including but not limited to future contracts, with entrepreneurs, legal persons under public law and special funds under public law (hereinafter referred to as **"Purchaser"**) on deliveries and other services, with the inclusion of contracts to produce a work, wage labour operations and the delivery of fungible and non-fungible things, by KNIPEX-Werk C. Gustav Putsch KG, Oberkamper Str. 13, 42349 Wuppertal (hereinafter referred to as **"KNIPEX"**). Any General Terms & Conditions of the Purchaser shall apply only if and to the extent that these are explicitly confirmed by KNIPEX in writing. In particular, any silence by KNIPEX regarding any differing terms and conditions shall not be considered as any acknowledgement or consent, not even for any future contracts. The Terms shall apply in lieu of any General Terms & Conditions of the Purchaser, even if any acceptance of order is provided for thereunder as unconditional acknowledgement of the Purchaser's General Terms & Conditions. In cases of doubt, the German version of these Terms, retrievable at <https://www.knipex.de/allgemeine-geschäftsbedingungen-agb>, shall apply.

1.2 Any individual agreements (e.g. master delivery contracts, quality assurance agreements) and/or any statements in any order confirmation shall take precedence over these Terms. In case of doubt, any commercial terms need to be interpreted in accordance with the Incoterms® 2020 issued by the International Chamber of Commerce (ICC) in Paris.

2. Contract Conclusion

2.1 Offers by KNIPEX shall be non-binding; this shall also apply to any statements in any catalogues and the respective valid price list. Illustrations, statements of dimension and weight in printed matter, web offers and any other publications of KNIPEX shall prevail only approximately, unless exact conformity is required to ensure usability for the purpose provided for in the contract. They shall not be deemed to be guaranteed characteristics but descriptions or identifications of the product or service. Any deviations customary in the trade and any deviations which are the result of legal regulations or represent technical improvements, as well as any replacement of components by equivalent parts shall be deemed to be in accordance with the contract only to the extent that they have no negative impact on any usability for the purpose provided for in the contract.

2.2 Any purchase order placed by the Purchaser for the goods shall be deemed to be a binding offer. Unless otherwise provided for in the purchase order, KNIPEX shall be entitled to accept such offer within four (4) weeks of receipt by KNIPEX.

2.3 Order confirmations may be given either in writing or text form or by supply of the goods or notification of readiness for shipment (hereinafter referred to as **"Confirmation"**) to the Purchaser. Where notice of Confirmation is not given within the deadline for Confirmation set out in clause 2.2, the contract on the confirmed/delivered goods shall be deemed to have been accepted, unless the Purchaser objects within two weeks from receipt of the (belated) notice of Confirmation or, where the goods are supplied without any order confirmation being sent beforehand, accepts the goods and fails to object within two weeks after receipt. The same shall apply in case of any deviations in the order confirmation and/or delivery of goods, e.g. due to any packaging units used, compared to the purchase order.

2.4 The Purchaser shall comply strictly with any and all nationally or internationally applicable import or export provisions, obtain the necessary approvals, where appropriate, and provide in due course any information and document required in the respective country of delivery for export, shipment or import. Any agreed Delivery Times (clause 4), where appropriate, shall become obsolete by any delays due to any export checks or approval procedures. In this case, KNIPEX and the Purchaser shall mutually agree on reasonable new deadlines. Where any necessary approvals are not granted within a period of 6 calendar weeks following the delay, the contract shall be deemed to not have been concluded with respect to the goods or services concerned. Where the Purchaser culpably violates this clause 2.4 sentence 1, the Purchaser shall, upon first demand, indemnify KNIPEX from any and all claim and reimburse KNIPEX for any damage asserted by any upstream suppliers or licensors of KNIPEX, or other third parties towards KNIPEX. The same shall apply to any damage and expense incurred by KNIPEX.

3. Custom-Made Products

Where KNIPEX and the Purchaser enter into any contract on the delivery of goods and/or packaging (beyond series production) custom-made upon the Purchaser's individual needs (hereinafter referred to as **"Custom-Made Product"**), KNIPEX shall be entitled to retrospectively make changes to the scope of delivery, provided that the changes or deviations are reasonably acceptable for the Purchaser, taking into account the interests of KNIPEX. Custom-Made Products shall also include any serial products or any packaging that is to be specially marked at the Purchaser's request. According to technical requirements KNIPEX may determine any technical or design features that have not been expressly ordered or specified.

4. Delivery Time

4.1 Any deadlines or dates stated by KNIPEX for delivery of the goods (hereinafter referred to as **"Delivery Deadlines"**) shall be considered as approximately, unless any fixed deadline or date has been expressly agreed to by KNIPEX. Where dispatch was agreed, any Delivery Deadlines, unless expressly stated or agreed otherwise, shall relate to the time of handover to the carrier, freight forwarder or any other third party engaged to perform transport.

4.2 Any and all Delivery Deadlines shall commence (a) on the day the purchase price is received in full (including VAT and shipping costs), where delivery on advance payment has been agreed, or (b) on the day the purchase contract is concluded, where payment by cash on delivery or on account has been agreed. Moreover, any Delivery Deadlines shall apply only subject to all details of the respective purchase contract being clarified and all obligations of the Purchaser being met in good time, e.g. provision of all regulatory certifications or presentation of letters of credit.

4.3 Where any non-compliance with Delivery Deadlines is due to

- > force majeure (e.g. war, acts of terror, civil commotion, pandemics, strike, lockout),
- > any attacks by third parties on any IT systems of KNIPEX that cannot be prevented despite all due care,
- > any impediments for which KNIPEX is not responsible due to any German or other applicable national or international legal regulation, embargoes or other sanctions or
- > due to any – untimely and/or improper – supply to KNIPEX, unless said supply is caused by fault of KNIPEX,

any agreed Delivery Deadlines shall be extended accordingly to an appropriate extent. KNIPEX shall advise the Purchaser of the begin-

ning and end of any such circumstances as soon as possible.

4.4 KNIPEX shall be entitled to deliver partial quantities if

- > the partial quantity is sellable for the Purchaser in line with the purpose intended under the contract,
- > delivery of the remaining ordered goods is secured and
- > the Purchaser does not incur any significant additional effort and expense or any significant additional costs.

4.5 Where any binding Delivery Deadlines cannot be complied with for any reason for which KNIPEX is not responsible, KNIPEX shall inform the Purchaser thereof without undue delay whilst advising the Purchaser of the anticipated new Delivery Deadline. If said reason still exists regarding the new Delivery Deadline either, KNIPEX shall be entitled to withdraw from the contract in whole or in part; payments or other contributions already rendered by the Purchaser shall be reimbursed without undue delay. Reasons for which KNIPEX is not responsible in sense of this clause 4.5 shall include but are not limited to cases specified in clause 4.3.

4.6 If KNIPEX defaults on any Delivery Deadline, the Purchaser may demand compensation for the damage caused by default besides delivery in accordance with clauses 10.1 and 10.2. In case of ordinary negligence, however, said compensation shall be limited to an amount equal to 0.5 % for each completed week of delay and a total maximum amount of 5 % of the purchase price agreed for the delayed delivery. The Purchaser's right to claim damages instead of delivery in accordance with clauses 10.1 and 10.2 shall remain unaffected.

5. Passing of Risk, Shipping Method, Default of Confirmation

5.1 The risk of accidental destruction and of accidental deterioration of the goods as well as the risk of delay for mail-order transactions, including for any deliveries free domicile, shall pass to the Purchaser with the goods being handed over to the haulier or freight forwarder, but no later than with the goods leaving the warehouse or works. In case of any delay in or failure of shipment for any reasons for which the Purchaser is responsible, the risk shall pass to the Purchaser from that day onwards on which the goods are ready for shipment and KNIPEX has advised the Purchaser thereof.

5.2 The type of both packaging and transport shall be determined as KNIPEX reasonably sees fit.

5.3 If the Purchaser is in default of acceptance of delivery or fails to perform any act of cooperation or any delivery is delayed for any other reasons for which the Purchaser is responsible, KNIPEX shall be entitled to demand compensation for damage suffered therefrom, including but not limited to extra expenditures (e.g. warehousing costs). KNIPEX shall be entitled to bill a lump-sum compensation in the amount of 1 % of the invoice amount for each commenced month of delay. However, the proof of any higher damage by KNIPEX and the claims by law (in particular reimbursement of extra expenditures, reasonable compensation, termination) shall remain unaffected. The Purchaser may prove that KNIPEX has incurred no or significantly lower damage. The Purchaser must not refuse any receipt of deliveries due to any insignificant defects.

6. Prices and Terms of Payment

6.1 Unless otherwise agreed, the list prices of KNIPEX valid on the day of Confirmation shall apply. The prices are EXW Wuppertal, Germany (Incoterms® 2020), plus statutory VAT, as well as, for export

deliveries, plus customs duties, charges and any similar public dues. Any agreed extra or special services, where appropriate, shall be billed additionally.

6.2 Unless expressly agreed otherwise, any payments are to be effected in line with the payment terms stated on the invoice as of the date of the invoice, otherwise immediately net. KNIPEX must be able to dispose of the amount on the due date.

6.3 Payments may be effected only by bank transfer or SEPA direct debiting procedure.

6.4 In case of default of payment, the outstanding amounts shall be subject to 8 % interest p. a. from the due date, with the assertion of any higher interest rates and further damage in case of default remaining unaffected.

6.5 If it becomes apparent after conclusion of the contract that any payment claims of KNIPEX will be at risk due to any insufficient ability of the Purchaser to perform, or if any other circumstances arise, implying that the Purchaser's ability to perform will deteriorate considerably, KNIPEX may refuse supply according to § 321 German Civil Code. This shall also apply to the extent that the duty to perform (in particular payment of the purchase price) is not yet due.

6.6 Any offsetting against any counterclaims of the Purchaser or any withholding of payments on account of any such claims shall be admissible only to the extent that the counterclaims are uncontested or have been finally and non-appealable established or result from the same order under which the delivery in question has been performed.

7. Retention of Title

7.1 Title to the goods delivered shall remain with KNIPEX until the purchase price (including VAT, shipping costs) has been paid in full (hereinafter referred to as "**Reserved Goods**").

7.2 Moreover, title to the goods delivered shall remain with KNIPEX until any and all claims, in particular the respective balance claims due to KNIPEX as part of the business relationship (balance reservation), have been met (hereinafter likewise referred to as "**Reserved Goods**"). This shall also apply to any claims arising in future and any conditional claims, including if any payments are effected on any specifically designated claims. This balance reservation shall finally lapse with all claims still outstanding at the time of payment and covered by this balance reservation have been settled. The balance reservation shall not apply, however, to any advance payment or cash transactions in terms of § 142 German Insolvency Code. Where requested by the Purchaser, KNIPEX shall at its own discretion release the Reserved Goods as well as the things or claims taking their place to the extent that their value exceeds the amount of the secured claims by more than 20 %.

7.3 The Reserved Goods must be neither pledged nor assigned as security to any third parties before the secured claims have been paid in full. In case of any attachments, seizures or any other dispositions or interventions by third parties, the Purchaser shall refer to the title of KNIPEX and shall inform KNIPEX thereof without delay to enable KNIPEX to enforce any titles. Where the third party is unable to reimburse KNIPEX for the court and out-of-court costs arising in this context, the Purchaser shall be liable towards KNIPEX for these.

7.4 Until revoked and except for the cases set out in clause 7.3, the Purchaser shall be authorised to process and sell the Reserved Goods in proper business transactions.

7.5 Any reworking and processing of the Reserved Goods shall be effected for KNIPEX as manufacturer in terms of § 950 German Civil Code, without incurring any obligation on KNIPEX. Where the Purchaser processes, combines or intermixes the Reserved Goods with any other goods, co-title to the new goods shall be in proportion of the invoice value of the Reserved Goods to the invoice value of the other goods used. In the event that the title of KNIPEX lapses by any combination or intermixture, the Purchaser shall already now transfer to KNIPEX the titles due to the Purchaser to the new stock or the thing to the extent of the invoice value of the Reserved Goods and shall keep them safe with the due care and diligence exercised by a prudent businessperson and free of charge for KNIPEX. Furthermore, the co-titles of KNIPEX shall also be deemed to be Reserved Goods in terms of clause 7.2.

7.6 The claims arising from the sale of the respective Reserved Goods shall already now be assigned by the Purchaser to KNIPEX by way of security in full or in the amount of any co-title share of KNIPEX (see clause 7.5) together with any and all securities acquired by the Purchaser for the claims. KNIPEX hereby accepts the assignment. The same shall apply to any other claims that take the place of or arise otherwise regarding the Reserved Goods, such as insurance claims or claims from tort in case of loss or destruction. KNIPEX revocably authorises the Purchaser to collect in the Purchaser's own name the claims assigned to KNIPEX. This authorisation shall lapse when revoked by KNIPEX, such revocation being possible in case of any breach of contract, in particular any default of payment by the Purchaser.

7.7 If KNIPEX lawfully withdraws from the contract in case of any breach of contract, in particular default of payment, by the Purchaser, KNIPEX shall be entitled to demand surrender of the Reserved Goods.

8. Industrial Property Rights

8.1 KNIPEX reserves title and/or copyright to all offers and cost estimates submitted by KNIPEX as well as to all drawings, illustrations, calculations, leaflets, catalogues, samples, models and other documents and aids provided to the Purchaser. The Purchaser must not make these objects or their contents accessible to any third parties, make them public, use or reproduce or allow any third party to use or reproduce them without explicit consent by KNIPEX. Where requested by KNIPEX, the Purchaser must return these objects and information in full and has to destroy any copies made of them, where appropriate, once the Purchaser no longer needs them in proper business transactions or if no contract is concluded following any negotiations.

8.2 Any right by the Purchaser to use the name of KNIPEX or any KNIPEX product designations for any web domains shall exist only where and to the extent that KNIPEX expressly grants the Purchaser any such right by written declaration.

8.3 Unless expressly agreed otherwise, KNIPEX shall merely be obliged to perform delivery of the goods in the country of the place of delivery without infringing any industrial property rights and/or copyrights of third parties (hereinafter referred to as "IPR").

8.4 The Purchaser shall advise KNIPEX in writing without undue delay if any claims are asserted against the Purchaser on account

of any infringement of IPR to the goods delivered by KNIPEX. In case that any IPR of third parties is infringed by the goods delivered due to any circumstance for which the Purchaser is not responsible, KNIPEX shall, at its own option and expense, modify or exchange the goods delivered such that any rights of third parties will no longer be infringed, but the goods delivered continue to fulfil the functions contractually agreed, or shall get the Purchaser the right of use by entering into a licence agreement with the third party. If KNIPEX fails to do so within a reasonable period, the Purchaser shall be entitled to withdraw from the contract or to reduce the purchase price appropriately. Any damage claims of the Purchaser shall be subject to the restrictions of clause 10.

9. Warranty, Defects

9.1 Subject to this clause 9, warranty (including but not limited to incorrect and short delivery as well as improper assembly/installation or inadequate instructions) shall be governed by applicable law. In any case, the legal regulations regarding reimbursement of expenses in case of final delivery of any newly manufactured goods to a consumer (supplier recourse under §§ 478, 445a, 445b or §§ 445c, 327(5), 327u of the German Civil Code) shall remain unaffected, unless any equivalent compensation has been agreed, e.g. as part of any quality assurance agreement.

9.2 Basis of the liability of KNIPEX for defects shall, first of all, be the agreement reached on the quality and the presupposed use of the goods (including accessories and instructions). A quality agreement in this sense shall be deemed to be all product descriptions and manufacturer's specifications which are the subject-matter of any individual contract or had been announced publicly by KNIPEX (in particular in catalogues or on the Internet on the KNIPEX website) at the time the contract is concluded. To the extent that any specific quality had not been assured or separately agreed in any materials distributed or other publications made by KNIPEX, it needs to be assessed pursuant to the legal regulation whether any defect exists or not (§ 434(3) of the German Civil Code). KNIPEX shall not be liable for any (public) statements by any third parties in this respect.

9.3 For any goods with digital elements or any other digital contents, KNIPEX shall owe any provision and, where appropriate, any updating of the digital contents only to the extent that this follows explicitly from any quality agreement under clause 9.2. KNIPEX shall not be liable for any (public) statements by any third parties in this respect either.

9.4 The limitation period for all claims for defects, including damages claims, shall be one year from delivery. This shall not apply to the extent that any longer periods prescribed by mandatory law apply, e.g. in cases of any injury to life, body or health, any breach of duty by KNIPEX by wilful intent or gross negligence, any fraudulently concealed defect or any non-compliance with any quality guarantee. The legal provisions on suspension of expiry, suspension and commencement of the periods shall remain unaffected.

9.5 Any assertion of claims for defects by the Purchaser shall be subject to the Purchaser having complied with the Purchaser's legal duties to inspect and to claim defects (§§ 377, 381 of the German Commercial Code). If any defect becomes evident at the time of delivery or inspection or at any later point in time, KNIPEX needs to be advised thereof in writing without delay. This shall also apply to any goods intended to be built in, attached or installed, even if the defect arising from the breach of any of these duties became apparent

only after the corresponding processing; in this case, the Purchaser shall not have any claims to reimbursement of corresponding costs. Where any shortages are established, gross and net weight of the shipment need to be determined and copies of the delivery notes and freight documents need to be sent, otherwise KNIPEX will not be able to handle the process.

9.6 In case of delivery of defective goods, KNIPEX may first choose within a reasonable deadline whether subsequent improvement or replacement delivery will be performed; the Purchaser may reject any type of remedy chosen by KNIPEX that is unreasonable for the Purchaser in an individual case. The right of KNIPEX to refuse remedy according to German Civil Code shall remain unaffected.

9.7 The Purchaser shall give KNIPEX the time and opportunity required to perform remedial work. In case of a defect, the Purchaser shall keep the goods ready for inspection. Where requested by KNIPEX, the Purchaser shall send the defective goods to KNIPEX free of any transport cost. KNIPEX will reimburse the costs of the least expensive shipping method where the notice of defects is justified.

9.8 If any reasonable deadline to be set by the Purchaser for remedial work expired or is dispensable pursuant to the legal regulations, the Purchaser may withdraw from the contract or reduce the purchase price pursuant to the legal provisions. No right of withdrawal shall exist, however, in case of any insignificant defect.

9.9 In case of any defects, any claims of the Purchaser for damages or reimbursement of cost shall be governed by clause 10 below and shall otherwise be excluded.

10. Liability for Damages

10.1 KNIPEX shall be liable for damages on account of any breach of contractual and non-contractual duties, including for any executives and any other persons used to perform an obligation, only in case of intent or gross negligence. Moreover, any liability by KNIPEX in case of slight negligence shall be limited to foreseeable damages typical for the contract. Other than that, any liability, including for any indirect damage or consequential damage shall be excluded.

10.2 The above limitations shall not apply in case of any culpable violation of material contractual duties. The above limitations shall further not apply in case of any culpably caused damage to life, body or health, or in case and to the extent that KNIPEX has accepted any guarantee for the quality of the delivered goods or in any cases of mandatory liability, e.g. under the German Product Liability Act.

10.3 KNIPEX shall bear reasonable expenses in connection with remedy of defects, in particular reasonable in proportion to the purchase price of the goods, but in no case more than 100% of the purchase price. KNIPEX shall bear any further expenses, e.g. sorting costs, only in accordance with clauses 10.1 and 10.2 above. This shall apply without prejudice to any mandatory legal regulations.

11. USA Sales Prohibition

11.1 Special requirements regarding packaging, marking, guarantees and operating instructions shall apply to the United States of America (hereinafter referred to as "USA"). Only products sourced by (the subsidiary of) KNIPEX Tools LP shall meet these requirements. Products directly or indirectly sourced by KNIPEX or any other KNIPEX subsidiary shall not meet these requirements and shall hence not be licensed for sale in the USA. The Purchaser shall thus

be prohibited from selling or delivering, either directly or indirectly, any KNIPEX products not placed on the market by KNIPEX Tools LP to any buyers in the USA.

11.2 The Purchaser shall be obliged to impose this sales prohibition on the Purchaser's buyers as well. Besides, the Purchaser shall ensure within the bounds of possibility that any customers who, to the Purchaser's knowledge, want to or will export such products into the USA will not be supplied.

12. Return Shipments

12.1 KNIPEX shall not be obliged to accept return shipments of any non-defective goods, unless this has been expressly agreed with the Purchaser beforehand or KNIPEX has given its prior consent.

12.2 Where any goods are taken back in line with clause 12.1 above, the Purchaser shall receive a credit note for any resaleable goods in their original packaging in the amount of 80% of the calculated (net) price. Any costs for any refurbishment and repackaging shall be additionally deducted from the credit note amount based on the expenses incurred. The credit note may be offset only against deliveries of new goods. Any isolated tools may basically not be taken back for reasons of safety.

13. Code of Conduct and Act on Corporate Due Diligence Obligations in Supply Chains

13.1 KNIPEX has adopted a comprehensive Code of Conduct. Accordingly KNIPEX is obliged, among others, to ensure ecological and social responsibility. The Code of Conduct shall be provided to the Purchaser upon request. Any codes of conduct published (irrespective of how and where) or directly sent to KNIPEX by the Purchaser are not binding to KNIPEX, unless this has been separately agreed to in writing. Any silence by KNIPEX regarding any code of conduct of the Purchaser or third parties shall not be regarded as its acknowledgement or acceptance either.

13.2 Beginning of 2024 KNIPEX is obliged to comply with the Act on Corporate Due Diligence Obligations in Supply Chains. Any individual requests of the Purchaser for information or adherence to that end shall hence not be required and will not be responded to by KNIPEX.

14. Place of Performance, Place of Jurisdiction and Applicable Law

Place of performance, including but not limited to any duties of the Purchaser, shall be Wuppertal. Place of jurisdiction for all disputes arising out of or in connection with any and all contractual relationship between the Purchaser and KNIPEX shall be Wuppertal. At its own discretion KNIPEX may also sue the Purchaser at its registered seat. All legal relationships between KNIPEX and the Purchaser shall be governed by German law to the exclusion of any conflict of laws principle and to the exclusion of the United Nations Convention on Contracts for the International Sale of Goods (CISG).

15. Miscellaneous


Unless otherwise agreed, any legally relevant statements and notices by the Purchaser in relation to the contractual relationship (e.g. setting of deadlines, notice of defects, withdrawal or reduction) need to be made or given in writing in terms of § 126 of the German Civil Code. Any legal formal requirements and any further proofs, in particular in case of any doubts as to the declarant's legitimation, shall remain unaffected.

(Effective: 12/2024)




- 1 Point
- 2 Gripping surface
- 3 Recess (pipe grip)
- 4 Additional cutting edge
- 5 Jaw
- 6 Flank

Direction and position of the cutting edges



Cutting edge shapes DIN ISO 5742




Joint types

<p>Lap joint</p> <p>With the lap joint, which is used on carpenters' pincers, concretors' nippers and high leverage diagonal cutters, the two halves of the pliers lie on top of each other without being milled out. The pliers handle can thus be designed to be very robust.</p>	
<p>Single joint</p> <p>With the single joint, half the thickness of each pliers handle is milled. Both pliers handles can thus be fitted into one another. The outer sides in the rivet area are smooth and not indented.</p>	
<p>Box joint</p> <p>One handle on the pliers is slit. The other handle is pushed through this slot. This joint connection can withstand a high level of load and strain because the joint bolt is supported on both sides and the inside handle is guided on both sides.</p>	
<p>Slip joint</p> <p>Slip joints enable optimal adaptation of the gripping jaws of pliers to various workpiece sizes. The opening width of the jaws is increased or decreased for this purpose. This occurs through shifting the two pliers handles with respect to one another.</p>	


Safety instruction

- > Each tool should only be used for its specified purpose.
- > When using cutting pliers: beware of wire ends flying off. Wear protective goggles and – if needed – gloves. Be aware of bystanders!
- > Only handles marked with the symbol 1000 V are insulating.






Care instructions

A drop of oil (e.g. Ballistol®) on the polished surfaces and in the joint keeps your pliers in good working order and extends their service life!



Basic jaw shapes



Examples of different handle types on a pair of pliers



Straight handles, fully-metal design without plastic grips are used when the hand must be placed at various positions when gripping. This is often the case with carpenters' pliers and concretors' nippers.



S-shaped handles, thin plastic coatings render pliers slip resistant and pleasant to grip. They support a precise hand position, which can be useful in screwing motions, for example. The typical handle for water pump pliers.



Curved handles, thin plastic coatings support the hand at the front and rear. This is always beneficial where high forces are required, for example with diagonal cutters.



Multi-component grips Compared to handles with a thin plastic coating, comfort handles offer the hand a larger contact surface, enabling better distribution of force and thus making work more comfortable. The red, hard component ensures a firm grip on the pliers body, the softer blue component ensures ergonomic contact with fingers and the heel of the hand.



Comfort Handles **KNIPEXTEND** The third, grey component in the thumb rest allows more control due to its special surface texture. The ends of the handles each have a KNIPEXTend interface for extending the functionality, for example with TetheredTool Clips for attaching fall protection devices.



VDE*-insulated handles, multi-component grips Insulated grips for working on electrical systems. Approved to DIN EN/IEC 60900, these pliers comply with significantly more stringent technical and safety standards.







VDE*-insulated handles with dip-insulation The dipped VDE-handles guarantee the same electrical protection as other VDE insulated handles. In particular, energy companies use these different looking VDE-pliers to help prevent the wrong tool from being used.







ESD-grips, multi-component grips** Dissipative sleeves enable a gradual, controlled equalisation of any prevailing differences in electric potential between the operator and sensitive electronic components.









* Association for Electrical, Electronic and Information Technologies
 ** electrostatic discharge

Cutting value table

Article No.	Length mm	 Ø mm	 Ø mm	 Ø mm	 Ø mm	Page
01 0	160			2,0	1,5	24
	190			2,5	2,0	24
02 0	180			2,5	2,0	24
	200			2,8	2,2	24
	225			3,0	2,5	24
03 0	110		2,5	1,6		25
	140		2,8	1,8		24
	160		3,1	2,0		24
	180		3,4	2,2		24
	200		3,8	2,5		24
	250		3,8	2,5		24
08 0	110		2,5	1,6		25
08 2	145		3,0	2,0		25
	185		3,8	3,0		25
09	240		4,6	3,0		26
13 0	160		2,5	1,6		30
13 4	165		3,2	2,2		30
14 2	160	2,5	1,5			32
19 0	130		2,2	1,6		35
25 01/03	125		2,2	1,6		36
25 01/02/05	140		2,5	1,6		36
25 0/2	160		2,5	1,6		36
26 1/2	200		3,2	2,2		37
50 0	160		1,8			50
	180		2,0			50
	210		2,2			50
	225		2,2			50
	250		2,2			50
	210		2,2			50
	51 01	210		2,2		
55 00	300	2,0–3,0				50
61 0	200	1,0–6,0	4,0	3,5	3,0	51
62 12	120	0,3–1,0	0,7			51
64 0	115	2,0	1,0	0,6		51, 52
64 11/12	115	1,4	0,8			51, 52
64 22	115	0,8				51, 52
64 32	120	1,5	1,0	0,5		51, 52
64 42	115	1,5	1,0	0,5		51
64 52	115	1,3				51
64 62	120	0,6				52
64 72	120	1,5				52
67 0	140	4,0	3,1	2,0	1,5	52
	160	4,5	3,4	2,5	2,0	52
	200	5,0	3,8	3,0	2,5	52
	160	4,0	2,8	2,3		52
68 01	180	4,0	3,2	2,5		52
	200	4,0	3,5	2,8		52
	280	4,5	4,0	3,2		52
	110	3,0	2,0	1,2		53, 54
	125	3,0	2,3	1,5		53
70	140	4,0	2,5	1,8		53
	160	4,0	3,0	2,0		53, 54
	180	4,0	3,0	2,5		53
	160	5,3	4,4	3,2	3,0	54
	200	6,0	5,2	4,0	3,6	54, 55
71	250		5,6	4,0	3,8	55
	160	5,3	4,8	3,6	3,3	54
	250		6,0	4,3	4,2	55

Article No.	Length mm	 Ø mm	 Ø mm	 Ø mm	 Ø mm	Page
72 62	200	6,0				57
73 0	160	4,8	3,8	2,7	2,2	57
73 7	180	5,5	4,6	3,2	3,0	57
74	140		3,1	2,0	1,5	58
	160		3,4	2,5	2,0	58
	180		3,8	2,7	2,2	58
	200		4,2	3,0	2,5	58, 59
	250		4,6	3,5	3,0	58, 59
	75 02/12	125	0,2–1,3	1,0	0,6	0,4
75 22	125	0,2–1,3	0,9	0,4	0,3	59
75 52	125	0,2–0,8	0,5	0,3		59
76 01/03/05/12	125	0,4–3,0	2,3	1,5	0,6	59
76 22	125	0,4–2,5				60
76 81	125	0,4–1,7	1,3	0,8		60
77 01	115	0,3–1,6	1,2	0,6		60
77 02	115	0,3–1,6	1,2	0,6		60, 61
	120	2,0	1,4	1,0	0,6	62
	130	0,3–2,0	1,5	0,8		60, 61
	115	0,3–1,6	1,2	0,6		60, 61
77 21	115	0,3–1,3	1,0			60, 61
77 22	115	0,3–1,3	1,0			60, 61
77 32	115	0,3–1,3	1,0	0,5		60, 61
	120	1,6	1,0	0,6	0,2	62
	130	0,3–2,0	1,3	0,6		60, 61
	115	1,3	0,8			60
77 42	115	0,3–1,3	0,8			60, 61
	130	0,3–1,6	1,3			60, 61
	115	0,3–1,0	0,8	0,5		60, 61
77 52	115	0,3–0,8				61
77 72	115	0,3–0,8				61
77 82	130	0,3–1,6	1,3			61
78 03/06/13	125	0,2–1,6	1,0			62, 63
78 03	140	0,2–2,1	1,2			63
78 23	125	0,2–1,0	0,6			62
78 31/41	125	0,2–1,0				62
78 61/71	125	0,2–1,6	1,2			62, 63
78 61	140	0,2–2,1	1,4			63
78 81/91	125	0,2–1,6	1,2	0,6		63
79 02	120	0,2–1,4	1,0	0,6		63, 64
	125	0,2–1,7	1,3	0,7		63, 64
79 12	125	0,3–1,7	1,3	1,0	0,6	63, 64
	120	0,1–1,3	0,8			64
79 22	125	0,1–1,7	1,0			64, 65
	125	0,2–1,5	1,1	0,6		64, 65
79 42	125	0,1–1,5	0,8			64, 65
79 52	125	0,2–1,3	0,9	0,5		64, 65
79 62	125	0,1–1,3	0,8			64, 65
95 6	190			4,0	2,5	85, 86
99 0	200		1,8	1,4		103
	220		2,4	1,6		103
	250		2,4	1,6		103
	280		2,8	1,8		103
	300		3,1	1,8		103
99 1	250		3,3	1,8		103
	300		3,8	2,0		103

Wire classes

	Material examples	Type of wire	Tensile strength		
			N/mm ²	kp/mm ²	
	Copper, plastics	soft	220	22	
	Nail, wire pin	medium-hard	750	75	
	Wire rope strand, steel wire	hard	1800	180	
	Spring steel wire	piano wire	2300	230	

Note

The maximum values always indicate the performance limit under the most favourable cutting conditions, when the wire is placed as near as possible to the joint.

Structure of article number



Example of the item number on the pliers handle

Basic model e. g. KNIPEX Cobra® Hightech Water Pump Pliers	Style e. g. straight	Finish e. g. head polished, with comfort handles	Length e. g. 250 mm	Accessory e. g. Tethered- Tools- Programm
87	0	2	250	T



Safe working: very stable tether attachment, firmly welded to the handle grip for attaching a safety cord or adaptor sling

Head / handles


0

Pliers black
atramentized,
head polished



1

Head polished,
handles plastic
coated



2

Head polished,
with comfort handles



3

Pliers chrome
plated, handles
plastic coated



4

Pliers chrome plated



5


Pliers chrome
plated, with
comfort handles



6

Pliers chrome plated,
handles insulated with
multi-component grips,
VDE-tested

DIN EN / IEC 60900









































































7

Pliers chrome plated,
handles with dipped
insulation, VDE-tested

DIN EN / IEC 60900



Pictograms

	Packing unit		Western crimp		Flat and pointed jaws
SB/BK	Carded pliers with euro holes		Trapezoidal crimp front		Half-round jaws
ESD 	Electrostatic discharging, dissipative		Hexagon		Round jaws
	Insulated according to IEC 60900, usable up to 1000 V AC/1500 V DC		Hexagonal screw		Angle
	VDE tested, also in compliance with GPSG (Equipment and Product Safety Act)		Slotted screw		Smooth gripping surfaces
	Cu- + Al-multi-conductor cable, solid and multi-stranded		Cross recessed screw		Smooth-serrated gripping surfaces
	Wire rope		PlusMinus cross recessed screw		Knurled gripping surfaces
	Ribbon cable		Pozidriv cross recessed screw		Cross-hatched, knurled gripping surfaces
	Steel wire armoured cable (SWA)		Torx		Centre cutter
	ACSR cable		Capacity double-bit key		Cutting edges with bevel
	Soft wire		With driving square 3/8"		Cutting edges with small bevel
	Medium hard wire		With driving square 1/2"		Cutting edges with very small bevel
	Hard wire		Internal square		Cutting edges without bevel
	Piano wire		Internal triangle		For flush cut of soft materials
	Square crimp automatic		Hexagonal socket		Mechanically tested in accordance with the Equipment and Product Safety Act
	Hexagonal crimp automatic		12-point		Conforms to a European directive
	Four mandrel crimp		Driving Square		WEEE marking (Waste Electrical and Electronic Equipment Directive)
	Mandrel crimp		Bit holder 1/4" (hexagon socket)		New
	Trapezoid crimp		With opening spring		Reworked
	Oval crimp		With lead catcher		
	F-crimp		Internal circlip		
	Trapezoid indent crimp		External circlip		
	W-crimp		Retaining ring, straight		
	Hexagonal crimp		Retaining ring, diagonal		
	Square crimp		Grip ring		
	Tyco crimp		Flat jaws		



Registered Trademarks of the companies

Ballistol®	F.W. Klever GmbH
Con-Pearl®	friedola TECH GmbH
Fidlock®	Fidlock GmbH
gesis®	Wieland Electric GmbH
Kapton®, KEVLAR®	E. I. du Pont de Nemours and Company
L-BOXX®	Sortimo International GmbH
Mini-Fit®, Micro-Fit™	Molex® Inc.
MC®, MC4®	Stäubli Electrical Connectors AG
Phillips®	Phillips Screw Company
Pozidriv®	European Industrial Service Ltd.
Radox®	HUBER+SUHNER AG
Scotchlok™	3M
Solarlok®	Tyco Electronics
systainer®	TANOS GmbH
Torx®	Acument Global Technologies, Inc.

**Gross price list,
plus VAT at the rate ruling at time of supply.
Price per piece. The price list is valid until 31.03.2026.
Printed in Germany.**

Copyright 2025

KNIPEX-Werk C. Gustav Putsch KG, Wuppertal (Germany)

All rights reserved. Reprinting, duplication and translation are permitted only with our express, written consent.

The KNIPEX-Werk C. Gustav Putsch KG works continuously to further develop all its tools. These tools are subject to technical modifications at any time. Consequently published details, illustrations, descriptions and dimensions are not binding.

All rights are reserved for misprints and errors.



KNIPEX-Werk
C. Gustav Putsch KG

42337 Wuppertal
Germany

Tel.: +49 202 47 94-0
Fax: +49 202 47 74 94

info@knipex.com
www.knipex.com